

A WEEKLY JOURNAL OF PRACTICAL INFORMATION IN ART, SCIENCE, MECHANICS, CHEMISTRY AND MANUFACTURES.

Vol. X.---No. 26.

NEW YORK, JUNE 25, 1864.

SINGLE COPIES SIX CENTS.
\$3 PER ANNUM-IN ADVANCE

Improved Beater Hay Press.

This press is one of a class wherein the hay is beaten before it is finally compressed by the action of a drop, so that the operation of pressing is rendered much more effective than in ordinary presses. The machinery consists of a tall upright frame, A, in which the drop, B, slides. This drop is raised by facture of all metal articles, bells, hammers, anvils, several roofs that were worn entirely through at the

a rope, C, attached to the windlass, D (in a manner hereafter described), and rove through pulleys in such a way as to run easily. The hay to be pressed is introduced to the box the bale, E, is in; the doors, F, are then shut and held by strong fastenings; the team attached to the bar, G, then travels around, thus elevating the weight. The rope coils up on the rim, H, which is so made that when the weight reaches the top the rope has arrived at an inclined plane, I, where it runs or slips off the rim, H, and the beater or weight falls on to the batten, J, placed over the bale. This operation is repeated four or five times, until the hay is well consolidated; it is then ready for pressing. To effect this the team is called into requisition again, and the capstan, D, is thrown out of connection with the base the rim, H, is on, so that the latter is stationary—the rope being connected to a loose band that slips on the capstan body as it turns. The line, L, that works the toggle joints is tied to the lug, M, on the capstan, and as the latter is worked the joints draw together and compress the hay, during which operation the batten, J, serves for a follower, and the toggles, N, on the beater block are pushed down so as to throw two strong side-blocks into recesses in the upright frame, A, so that the bale cannot

give. This operation compresses the bulk into about 24 inches square. By the | rails, and non-cutting tools, has been patented by Mr. arrangement of the battens, J and O, above and below the bale, the operator is enabled to band it before removing it from the press. This is done by slipping two strong clamps into the openings in the battens, D; the clamps are provided with chains and $\mathbf{T}\text{-}\mathbf{headed}$ swivel $\ \mathbf{bolts},\ \mathbf{so}\ \mathbf{that}\ \mathbf{the}\ \mathbf{clamp}\ \mathbf{straps}\ \mathbf{can}$ be quickly connected without screwing or unscrewing nuts. So soon as these clamps are attached the bale can be removed and banded properly on the ground with hoops while another bale is being compressed. There is also a brake and lever at Q, which enables the sleeve or capstan body to be held at any part of its revolution, either to adjust parts or to suspend the movement altogether. A patent was grant- obtained.

ed on this press to Ira James, of Mattoon, Ill., on the 16th of Feb., 1864. For further information address the patentee as above.

A New Alloy.

A new alloy, described as applicable to the manu-


Split and Sawed Shingles.

A correspondent of the Boston Cultivator says:-"I have been interested in the communications of your correspondent in regard to shingles. I have had over thirty years' experience in building and repairing roofs. I have taken rifted pine shingles from off

line where the water falls from one shingle upon the next one below, while underneath the courses $the shingles \,were \,as \,bright$ as when first laid. Such is not the fact with sawed and cut shingles, from any kind of timber. The reason is, that sawed and cut shingles are crossgrained, so that water runs through the pores of the wood—wets the under course, and, in wet seasons, seldom if ever dries. The agents of decay are air, water and heat. All are combined on a roof to produce decay, and you see the effect on all roofs made of sawed or cut shingles. I have replaced many roofs of sawed shingles, but they never were half worn; they were rotten and unfit to remain longer. Let any one examine a sawed shingle and he will find the grain severed, and every pore through which the sap was pumped up from the roots to the branches, is a water-pipe to conduct water through the shingle instead of over it, as is done by a rifted shingle. I advise every man, who has means to procure a rifted and shaved single, never to use a sawed or cut one. I think slate is the most economical and durable of all roofs. Tin will do well, and roofs with it will be laid more flat, thereby making less surface to cover. There may be compositions that will make good roofs, but I know of none I would

accept as a gift, and I have tried several kinds. In choosing rifted shingles, don't get those of twisted grain, so that one side will turn up and the other turn down. Any person who will discover a chean kind of roofing that will endure our variable climate, will deserve the everlasting gratitude of his kind. But forever deliver me from sawed, and more especially cut shingles."

In order to answer fully all the inquiries addressed to us upon the manufacture of turpentine, we have had an illustrated article prepared, showing the whole apparatus and process necessary for the purpose. The whole will appear in an early number of our new volume



JAMES'S BEATER HAY PRESS.

M. H. Micolon, of Paris. The alloy consists of iron with manganese or borax. The patentee takes 20 parts of iron turnings or tin waste, 80 parts of steel, 4 parts of manganese, and 4 parts of borax; but these proportions may be varied. When it is desired to increase the tenacity of the alloy, 2 or 3 parts of wolfram are added. When the cupola is ready, the iron and steel are poured in, and then the manganese and borax; finally, the vessel is filled up with coke; the metal is thus in direct contact with the fuel in the cupola, and by quickly running the fused mass into molds, bells which possess the sonorousness of silver, whilst the cost is less than bronze, may be

UTILIZATION OF WASTE PRODUCTS.

At the last meeting of the Polytechnic Association the regular subject for discussion was the utilization of waste products, and Prof. Joy, of Columbia College, being called on by the President, made the following remarks:—

WASTE FROM GAS-WORKS.

Constant progress has been made in the utilization of the waste substances produced in the manufacture of illuminating gas. At one time the companies paid persons for carting away the lime used for purifying the gas. The lime absorbs bisulphide of carbon, sulphureted hydrogen, and sulphur, coming from the distillation of the coal, and when exposed for a long time to the atmosphere it absorbs oxygen and becomes the sulphate of lime or plaster. This is now understood by a sufficient number of farmers to make a demand for the waste lime at a moderate price.

Mr. Cleland, the director of the Liverpool gas works, states that he has largely reduced the cost of purifying gas by using oxide of iron, and saving the sulphur and ammonia. The material from the purifiers is heated to about a thousand degrees Fah. in a close iron retort. A portion of the sulphur combines chemically with the iron, while the balance is distilled over. As soon as the sulphur ceases to come over, the contents of the retort are drawn and moistened, and in this state exposed to the action of the atmosphere. The oxidation is rapid, and the mass glows unless frequently wet and stirred. In a few weeks a sulphate of iron is produced containing 30 to 40 per cent sulphuric acid. The salt is decomposed by passing the vapor of ammonia from the waste waters of the hydraulic mains through it. In this way sulphate of ammonia and an oxide of iron are obtained. The oxide of iron can be used again. The sulphate of ammonia is purified by crystallization. Mr. Cleland says that he has obtained 100 tuns of sulphur in this way.

PREPARATION OF SAL-AMMONIAC.

About two per cent of ammoniacal gas water goes over with the tarry products and is collected at the end of the hydraulic main in cisterns. This was formerly a waste product, it is now saved and the greater portion of sal-ammoniac of commerce is prepared from it. In London alone 840,000 tuns of coal are consumed every year in the manufacture of gas. This yields about 37,000,000 pounds of gas water. The water is subjected to distillation in two retorts, the first of which is heated directly by the fire, and the second by the latent heat of the steam from the The steam and gas are passed through a worm to be condensed, and flow into a large leaden tank containing muriatic acid. Uncondensable gases pass out of the tank and are conducted through the fire. where the sulphureted hydrogen is consumed, into the chimney. The muriatic acid is saturated to neutrality, and requires very little further treatment for the formation of beautiful white crystals of sal-ammoniac. This sal-ammoniac is the starting point in the manufacture of the salts of ammonia, and can now be obtained in great abundance by the above method.

OIL OF WOOL WASTED.

There is a great waste in our woolen manufactories of a valuable substance; that is, the oil of the wool. When wool has been thoroughly cleansed it is found to have lost thirty, forty, or in some cases as high as sixty per cent of its weight, and the most of this is oil—an excellent oil for some purposes, and especially for soap. There is an establishment in England that takes wool to cleanse for the oil; making no other charge for the work.

OIL AND FAT FROM REFUSE COTTON, GLUE, ETC.
Edward Tonybee digests the refuse material in about half its weight of concentrated sulphuric acid contained in leaden vessels and warmed by steam. They are thus dissolved and the fat separated. After standing, the fatty acids collect on the top, and can be removed and further purified by distillation. To the residual solution sufficient finely-divided phosphate of lime is added to neutralize the sulphuric acid, and a valuable compost containing phosphates and nitrogenous matters obtained.

LIEBIG AND WASTE SEWERAGE. the author mentions a fact of no great importance to in our larger cities to send to the farmers. When I was last in Europe I talked a great deal us, namely, that the introduction of zinc into money as are not otherwise profitably employed.

with Liebig, who has contributed more than any other man to the utilization of waste products; it has been the principal labor of his life; he has invented many processes himself, and has directed the attention of the world to the subject. His great grief is the waste of fertilizing material in the sewers. He spoke repeatedly of the loss of this material which is going on in the city of New York.

SLAG IN IRON FURNACES.

I also visited Mantsel, where Luther went to school 300 years ago, and saw the iron mines in which Luther's father worked. At this place the slag has accumulated in mountains. People are constantly at work, you may be sure, at plans for extracting something of value from the waste slags. At Mantsel the slag is now run into molds of about a cubic foot each, and distributed to the workmen. Each man takes his share of the blocks in an iron wheelbarrow and wheels them home, when they still contain heat enough to cook the meal for the family. After they are cooled these rectangular blocks are an excellent material for building walls.

ZINC WASTED IN GALVANIZING IRON.

A large portion of the zinc used for coating iron is evaporated and lost. Plans for preventing this loss are worthy of the attention of inventors. The whole history of zinc is that of a waste product. It was first found in chimneys where ores of other metals were being smelted, and people were thus led to seek for it in its own ores.

SOUP FROM BRINE.

Prof. Joy then spoke of Mr. Whitelaw's plan of making soup from brine, described on page 309 of our current volume, and remarked that parchment paper is as good a dyalizer as bladder or other animal membrane. All that is required is to make boxes with the sides of this parchment paper, fill them with brine, and set them into pure water. In a short time all of the crystallizable matter in the brine—the salt, niter, etc.—will pass through the paper, while the juices of the meat, all uncrystallizable matters, will be retained in the boxes, and may be used for making soup. The speaker exhibited specimens of parchment paper, such as is used by chemists, and observed that it is made in pretty large quantities.

On the Alloys of Silver and Zinc. By M. Peligot.

In consequence of the increasing scarcity of silver money in France, which is constantly disappearing from circulation on account of the continued rise in the value of the metal, the French Government is about to lower the standard of the silver coinage by the addition of about 7 per cent more copper. The new money will be made of an alloy consisting of 835 parts silver and 165 parts copper. M. Peligot is chemist to the French Mint, and he has made experiments to ascertain how the introduction of zinc or the complete substitution of zinc for the copper would affect the alloy. He has found that alloys of the legal standard in which part or the whole of the copper was replaced by zinc are remarkably malleable, and when rolled are perfectly homogeneous. They are of a beautiful white color, but the binary alloy of silver and zinc is somewhat yellowish. The fusibility of the zinc alloys is greater than the copper; they are very sonorous and elastic, and if made brittle by hammering, the malleability is restored by heating. The study of the atomic alloys showed curious results. Equal equivalents of silver and zinc, or two equivalents of silver to one of zinc, gave malleable alloys, while the compounds Ag+2Zn and 2Ag+3Zn are too brittle to be rolled. As a matter of economy, the author recommends that his Government should employ zinc to reduce the value of the present money, the price of zinc being only one-fifth that of copper. Another recommendation to the zinc alloys is the fact of its blackening less readily with sulphureted hydrogen than the copper compound, copper, indeed, seeming to increase the discoloration. An alloy of 800 of silver and 200 zinc will keep its whiteness in a solution of polysulphide which will rapidly blacken the legal alloy of copper and silver. This, as the author points out, will be useful information to the makers of jewel-The absence of verdigris under the action of acid liquors is another advantage. In conclusion, the author mentions a fact of no great importance to

with Liebig, who has contributed more than any is nothing new. French copper money contains one other man to the utilization of waste products; it per cent of zinc, and the small coins of Switzerland has been the principal labor of his life; he has in-

The Way to make an Eolian Harp.

Of very thin cedar, pine or other soft wood, make a box five or six inches deep, seven or eight inches wide, and of a length just equal to the width of the window in which it is to be placed. Across the top, near each end, glue a strip of wood half an inch high and a quarter of an inch thick, for bridges. Into the ends of the box insert wooden pins like those of a violin to wind the strings around, two pins in each end. Make a sound-hole in the middle of the top, and string the box with small catgut, or blue firstfiddle strings. Fastening one end of each string to a metallic pin in one end of the box, and, carrying it over the bridges, wind it around the turning pin the opposite end of the box. The ends of the b should be increased in thickness where the wood pins enter by a piece of wood glued upon the insic Tune the strings in unison and place the box in t window. It is better to have four strings as a scribed, but a harp with a single string produces exceedingly sweet melody of notes which vary with the force of the wind.

Suspending Life.

A scientific German publication states that, amo other curiosities, Dr. Grusselbake, professor of chemistry at the University of Upsal, has a little serpent which, although rigid and frozen as marble, can, by the aid of a stimulating aspersion, discovered by the Doctor, be brought to life in a few minutes, becoming as lively as the day it was captured, now some ten years ago. Dr. Grusselbake has discovered the means of benumbing and reviving it at his pleasure. If this principle could only be carried out for man as well as for reptiles, death would lose its empire over mankind, and we should preserve life as the Egyptians preserved their mummies. Dr. Grusselbake's pr cess is nothing more, apparently, than simply lowering the temperature, just to that point where the cold produces a complete torpor without injuring any of the tissues. In this state the body is neither dead nor alive, it is torpid. The professor has laid his scheme before the Swedish Government, and proposes that a condemned criminal shall be handed over to him for the purpose of experiment! The savant purposes, if he can only get his man, to benumb him as he benumbs his little serpent, for one or two years, and then to resuscitate him from apparent death by his aspersion stimulante.

Action of Light on Honey.

Honey fresh from the comb is a clear yellow sirup, without a trace of solid sugar in it, but upon straining it gradually assumes a crystalline appearance, and ultimately becomes a solid mass of sugar. It has not been suspected that this change was due to a photographic action, but this appears to be the case. M. Scheibler has inclosed honey in stoppered flasks, some of which he has kept in perfect darkness, whilst others have been exposed to the light. The invariable result has been that the sunned portion rapidly crystallizes, whilst that kept in the dark remains perfectly liquid. It is thus seen why bees are so careful to work in perfect darkness, and why they obscure the glass windows which are sometimes placed in their hives. The existence of their young depends on the liquidity of the saccharine food presented to them, and if light were allowed access to this, the sirup would gradually acquire a more or less solid consistency and would seal up the cells.

Work for Boys.

In the present emergency of the country every hand ought to be well employed. The war has absorbed the working power of the country to an alarming degree, and as a consequence the amount of agricultural productions are much diminished. There are droves of boys in this city who ought to be profitably employed, and it would be a good service to them as well as to our farmers if they could be got out of the city to assist in farm labors. They can be used for all kinds of light labor, and especially in the approaching hay and harvest season. We would be glad to see some energetic movement started in our larger cities to send to the farmers such boys as are not otherwise profitably employed.

Improved Evaporator.

The annexed engraving represent a new evaporator for manufacturing sorghum sugar. When the article just alluded to becomes a staple product at a low price, we shall certainly owe a great deal to the ingenuity and perseverance of inventors, for they are doing all in their power to provide the community with the requisite apparatus for its manufacture. Appended is a description by the inventor. A represents the sides of the pan, B the furnace, and C the skimmer, at each end of which are attached headblocks. D. These head-blocks have inward projections, E, which form bearings on the rods, F; these act as slides to elevate the skimmer, C, in its backward movement. The rock-shaft, G, has levers, K, at-

tached at each end, the lower ends of which are pivoted to the rods, H, and the front ends to the head-block, D.

The operation is as follows:-The cold juice is let into the front or defecating apartment, I, and when it commences to boil all the scum flows forward and is deposited on the inclined end, J. After a quantity of scum has gathered, the operator takes hold of the long lever, K, and draws the skimmer back until it drops off of the rods, F F. The skimmer is then $\mathbf{moved}\,\mathbf{forward}\,\mathbf{to}\,\mathbf{and}\,\mathbf{upon}$ the inclined end, J, depositing the scum as it goes in the gutter, L; after the skimmer is thus moved forward the rods drop back to the position shown. When the juice is sufficiently cleansed, the gate, M, at the first partition is raised and the juice allowed to flow into the back part of the pan (previously supplied with water), which is divided into


have openings, at alternate ends, which cause the juice to flow in a transverse channel until it reaches the outlet at the gate, P. When the juice is concentrated to the proper degree for sirup or sugar, it is let out into the cooler, Q, which is furnished with a strainer to catch all the pomace and dirt which is not skimmed off when boiling. These evaporators have given general satisfaction wherever they have been introduced during the past year; and the invention is covered by two patents issued through the Scientific American Patent Agency to Thomas J. Price, Industry, Ill., they bear date respectively Jan. 28, 1862, March 15, 1864; all further information can be had by addressing T. J. & J. M. Price, manufacturers, Industry, McDonough county, Ill.

The Hessian Fly and its Remedy.

Mr. Lewis Bollman, of Bloomington, Ind., gives this description of the Hessian fly in his article on wheat, in the Report of the Agricultural Department of the United States Government:-

"The received account of the introduction of this fly into the United States is known by every person, for its common name refers to it. That it was brought in some straw with the Hessian troops, employed in the Revolution against us, is possible; but the history of like pests shows that sooner or later they spread over the whole earth where their favorite food may be grown and climatic influence will permit. The bee-moth and the curculio are instances of the fact that nearly all the products of the farm have their enemies. It is not necessary to describe this fly, nor particularize the nature of its depredations, except to say that it deposits its eggs, from twenty to forty in number, in the hollow of the blades of the wheat. The egg hatches a small, light-colored worm, in from four days to three weeks, according as the weather is warm or cool.

sheathing of the leat and the stem, firmly fixes itself there, sucking the juices or sap of the plant on which it lives. It gradually becomes imbedded in the stem by the latter growing around it. As it increases in size, it becomes in color, size, and shape, like a flax seed; hence this state of the larva is called the flaxseed state. In this condition it remains during the winter, unaffected by the severest cold. In May it is changed into the fly, and this fly lays its eggs higher upon the same stalk, and on others around it, and also on the spring wheat. These eggs hatch, and the worms undergo the same changes until in August, when they appear as flies, ready to deposit eggs on launching draught, mean, 8 feet 9 inches; load draught, the young fall wheat plants. The fact that of so 12 feet 2 inches; displacement, when ready for sea, many eggs but few hatch (for not more than two or 3,300 tuns; projection of overhang, 12 inches. At



PRICE'S SORGHUM EVAPORATOR.

sections by the partitions, N; these partitions | three worms are found in the same plant) shows that the Hessian fly has its deadly enemies. This is true; two of which I will notice, being parasites of this parasite. Both these are flies, one of which deposits its eggs within the egg of the Hessian fly. Both these eggs hatch, but the worm from the last-deposited egg is within the worm of the Hessian fly, and it lives upon it, gradually destroying it, until, having undergone its various changes, it emerges from the skin of the Hessian worm a fly, ready to deposit its eggs in those of the Hessian fly. The other parasitic insect lays its eggs in the larva when in the flax-seed state, which hatches within it and lives upon it. It is to these friendly insects we owe the fact that the Hessian fly does not spread over large districts of the wheat region, nor, indeed, in any part of it to any great extent, and that it is seldom destructive in the same place for more than a season or two. The friendly flies, by their rapid increase, soon drive the Hessian fly to other portions of country in order to shun their fatal attacks. The usual remedy against the Hessian fly is late sowing of the winter wheat. Whilst this may afford some protection, it leads to habitual late sowing, by which the plant is weakened and rendered less able to endure the changes of our winters. A greater loss is thus occasioned than would result from an occasional entire destruction of the crop by the fly. A strong-rooted plant will more easily overcome a serious attack of the fly than a late sown and weak one can resist the freezing out, to which it is certain to be exposed."

> A CITIZEN of Biddeford, Maine, who, a little more than a year ago, worked as a machinist in Laconia repair-shop for one dollar and a half per day, now pays a tax on a net income of \$27,000—made in the manufacture of cotton machinery.

THE London Times says that the English Govern-"The worm crawls down the leaf between the ment has bought the Laird rams for £225,000.

The Iron-clad Steamer "Tonawanda,"

This formidable monitor, now in rapid course of completion at our navy-yard, was designed and built under the supervision of Henry Hoover, Esq., Naval Constructor, attached to this station. The hull of the Tonawanda is one solid mass of live oak. Her extreme length is 272 feet 9 inches; length between perpendiculars, 260 feet; beam molded, 40 feet; beam extreme over armor, 53 feet; depth of hold, 12 feet 2 inches; area of greatest traverse section, 568 square feet; depth of armor amidships, 5 feet 9 inches; weight of wooden hull per section, 1.386 tuns:

the underside of the beam, at the load line, the clamp or backing is 3 feet thick, reduced to 7 inches at a distance of 5 feet 9 inches, falling in fair with the ceiling. Thickness of timber in hull, 9 inches; planking, 7 inches; lagging, 12 inches; armor, five-inch plates-thus offering a solid resistance of 38 inches of live oak and 5 inches of iron-plating, to which must be added the zones or armor-bearers, which pass longitudinally around and encircle the whole ship. They are of iron, 6 inches deep by 4 inches thick, and placed 4 inches apart, making the plating in reality 11 inches thick; the weight of the side armor and zones is 729,494 lbs. The deck beams are of oak, 12 by 14, and 36 inches from center to center. The deck consisist of, first, an oak planking 61 inches thick, then two 3-inch iron plates on top of this comes a yellow pine planking three inches thick.

The Tonawanda has two turrets, the forward one carrying the pilot-house. They are 23 feet diameter inside, 9 feet high, and composed of eleven one-inch plates. Each turret, with machinery, weighs 316,340 lbs., pilot-house 45,400 lbs. Four 15-inch guns comprise her armament, each gun, with its carriage, weighing 66,000 lbs. The amount of fighting expected may be judged from the fact of her carrying 12,000 lbs. of powder, 50,000 lbs. of shell, 60,000 lbs. of solid shot. The magazine and shell-rooms are on either side of the turrets. Her engines, by Merrick & Sons, are horizontal, direct-acting, 30 inches diameter, 21 inches stroke. There are two screws of brass 10 feet diameter and 14 feet pitch. Steam is supplied by two of Martin's vertical tube boilers having a front of 38 feet 6 inches, 11 feet deep, 91 feet high. There are 16 furnaces in all, each $6\frac{1}{2}$ feet by 3 feet. Each screw is driven by its own independent engine. By this arrangement the ship can be steered by the propellers alone, in case the rudder should become damaged or be carried away. The anchor, when let go, takes the chain directly from the locker without overhauling. It can veer away chain with perfect safety, and is easily controlled while riding heavily. In one minute the chain is passed to the capstan, and all is then ready to heave away. In ordinary cases the chain is taken in at the rate of three fathoms per minute, when the anchor is chain-bitted. This is all performed without handling, the chain paying itself in and out of the locker.—Philadelphia Bullettn.

THREE DOLLARS invested for one year in the Sci-ENTIFIC AMERICAN will vield a better dividend than ten times the money put into any other investment. Now is the time to remit in order to get all the numbers of the volume complete.

THE SCIENTIFIC AMERICAN is the only reliable journal of the kind now published in this country; and even at present high prices it is fifty per cent cheaper n its subscription than any similar paper in England.

RECENT AMERICAN PATENTS.

The following are some of the most important improvements for which Letters Patent were issued from the United States Patent Office last week; the claims may be found in the official list:—

Pump.—This invention consists, first, in a novel trip-valve arrangement for admitting of the escape of water from the eduction pipe of the pump after each operation of the same, whereby the pump is prevented from being rendered inoperative in winter by freezing, and fresh, cool water always obtained in summer. The invention consists, secondly, in a novel construction of the plunger of the pump, whereby the former is made to serve as an air-vessel as well as a plunger, and considerable expense saved in the construction of the pump, and the latter also materially simplified. It consists, thirdly, in the use of a cap attached to the pump box at the top of the well or cistern, and provided with a brake joint, whereby a very simple, economical and durable means is obtained for a pump fixture at the top of the well or cistern. John Munson, San Jose, Cal., is the inventor of this improvement.

Furnace for Desulphating Ores-This invention relates to certain improvements in that class of furnaces known as upright terrace furnaces, and the object of these improvements is to regulate the velocity with which the charge passes through the furnace and to reduce the time necessary for a perfect roasting or desulphuration of the ores by the peculiar shape and construction of the terraces and by their peculiar position in relation to each other: also to reduce the expenditure of fuel and to regulate the temperature throughout the furnace by the application of hot-air apparatus and cold-air pipes, in combination with the terraces, and to make such disposition in the internal arrangement that the furnace is applicable for the reduction of gold, silver, quicksilver and other ores. C. A. Stetefeldt, of New York city, is the inventor of this improvement.

Portable Screw Press.—This invention relates to a new portable screw press for pressing cheese, expressing juice from fruit, pressing lard and other substances. The object of the invention is to obtain a press of the kind specified which will admit of the screw, after the pressing operation has been performed, being turned down to a horizontal position so as to be entirely out of the way and allow the article which was compressed to be removed from the bed of the press with the greatest facility, there being no parts to interfere with the ready removal of the compressed article: the screw at the same time being capable of being adjusted and secured in an upright position so that it may perform its work, The invention further relates to an equalizer or regulator connected with the screw and constructed and applied in such a manner that the follower, while being forced down under the action of the screw, will be retained in a horizontal position and made to press the substance underneath it in an even manner so as to leave a horizontal upper surface on the same, however irregular said upper surface might have been previous to its subjection to the pressure. Charles D. Brand, of Oak Hill, N. Y., is the inventor of this improvement.

THE GOVERNMENT EXPERIMENTS IN WORKING STEAM EXPANSIVELY.


On page 212 of our current volume, we published the circular of the Commission appointed by the Secretary of the Navy, "to devise and conduct a set of experiments, to ascertain, by means of practical results. the relative economy of using steam, with different measures of expansion." The Commission consists of Horatio Allen, Esq., President of the Novelty Works, in this city, and B. F. Isherwood, Chief of the Bureau of Steam Engineering, U.S.N. The apparatus is now nearly completed and in place on East 14th street, between Avenues C and D, in this city, and the Commission are just ready to commence their experiments. The experiments have been judiciously arranged, and there can be no doubt that they will be intelligently and carefully conducted. They will furnish more positive knowledge of the economic value of expanding steam, and of the proper amount of expansion, than all previous experience, and will consequently be of inestimable value. We purpose to give a full history of them during their progress, and we are

glad that they will come just in time for our next volume.



How to draw a Line due East and West by the rising and setting Sun.

Messrs. Editors:—To draw a line due east and west by the rising and setting sun, the time must be between the 20th and 21st of June. It will be seen by the almanac that the declination of the sun is the same for both days; so there is no allowance to be made for that. At other times due allowance should be made. The track of the sun is like a screw cut on a globe, with a pitch of about 17 m les. The first thing is to drive the stakes, A and D—the latter is four or five feet high; on the top of this I nail a shelf on which to set a level. At the time the observations are made the inclinations should be the same morning and evening. About half an hour before sunset I drive the stake, C, about 15 feet from A. E is a plumb line, which will cast a shadow on C. I make a mark



on the shadow where it intersects the stake, and notice by the level the position of the sun. The next morning I drive the stake, B, the same distance from A (the center), and mark where the shadow crosses. I can see by the level the time to make the observation. I then take my trammel, set one point at A—the center; with the other point I mark on B and C. The points, B and C, are east and west without any variation. On account of the risk of fair weather it is best to get ready on the 19th, and drive the center stake and the stake, D, and set the shelf with the plumb line. In that way I should have two days, if the weather was fair, to make the observations in.

JARED W. SMITH.

New Haven, Conn., June 9, 1864.

To Find the Diameter of a Circle from which a Square or Hexagon can be made.

Messes. Editors:—Workmen are often puzzled to find the diameter of a circular piece from which to make a square or hexagon of given size. The following rules are correct for the square:—Multiply the length of a side by 1.414213 and the product will be the diameter to which the material must be turned. For the hexagon multiply the distance across at right angles to the sides, by 1.1547 and the result will be the diameter. A slight allowance in excess should be made to insure sharp corners.

Rochester, N. Y., June 6, 1864.

Iron for Peach Trees.

MESSRS. EDITORS:—Having noticed several articles relating to agriculture in your paper, and knowing that all ideas however small may result in benefiting somebody, I wish to relate something that has come under my own observation. For the past seven ears, while working in a machine-shop, the iron shavings (both wrought and cast-iron) have collected around the buildings to the depth of several inches, and under these several peach trees have sprung up and are now bearing fruit every year. The leaves hold their color throughout the season, a very dark green: while for miles around not a tree can be brought to bear before it is affected by the disease so prevalent in this part of the country. If any one will take the trouble to try this experiment of putting iron-dust or clearings taken from a machine-shop around their trees, I think they will meet with suc-A SUBSCRIBER.

Waltham, Mass., June 11, 1864.

NEW BOOKS AND PUBLICATIONS.

THE CAMERA AND THE PENCIL.—Mr. M. A. Root, who for many years enjoyed a world-wide reputation as a heliographic artist, has of late devoted himself to the duty of placing before the public some of the results of his large professional experiences. In a genially written, interesting work, under the above title, of which we have received an elegant first volume, the whole history and practice of the heliographic art, is clearly set forth. The author's own resumé will convey a true idea of the intrinsic value of the work.

"Each volume is complete in itself, though the two are related to each other. The first volume is chiefly theoretic, containing chapters on the 'Fine Arts,' 'The Uses of Heliography,' 'Qualifications of a First class Heliographer,' 'The Sunbeam,' 'The Harmony of Colors,' 'The fitting-up of Heliograph': Rooms.' Several chapters on 'Sitting for a Pertrait,' with minutest directions about position, to management of light and shade, ecc., etc. Fo chapters on 'Expression,' that essential to a genu portrait, illustrated by portraits engraved on ste Several chapters comprising 'Thoughts' of the m eminent artists and art-critics, ancient and mode with original comments, covering the æsthetics Photography; 'The Microscope,' with its reveal wonders, etc., etc., together with a full and min... chapter on the 'Coloring of Photographs' in Indiaink, water and oil colors, in all of the styles now popular both in America and Europe. All these specialties make this volume not only a valuable vademecum for artists of every class, but also worthy of a place in every house, on every center-table, and especially in every photographic reception-room, for visitants to examine while awaiting their sittings, and thereby to learn what constitutes a good portrait, and how to obtain one." Appleton, New York, Publisher.

Wiard's Gun.

Appended is a description of Wiard's gun which burst recently at Trenton, N. J .: - "The gun is diminished in thickness, but is surrounded with an outer case or "jacket" connected to the gun proper by arms-the whole, however, being one casting. A cross-section resembles an open car-wheel with covered arms. By this method a greater surface for radiation is gained, thus cooling the gun more quickly, and the expansive force is transmitted by the arms to the jacket, which is cool, and strong enough to be secure from bursting. In this way the unequal expansion of the inner and outer surface of the gun is avoided. The dimensions of the gun are: Diameter of bore, 15 inches; length, 10 feet 6 inches; outside length, muzzle to cascabel, 13 feet; greatest diameter of jacket, 5 feet; diameter through trunnions, about 6 feet; weight of rough casting, including head, 52,000 pounds; weight of finished gun, 44,000 lbs."

This gun was fired with 80 lbs. of fine powder and a shot of 900 lbs. weight. The elevation was said to be 30° . When the charge was exploded the gun burst.

Now is the Time.

A subscriber, renewing his subscription for another year, says:-" There is no expenditure to which I am subject which I bear more willingly than the payment of my subscription; and it is a standing wonder to me how any mechanic, who wishes ever to be other thana 'hewer of wood and drawer of water,' can neglect the opportunity to purchase so much that he: needs for so insignificant a sum—a single day's labor versus fifty-two numbers of your paper." This is the opinion of thousands of our mechanics and manufacturers, and we trust that thousands more, with the beginning of the new volume, will be added to our subscription list. Three thousand subscriptions expire with this number, and we hope each one will promptly renew his own, and, if possible, get a neighbor to join with him in taking the Scientific Ameri-CAN for six or twelve months.

A SUBSCRIBER SAYS:—"Praise may be superfluous, but I wish to testify to the typographic neatness of your journal. Its elegance will not fail to attract general attention, and thus lead to a better acquaintance. If permitted to offer a sentiment, I would propose, "The SCIENTIFIC AMERICAN—it is wholly American, and should be patronized by every American in America."

Linen Import and Manufacture.

Our civil war, along with other results, has tended to stop the supply of cotton, to prove the inadequacy of other countries for a sufficient yield of the right staple, and, consequently, to substitute other fabrics. The effect is marked very clearly in English trade returns. Linen has been produced in an unparalleled quantity there, and exported to us more largely than ever before. In the first three months of 1862 the total value of linen piece goods exported from England was £982,013; in 1863 it was £1,327,895, and in the corresponding period of 1864, £1,869,785. This production and export includes white and plain piecegoods; checked, printed, and dyed ditto; cambrics and lawns; damasks and diapers; sail cloth, thread, and hosiery. The total value of exports of linen manufactures of all kinds in the first quarter of 1864 amounted to £1,998,452, against £1,454,777 in the corresponding quarter of 1863, and £1,088,363 in the corresponding period of 1862. The export nearly doubled in three years. This country, too, was the largest consumer and customer for this wonderful increase, which amounts to no less a sum than £,910,-089 or \$4,550,445 for a single quarter, and \$18,201,-780 per annum. We import to the value of £378,735 in 1862, £556,774 in 1863, and £914,917 in 1864. This is an increase in linen goods of £536,182, or about \$2,681,000, in one quarter, produced in two years. The increase in a year, at this ratio, would be \$10,723,640. The last returns show that the increase is still increasing; and that, olthough some suffering has been produced among British operatives by the cotton famine, and some mills rendered less valuable, the suffering is compensated in another quarter by an excessive and unparalleled consumption of linen.

These facts show that linen manufactures here are starting at the right time. The creation of so good and sudden a demand cannot but carry up prices, The duties will be added to that cost and render linen manufactures very valuable. We have some manufactures of this kind and evidently need more. Their erection will lead to the immigration of skilled operatives, and thus we shall be permanent gainers through a lesson and discipline of loss. It will also stimulate the production of flax and hemp, and thus we shall have another crop added to the vast variety that already vary our agriculture. Kentucky and Missouri cannot supply even their former yield now. Other States may therefore prepare to meet a profitable demand, and do it safely, since it has been shown that flax-growing does not injure the soil, as it was supposed to do. - United States Gazette.

Horses and Mules.

During the year ending June 30, 1863, there were purchased 173,832 horses and 86,254 mules, and there were captured 7.783 horses and 6.915 mules. which, added to those on hand at the commencement of the year, made the number 197,457 horses and 110,068 mules. There were condemned, sold, died or lost by capture, during the year, 57,676 horses and 17,170 miles. More than one horse out of every four was thus hors du combat, while nearly one mule in every seven was a used-up beast. Yet, \$16,631 58 was paid for veterinary surgeons, and \$39,292 39 for medicines for horses and mules. This unprecedented destruction of horses and mules will have somehow to be arrested, or it will become impossible to remount our cavalry or to provide animals for the artillery and wagon trains.

Royal Patent to wear a Nightcap.

Agnes Strickland, in her "Lives of the Queens of England," in giving an account of the rewards bestowed by Queen Mary upon her friends after her accession, says:

"The Queen's gratitude took a very odd form in the case of the Earl of Sussex; he was a valetudinarian, who had a great fear of uncovering his head; and, considering that the colds he dreaded respected no person, he petitioned Queen Mary for leave to wear his nightcap in her royal presence. The Queen, in her abundant grace, not only gave him leave to wear one, but two nightcaps, if he pleased. His patent for this privilege is, perhaps, unique in royal annals:—

Know ye, that we do give to our well-beloved and trusty consin and councillor, Henry, Earl of Sussex, Viscount Fitzwater, and Lord of Egremond and Burbusiness in Humboldt county.

nell, license and pardon to wear his cap, coif or nightcap, or any two of them, at his pleasure, as well in our presence as in the presence of any other person or persons within this our realm, or any other place in our dominions wheresoever, during his life; and these our letters shall be his sufficient warrant in his behalf.

"The Queen's seal, with the Garter about it, is affixed to this singular grant."

MISCELLANEOUS SUMMARY.

An Enormous Scale.—An enormous scale, the largest perhaps in the country, has just been finished at Cleveland for the Fort Pitt Works in this city. They are intended to weigh the monster twenty-inch gun, and are of the following dimensions: Length, 30 feet breadth, $7\frac{1}{2}$ feet, and 4 feet in hight. They will weigh from two pounds and a half up to one hundred tuns, and are so nicely and accurately adjusted that the weight of half a pound will turn the beam. A half a pound weight on the beam weighs one tun on the scales. They are built entirely of wrought iron, with the exception of the lever heads, which are cast. The pivots are made of wrought-iron steel edges, for the purpose of securing greater-strength and durability. The cost of these scales, when set up in Pittsburgh, will be \$2,000.—Pittsburgh Chronicle.

Lyon, Sharp & Co., of the Sligo Iron Works, contributed to the St. Louis (Mo.) Sanitary Fair a great variety of superb iron, among which are some rare specimens—one sheet, a boiler head, one hundred and two inches in diameter, half-inch thick, weighing one thousand one hundred and sixty pounds, the largest sheet ever made in the United States, and also several pieces of sheet-iron, rolled to the one nine-hundreth of an inch in thickness, with Russia iron polish on both sides—probably the thinnest sheets ever made—as considerable ado was made through Europe over some sheets rolled in Germany nearly one-half thicker than this. This has a Russia iron surface on both sides, and is as tough as bank-note paper.

Boiled Telegraph Wire.—Boiled wire is used by some telegraph companies, and the process of preparing it is thus described:—"The wire, in coils, is placed in a large iron cauldron, filled with linseed oil, and boiled about fifteen minutes, when it is presumed to be 'done.' By this process it receives a coat of glazing, which preserves it from rust. The wooden blocks, or braces, by which the insulators are placed, are also boiled, but in different material. They are made of sycamore wood, and are boiled—100 at a time—for a period of one hour, in ordinary coal tar. The effect of subjecting the scyamore to this process is to render it secure against warping or cracking from sun or rain."

A MONSTER steam feed mill designed for the United States Government for recruiting army horses in the public stables, near Washington, is now being constructed at the machine works of Messrs. C. & J. Cooper, Mount Vernon, Ohio. The engine is 100-horse power, and the mill capable of grinding 225,000 lbs. of grain or hay in ten hours. This feed is to be mixed and cooked by steam passing through sixinch horizontal iron cylinders, carried by an apparatus like a chain-pump; to be wetted, steamed and then dried as it is carried along.

Another Iron-Clad.—The iron-clad *Tunxis*, of the third class, was to have been launched at Chester, Pa., on the 4th inst. She is put down in the register at 614 tuns, and has one revolving turret, mounting two heavy guns. A great many improvements are said to have been made in her construction from the original vessel. She will be fitted for sea immediately. The whole iron fleet is in a prosperous state of forwardness, including the great *Puritan*, *Dictator*, and *Dunderberg*.

Enterprise in California.—The Washoe Weekly Star states that in Humboldt District, a company is constructing a canal sixty-three miles in length, five feet deep and sixteen feet wide, to lead the waters of Humboldt river to the mining sections of the different districts. This canal will give water power for any number or quartz mills. A city has been located by a company on both sides of the canal, in the richest section of the country where mills are to be built, and it is claimed that this will be the center of business in Humboldt county.

IMPROVEMENTS IN IRON-MAKING.—It is well known that iron undergoes three processes before it is fit for the forge-smelting, refining, and puddling. The smelting-furnace only yields pig-iron, which is a combination of iron with as much carbon as it can take without becoming plumbago, and the subsequent operations tend to deprive it of its superabundant carbon in order to render it malleable. A new process has now been invented, by which malleable iron may be obtained direct from the smelting-furnace; it consists in driving oxide of iron into the furnace by means of the ventilator, whereby all the carbon is at once absorbed. In order to apply this method, the hearth of the smelting-furnace must be built somewhat higher than usual, and the air driven in by the ventilator is previously made to pass through three chambers, in which it becomes charged with oxide of iron at a high temperature, the atmospheric pressure being at the same time kept very high.

The dangers arising from the universal adoption of the common lucifer-match have induced chemists to seek a substitute for it. M. Peitzer has recently proposed a compound which is obtained in the shape of a violet powder, by mixing together equal volumes of solutions of sulphate of copper, one of which is supersaturated with ammonia, and the other with hyposulphite of soda. A mixture of chlorate of potash and the above powder will catch fire by percussion or rubbing; it burns like gunpowder, leaving a black residue. M. Viederhold proposes a mixture of hyposulphite of lead or baryta, or chlorate of potash, for matches without ρ hosphorus. The only inconvenience of this compound is that it attracts moisture too easily.

Solid Drawn Steel Tubes.—The London Engineer says:—"An influential company hasbeen formed to purchase and work the patents of Messrs. Hawksworth & Harding for drawing steel tubes, hollow steel wire, or ordnance cylinders from solid steel, by hydraulic pressure. The machinery by which this is effected has been worked experimentally in Paris for the last two years, and it is stated that the French Government are negotiating for the supply of ordnance barrels thus drawn by hydraulic pressure. The machinery is now working (with a 600 tun press) in Willow Walk, Bermondsey."

EGGS IN PHOTOGRAPHY.—We are informed by Professor Seely, editor of the American Journal of Photography, that more than 1,200 dozen of eggs per week are used in New York and vicinity for albumenizing paper for photographs. A great deal more than this quantity of albumen is thrown away every week in the blood of the animals slaughtered for this market. Could some plan be devised for separating the albumen from the blood it would be a very valuable discovery.

A PAIR OF REBEL SHOES.—A resident of Wheeling, who has been to Cloyd's Mountain, the scene of the late fight between Crook and Jenkins, secured a pair of rebel shoes. The soles and heels are of wood, and appear to have been sawed out by machinery. The uppers, which are of very heavy, stiff and badlytanned leather, are nailed upon the wooden soles with large tacks and welts. The shoes are exceedingly clumsy and heavy.

THE SCIENTIFIC AMERICAN.—We have been an attentive reader of this paper for years, and always have felt after its perusal that we have been doubly paid for the time spent in its reading. For our part, we cannot see how a mechanic who cares to perfect himself in his business and also to know what is going on in the mechanical world around him, can do without it. Its cuts and illustrations are rarely equalled—never excelled, and in fine it is a live paper for a live mechanic.—Shoe and Leather Reporter, New York.

A California Herdsman.—A late California paper says that Abel Sterns of Los Angelos, California, lost about 7,000 head of cattle, through want of food, during the last winter. That gentleman is believed to be the largest stock and land owner in the United States. He owns this year 48,000 cattle besides 9,000 calves.

THE FRANKLIN FILE Co., of Bridgeport, Conn., which manufactures files by a machine of American invention, furnishes the market with an article superior to those made by the French patent.

Improved Governor Valve.

A simple, efficient and economical governor valve is always in demand: no matter on what principle it is constructed, it is sure to find purchasers providing it does its work well and economically. The engraving published herewith illustrates an improved governor valve, which is said by the inventor to be a very superior one. The invention consists in fitting a disk, A, having a number of radial openings, B, on a shaft, C, in such a manner that the two faces of the valve shall be steam-tight and yet free from steam pressure except when open. This is accomplished by placing the valves in a chest, D, and furnishing setscrews, E, to the valves, so that they may be set out to their seats, as they wear. The shaft, C, the valves

Fig. 1

are on, runs through the stuffing boxes, and is divided in the middle by a sleeve joint, so that the valves may be shifted as occasion requires. One of the valves has a boss on it through which a pin passes into the shaft while the other is simply a brass

In Fig. 2 a side view of the valves and openings is given, and there is a bonnet, G, on the front which may be taken off when the valves want setting out or require inspection from any cause; this obviates the necessity of breaking the joint on the steam pipe. In Fig. 2 a joint is shown connected to the arm, H;

the step in the sleeve, J. When the engine is to be started this joint is slipped up until it meets the stop, and the speed increases until the governor balls rise to their proper position; the thumb-screw at the bottom is then slacked off until the boss, I, falls to the position shown in the engraving. The set-screw shown is then tightened and the regulation of the speed is effected in the usual manner by the rise and fall of the arms of the governor. The valve is now in use in several mills, workshops, etc.; in this State and at the West; it is highly spoken of. Patented through the Scientific American Patent Agency by Alexander White, of Geneseo, Illinois, on the 15th of September, 1863. For further information address A, White & Co., as above.

Improved Grate Bar.


fuel are of great importance and benefit to the manufacturing community. Boilers are daily undergoing of pure water by metallic zinc.

changes in their plans and construction, and while the attention of some is directed exclusively to them, others feel that the furnace and its details is capable of great improvement. In the engraving published herewith a new grate bar is illustrated which is claimed to be a superior one. Some of the advantages it has over those generally used are thus set forth by the pro-

"The peculiar form of construction—distributing the metal in such a manner that all strain caused by expansion from heat is obviated, consequently they will neither warp nor break. This bar has more air surface, uniformly distributed, so that it is kept perfectly cool, at the same time admitting a sufficient quantity of oxygen to give the fire a clear combustion, thereby saving from 15 to 20 per cent of fuel. It is economical as regards weight of metal; it also combines greater strength and durability, with less weight of iron than others in use-being at least onethird lighter. One of the greatest features of this bar is, that the fires are kept perfectly clean and bright with less labor than others, particularly in burning the treatment of ores too poor to be treated by fusion."

soft coal, by simply slicing on the top or pricking underneath. The bar is manufactured to suit the convenience of parties purchasing, making the openings to suit all kinds of fuel used. They are now successfully in use in more than five hundred places, among these are the largest steamships, steamboats and manufactories in the United States. In the saving of fuel and durability the testimony of the superintendents and engineers using them is given in a large numbers of letters, which we cannot publish in this place.

This grate bar was patented by D. Lasher on the 11th of September, 1860. Orders will be punctually attended to by addressing L. B. Tupper, No. 120 West street, between Cortlandt and Dey streets, New effected by them in preventing the jarring on bad



WHITE'S GOVERNOR VALVE,


this joint has a boss on the end which strikes against York; and at John Powers's machine-shop, 434 East passenger cars is the solid india-rubber circular 10th street, New York.

New Method of reducing Poor Lead Ores.

We translate the following by M. H. C. Lampadius, Engineer of the mines at Viiseck, from Le Moniteur Illustrè des Inventions:-

"The ores, according to their richness and the specific gravity of the acid, are treated with the proper quantity of hydrochloric acid to form chloride of lead. The transformation into chloride of lead operates completely when the minerals have been well prepared. This chloride is introduced into double-bottomed vats, and sprinkled with a sufficient quantity of boiling water.

"The solution of chloride of lead thus obtained is drawn off into reservoirs and left to settle. The mother waters, which contain only a very minute quan-Improvements in anything connected with burning tity of chloride, are reserved for a new solution. The chloride is then treated with a minute quantity



LASHER'S GRATE BAR.

"There is thus formed chloride of zinc, and metallic lead is separated in a dense and spongy mass, which after being washed may be melted in an ordinary furnace.

The solution of the chloride of zinc is first freed from any iron that it may contain by a little chloride of lime, and the zinc is then precipitated in the form of oxide of zinc by means of calcined chalk. It may thus be utilized as zinc white, or it may be reduced and used again.

"As hydrochloric acid is of a moderate price, and as the expense of the zinc is covered by the sale of zinc white, this process ought to be advantageous in

CAR SPRINGS.

The sensation of jogging along on a camel's back was compared, we think by Albert Smith, to riding in a wagon without springs, whilst sitting on a music stool screwed up to the top, and going across the furrows of a newly-plowed field. This sensation may be pleasing to those who are used to it, but civilized sensibilities require more delicate treatment, and we therefore use springs of a great number of strengths, shapes and sizes to obviate the effect of concussion, and prevent the inequalities of roads jolting our senses and nerves to pieces. Another reason. as potent, in favor of the use of springs, is the economy

> roads, shaking the car, carriage or vehicle to pieces so soon as otherwise would be; a those springs best ada $\,$ ed to answer these p poses will of course ha preference over all o ers. In all places wh they can be applied, elliptic, and semi-ell tic springs appear to swer every purpose; but their expense and the space they occupy have caused several descriptions of springs to be made that unite cheapness with durability, ease of application, and taking up little room. The most useful and effective we have seen for

spring, which has an ease of motion particularly suitable for that purpose. Where, however, very heavy dead weights have to be carried, as in freight cars, they are liable to burst, and in fact will not last long. By cutting the rubber however, into two or more pieces, and introducing metal between them, the rubber is made more durable but its elasticity is proportionately decreased. Another spring very extensively used and giving great satisfaction throughout the country for freight cars, made by the Metallic Car Spring Company of New York, is made of steel $1\frac{1}{2}$ inches wide and $\frac{3}{4}$ -inch thick, fluted, and turned into a spiral $5\frac{1}{2}$ inches diameter, and of any necessary hight, which of course regulates the motion required. Between the coils of steel, in the groove, is placed a band of round india-rubber. The steel forms the spring, and the rubber simply acts as a cushion, but to a certain extent assists the steel and insures the durability of the whole spring, and is therefore peculiarly adapted for carrying heavy

weights, and for freight cars, as it will not burst out like india-rubber, and cannot be broken, whilst it is quite as compact as the gum spring. Some master mechanics still stick to the elliptic springs for buffers, but we see on many of our best roads that the volute springs are taking preference over all others as being economical in first cost, easy of application and at the same time durable.

DEPARTMENT OF AGRICULTURE.—Varnum D. Collins, Esq., appointed agent of the Department of Agriculture by Commissioner Newton, has left the city to proceed to China, charged with the selection of new varieties of sorghum seed, and other agricultural products capable of acclimatization, and the collection of general agricultural information.

THE Peruvian Government is at war with Spain. and a correspondent of the New York Herald, of the 15th inst., writing from Callao, says that shot, shell, torpedoes, infernal machines, etc., are in great demand. Our readers who are interested should take the hint and act upon is without delay.

THI

Scientific American.

MUNN & CONIPANY, Editors & Proprietors.

PUBLISHED WEEKLY AT
NO. 37 PARK ROW (PARK BUILDING), NEW YORK.

O. D. MUNN, S. H. WALES, A. E. BEACH.

"The American News Company," agents, 121 Nassau street, New York.

Rep Messrs. Sampson Low, Son & Co., Booksellers, 47 Ludgate Hill London, England, are the Agents to receive European subscriptions or, advertisements ior the Scientific American. Orders sent to them will be promptly attended to.

VOL. X. NO. 26....[New Series.].... Twentieth Year.

NEW YORK, SATURDAY, JUNE 25, 1864.

Contents

Contents:				
(Illustrations are in	ndicated by an Asterisk.)			
*James's Hay Press 4	To find the Diameter of a Cir-			
A new Alloy 4	cle from which a Squareor			
	Hexagon can be made 404			
	32 Iron for Peach Trees 404			
On the Alloys of Silver and	New Books and Publications 404			
Zinc v 4	02 Wiard's Gun 404			
The Way to make an Eolian	Now is the Time 404			
Harp 4	02 Linen Import and Manufact.			
Suspending Life 4	02 ure 405			
Work for Boys 4	02 Horses and Mules 405			
Action of Light on Honey 4	02 Miscellaneous Summary 405			
*Price's Sorghum Evaporator 4	03 *White's Governor Valve 406			
The Hessian Fly and its Rem-	*Lasher's Grate Bar 406			
edv 4	03 New Method of reducing poor			
The Iron-clad Steamer Tona-	Lead Ores 406			
wanda 4	03 Car Springs 406			
Recent American Patents 4	04 Simmering 407			
The Government Experiments	The Pitches of Screw Threads 407			
in Working Steam Expan-	Grumblers 407			
sively	04 English Estimate of our Mon-			
How to draw a Line due East	itor System 407			
and West by the rising and	Patent Claims408, 409, 410			
setting Sun 4	04 Index			
	,2220202020202020202020202020202020202			

OUR NEXT VOLUME.

We have a richer supply of matter for the opening of our next volume than we have ever had in hand at any one time since we commenced the publication of the Scientific American.

For more than a year, the Commission appointed by the Secretary of the Navy to devise and conduct a set of experiments to determine the practical value of working steam expansively, have been engaged in the preparation of apparatus for this purpose; the machinery is now complete, and the series of experiments will be commenced just in time for us to give a complete history of them in our next volume.

The series of experiments by Messrs. Hecker & Waterman, to ascertain the value of working steam both expansively and non-expansively, in a cylinder with and without a jacket of steam, will also be fully recorded in the volume of the Scientific American that commences next week. As the Government experiments try the effects of a cubic foot of steam used in cylinders of different sizes, while in those of Hecker & Waterman the steam is worked with different measures of expansion in the same cylinder, one set of experiments will be the complement of the other. The two together ought to settle the disputed question of expansion, and thus to furnish the most valuable contribution to the knowledge of the action of steam that has ever been made.

We have also in our drawer a full statement by Fairbairn of his experiments to determine the proper thickness of steam boilers, with his carefully-prepared tables of the thickness required for shells, tubes and other parts in boilers of various sizes. To all manufacturers of steam boilers these tables will be worth more than the cost of the Scientific American for a hundred years.

Our sixteen pages will enable us to publish full accounts of these valuable experiments in addition to our usual variety, which embraces all matters of interest to be found in English and French publications devoted to science and the mechanic arts, as well as a minute history of the improvements which are constantly being made in all departments of our own varied industry. Our arrangements are better than ever before for the prompt publication of all contributions to scientific and mechanical knowledge which are being made in this country.

In spite of the gigantic war which is being waged in the land, the intense industry, the provident spirit, and the eager thirst of knowledge which characterize the graduates of our common schools, sustain an everincreasing demand for our paper, and enable us to appropriate constantly-augmenting resources to the useful labor to which we have devoted our lives, the dissemination of the ever-accumulating knowledge

of the world abroad among the multitudes of our people.

SIMMERING.

To the dog, stretched upon the kitchen hearth, the hissing murmur of the water over the fire before it begins to boil is an unmeaning sound, or at best it is vaguely associated with the sensation of warmth; to the more intelligent cook the same sound is a warning that the water is about to boil; while to the still more intelligent student of science it is a manifestation of the most complex relations of the properties of matter and forces of nature.

Probably no substance has been the subject of more varied and laborious investigations than water, and among the properties which it is found to possess is that of absorbing gases.

It absorbs a little more than its own volume of carbonic acid gas, whatever the pressure, and as the gas is condensed by pressure, the amount absorbed increases in direct ratio with the pressure. At the ordinary atmospheric pressure, 100 cubic centimetres of water absorbs 106 cubic centimetres of the gas, which weighs 196 grammes. Now if the pressure is doubled, the same volume of gas will weigh 393 grammes, and all of this will still be absorbed by the 100 cubic centimetres of water. This property is made available in the manufacture of soda water. Carbonic acid is forced into the water under pressure, and when the pressure is removed by drawing the water into the open air, the gas gradually escapes, producing effervescence.

Water also absorbs the two gases which, mechanically mingled, form atmospheric air, but it absorbs the oxygen in larger proportion than the nitrogen. It is this oxygen absorbed by water which supports the life of fishes. Fishes perish instantly when placed in water from which the air has been expelled. This statement applies only to true fishes which breathe by means of gills; whales and porpoises are supplied with lungs, and breathe atmospheric air, rising to the surface at every breath; consequently they could live in water deprived of air.

When gases are absorbed by water their volume is enormously reduced; they are changed in fact from the gaseous to the liquid form. This change of form converts a large portion of their latent heat into sensible heat, raising their temperature. Ice absorbs sulphurous and chlorine gases so rapidly that the heat set free melts the ice.

The less absorbable gases, however, such as oxygen and carbonic acid, are almost wholly expelled from water by the freezing of the liquid. Carradori found that after water had been repeatedly frozen, a fish immersed in it died instantly.

The application of heat to water also expels the gases absorbed by it, the larger portion of the gas being expelled before the water begins to boil. It is this expulsion of gases by heat that produces the gentle commotion and hissing which is called simmering.

THE PITCHES OF SCREW THREADS.

Reason and expedience both demand the early introduction of some fixed system for the pitches of machine screws. At present there is no standard whatever, and the inconvenience, delay, and expense resulting is felt every day. Repeatedly engines are stopped, presses stand idle, and pumps deliver no water, for the reason that some bolt has broken and another has to be made before operations can be resumed. But these delays, although vexatious and costly, are trifles compared to the want of mechanical system shown in this subject by the trade in general, it is a standing reproach to our machine-makers. None know the truth of this assertion better than they, and it is because no one moves earnestly in the matter that so little interest is manifested about it.

If all the foot-rules varied, or the standard of inches and fractions of it were at the mercy of any person, what confusion there would be, and yet a derangement similar in character exists at this moment in the subject of pitches for screw threads. It is safe to say that scarcely two shops use the same standard. One superintendent thinks twelve threads too coarse for half-inch bolts, another thinks it too fine; so between them they split the difference and make one of eleven and a half, or eleven and three-quarters to the inch; or what is still worse, an almost infinitessimal fraction less than any regular number, as for instance

thirty-three or thirty-four threads in three inches. It is almost impossible to measure such threads on a single inch, and no true mechanic would ever make one for standard use. Such threads are made, however, and used daily; we have had positive demonstration of this fact.

The Whitworth standard is very generally used in England; so much so that it may be called the standard there, but with us there is no fixed idea, although there is great need for one. If the bolts of commerce, or those sold in hardware and ship-chandlery stores, were all of one pitch, for the relative diameters, it would be a convenience that many machine-shops would avail themselves of, and extensive works, even, could purchase sets of bolts, certified of the best iron, at less prices than they could manufacture them for in their own works. The advantages to be derived from some standard pitch seem to be worth working for.

GRUMBLERS.

Reforms are not instituted by growling and faultfinding. There is an old fable of Esop's which shows how a wagoner who was bemired extricated himself. The hopeful genius in question, immediately upon his accident, sat down by the roadside and bitterly bewailing his predicament, called on Hercules to help him; instead of doing so Hercules gave advice and told the man to put his own shoulder to the wheel and help himself; in effect to stop grumbling and go to work. The wagoner did this, was successful, and went on his way rejoicing. There are a great many people in the world like the wagoner in this fable. They are always in hot water, forever in trouble. They throw the blame of their own misdeeds and want of judgment upon others, and if one might believe them, society would be found in a shocking state. They rail at everything, lofty or lowly, and when they have no grumbling to do, they begin to deprecate. They endeavor to make good actions seem contemptible in other men's eyes, and try to belittle every noble and praiseworthy enterprise by casting suspicion upon the motives of those connected with it.

Such individuals, whether men or women, are an incubus on any society, and the best way to paralyze their efforts to create discord, is to ignore them altogether. Let grumblers form a select circle by themselves. Let them herd together; give them the cold shoulder when they appear and make them uncomfortable during their sojourn, and if they cannot be cured they may be more easily endured, and perhaps discover the error of their ways and reform.

ENGLISH ESTIMATION OF OUR MONITOR SYSTEM.

Some time since we chronicled the fact that two officers of high rank in the British navy had arrived in this country for the purpose of inspecting our ironclads; the monitors we suppose, for we have but one other sea-going plated ship besides them, and that one is the Ironsides. These gentlemen have had every facility offered them to examine our vessels, and they are said to have recommended to the English Admiralty the adoption of the three principal features of importance in the monitors. These are Ericsson's turret, the compressors used in working our eleven and fifteen inch guns, the new ventilating system, and several other details of lesser importance. English prejudice against everything essentially American is so strong, however, that if the report is true, we have no idea that it will meet with favor, and the true-born Briton would much rather be sunk in his own craft than saved in ours.

The Hecker & Waterman Experiments.

We have received notes of the first observations taken in this elaborate series of experiments, giving a clear idea of the mode in which they are conducted, but we postpone the publication till our next issue, in order that the history of the experiments may be complete in the coming volume.

Horses pulling at the Halter.—Many remedies have been proposed for curing this bad habit, but a simple and effective one is, to discard the common halter, and get a broad strong leather strap to buckle around the neck for a few inches below the ears. A horse may pull at this, but will soon give it up.



ISSUED FROM THE UNITED STATES PATENT-OFFICE

FOR THE WEEK ENDING JUNE 14, 1864.

Reported Officially for the Scientific American

Pamphlets containing the Patent Laws and full particulars of the mode of applying for Letters Patent specifying size of model required and much other information useful to inventors, may be had gratis by addressing MUNN & CO., Publishers of the Scientific AMERICAN, New York.

43,080.—Solution for gilding China, Glass, and other Wares.—Louis P. Angenard, New York City:
I claim the chemical proportion and preparation of the solution and its application to china. Dutch ware, glass ware and other potteries, as described, on the above.

43,081.—Awning.—Wm. Armstrong, Milwaukie, Wis. I claim the awning constructed of a series of folding slats compined and operating together with a supporting frame, in the manner substantially as herein shown and describe.

[The construction of this awning is quite novel. Instead of canvas, which is liable to rot, mildew and become torn, the inventor constructs the awning of light wooden slats, which fold one over the other, like the leaves of a fan. Thin metallic slats might be employ ed. The slats are arranged on a suitable frame, and there are two pulling cords, one of which spreads the awning, and the other pulls or folds it up. Nothing can exceed the convenience of this imnent, while it is cheap and simple of construction.]

43,082.—Shaping the heels of Boots and Shoes.—Eben J. Beane, Providence, R. I.:
I claim the combination of a cutter, substantially as described, with a ridged or gaging roller, d' and a yielding center stud, g, substantially as described for the purpose specified.

with a ridged or gaging roller, d'and a yielding center stud, g', substantially as described for the purpose specified.

43,083.—Photographic Card Press.—J. B. Blair, Philadelphia, Pa. Ante-dated May 24, 1864:

I claim, first, The employment in a photographic card press of a small polishing roller, C, between two larger sustaining rollers. D and E, the three being arranged so as to operate together substantially in the manner described, for the purpose specified.

Second, I claim the application, to a photographic card press, of the adjustable deflector, F, the same being constructed and applied so as to operate upon cards, substantially in the manner set forth and described, for the purpose specified.

Third, I claim sustaining the pillow-blocks of the rollers, of a photographic card press, by means of an angular supporter, G, constructed and applied so as to rest with its angular bottom edge, g3, only upon an adjustable base of any suitable kind, which will penn it it to vibrate thereon so as to adapt itself to the rollers, as described and set forth, forthe purpose specified.

Fourth, I also claim the employment of a hand-wheel, H, applied to the card-supporting roller, as described in figure I, for the purpose specified.

specified.
43,084.—Skiff or Boat.—W. E. Bond, Cleveland, Ohio: I claim the described flat bottom skiff in two sections, A and B, of unequal lengths, and so formed that one section will pack into the other in combination with the links or connections, substantially as and for the purpose hereinbefore set forth.

Post-hole Digger.—Jonathan Boone, Clinton

43,085.—Post-hole Digger.—Jonathan Boone, Clinton-ville, Ky.:

1 claim a post-hole digger having two or more cutting blades, B, at tached to a common handle, A, as and for the purpose specified.

Also the combination of the pick, C, with the handle. A, and blades, B, as and for the purposes set forth.

[This invention consists in an instrument for digging post holes, prorided with two or more blades or cutters attached in a position parallel to each other to a common handle or staff, in such a manner that on pushing the blades down in the ground, the earth is held between them, and on raising the instrument it raises the dirt with it, and a hole is produced just the size of the post or a little less, and if said post is driven down with a maul or siedge, it will be perfectly solid and firm without ramming.]

43,086.—Portable Screw Press.—Charles D. Brand, Oak Hill, N. Y.:
I claim, in combination with the adjustable bail, C, the fastening, H, when constructed and operating as herein described.

43,087.—Vegetable Boiler.—Clarissa Britain, St. Joseph,

MICH.:

I claim, first, A vegetable boiler constructed with a perforated flange, d, surrounding its bottom edge and openings, f f, in its side, provided with a closing gate, h, substantially as and for the purposes described.

Second, The combination of annular flange d, and detactive.

described.
Second, The combination of annular flange. d, and detachable base block, C, with the vegetable boiler, constructed and operating substantially as herein described.

stantially as herein described.

43,088.—Dish-drainer.—Clarissa Britain, St. Joseph, Mich.:
I claim, first, An apparatus for draining and drying dishes and other articles consisting of a box, A, having a perforated inclined bottom, a, and one or more partitions, cd, substantially as described.
Second, The combination of a drainer, A, with a reflecting cover, B, substantially as described. Third, Providing the drainer, A, and a reflector, B, with detachable hinges and receiving socket portions, substantially as and for the purposes described.

Fourth, A draining and drying apparatus constructed and operating substantially as described.

43,089.—Clamp for Wringers.—Thomas Brooks, Middle-field, Conn. :

Held, Colli.:

I claim the employment of the oscillating jaw, D, in combination with the screws, E, and jaws, B C, steadled in place by the orifice, G, substantially as and for the purpose described.

43,090--Steam Trap.-Charles H. Brown, Fitchburgh,

Mass.:

I claim my improved steam trap, having its single expansion tube,
A, the valve opening, a, the valve c, the valve lever, D, the arm of
ulerum supporter E, and the lever openting rod, E, arranged and
applied together substantially in manner so as to operate as specified.

43,091.—Article of Food and Diet from Cerealine.—
James E. Brown, Philadelphia, Pa.:
claim the procuring of cerealine from the meal of unbraned wheat, or other grains by boiting and dissolving the same, and its manufacture into articles of food and diet, substantially in the manner and for the purposes hereinabove set forth.

43,092.—Tool for boring Butter-molds.—John S. Bullard, Chagrine Falls, Ohio:
I claim the above described boring tool when constructed and applied to the purpose substantially as set forth.

43,093.—Attaching Buckles and Loops.—Lucius C. Chase Boston, Mass.: Iclim attaching loops and buckles to straps by means or the metallic plate, E, and rivets, f and g, substantially as and for the purpose described.

43,094.—Corset Fastening.—Samuel Chapman, New

York City:
I claim a corset fastening arranged and applied with detachable nountings, substantially as described. 43.095.—Cider Mill.—Orlando Clarke, Rockford, Ill.:

43,095.—Cider Mill.—UPIANGO CIAFKE, KOCKIOTG, III.; I claim, first, The combination of two grinding disks (one or both of which has a convex, conical grinding surface) when one of said disks rotates faster than the other, to impart a rolling motion to the fruit, as herein described.

Second, The combination of the convex, conical, grinding disks, and the oblique independent shafts with the driving pinions of different sizes on the counter shaft, substantially as described, for the purpose set forth.

Third, The combination of the grinding disks and gearing with the shells, E E', when arranged and operating as and for the purpose described.

the shells, E E', when arranged and operating — described.

Fourth, The combination of the disks, the gearing, the sheller, and the hopper, with the main frame, substantially in the manner described.

43,096.—Quartz-crusher.—Michael Henry Collins, Chelsea, Mass.:
I claim in my improved crushing and pulverizing mill, in which the rotary trough, wheels and breakers or crushers are arranged together and within case, H, as above described, the arrangement of each of the pulverizing wheel shafts K, and its rocker frame or shaft, L, and their journals and bearings, relatively to the said case, H, in manner substantially as explained, the said shaft, K, under such arrangement being made to project out of the case, H, and to have its journals and bearings and its rocker frame or shaft, L, and their journals and bearings thereof. disposed outside of the case, substantially as specified.

And I also claim the arrangement of the shafts, K, L, and their journals and bearings relatively to each other, as described, when disposed with respect to the case, H, and the pulverizing wheels arranged therein, substantially in manner as specified, the said shafts, K and L, under this latter arrangement, having their axes at right angles to one another.

I also claim the rotary grinding trough as made with the lip, I, arranged with respect to its wings, m m, and the receiving trough, i, disposed below the rotary trough.

43,097.—Machine for making Lamp Wick.—Joseph M.

disposed below the rotary trough.

43,097.—Machine for making Lamp Wick.—Joseph M.

Connelly, Wheeling, West Va.:

I claim a machine constructed substantially as above described, for making tubular wicks with cotton or other filling, consisting of cuters for cutting the muslin or other fabric into strips of suitable width, the folding apparatus, and contrivance for inserting the cotton or other filling, the ironing cylinder, and the cutting rollers for severing from the wicking, thus made, pieces of proper length for wicks. Also the mode of rolding the wrapper by means of a series of folders through which the muslin or other fabric passes, having apertures so shaped as to turn up the edges and fold them over, making wrappers of uniform width, substantially as hereinbefore described. Also, the mode, hereinbefore described, of inserting the cotton or other filling in the wick as the wrapper is being folded.

Also, the pasting apparatus consisting of a paste trough, E, guides u, rod, v, and scraper, w, for the pasting strip, constructed and aranged in relation to the folding apparatus, substantially as described.

Also, the use of a heated cylinder for ironing and draving the wick.

Also, the use of a heated cylinder for ironing and drying the wick, nd giving it a flattened shape.

43,098.—Suture Instrument.—Hugh M. Cooper, Xenia,

Ohio: I claim, first, the arrangement of curved shafts, A and G, guides, J', springs, K, K', foot, H, finger rings, I I', knob, B, and suture ised le, D, or devices substantially equivalent; the whole being considered and operating substantially as set forth. Second. The curved shaft, A, notched and screw threaded as decribed, in the described combination with nut, F, and notched suture leedle, D.

43,099.—Bridge.—Albert Cottrell, Newport, R. I.: 1 claim the above described combination and arrangement of the bond timbers, the balance weight supporters, the screw bolts and stretchers of the two side beams or levers, the whole constituting the half of a bridge frame, of the character specified.

43,100.—Magnet Needle threader.-ington, D. C.: I claim a magnetized needle threader. -Oliver Cox, Wash-

I claim a magnetized needle tureauer.

43,101.—Reaping Machine.—Oliver Perry, Crawford, Wabashaw Co., Minn.:

I claim the construction, attachment, and arrangement of the hinges, b, from which the swinging apron is suspended to receive the grain, substantially as and for the purpose described.

I also claim the construction of the apron, f, with its teeth, 9 99, and flanges, 11, on which the grain is received when cut by the stelle, substantially as and for the purpose described.

43,102.—Bullet Machine.—J. D. Custer, Norristown, Pa.: I claim the combination of the turn-table, or transporting wheel, or analogous device, with the shears, the cylinder and pistons, and the automatic lathe, for the purpose of making pressed and turned bullets, substantially as described.

43,103.—Portable Railroad Switch.—Phylander Daniels, Leroy, N. Y.:
I claim the two bars, A A', constructed as shown and provided with the clamps, B B', in combination with the bars, C C', G G', either or both pairs connected to the bars, A A', by joints and secured in position, substantially as and for the purposes set forth.
I rurther claim the plate F, when used in combination with the bars, A A', C C', for the purpose set forth.
(This invention consists in the amployment page of fainted have

[This invention consists in the employment or use of jointed bars provided with clamps and fitted to the rails in such a manner that the device may be used as a temporary switch without disturbing the rails, and applied at any point, no frogs nor any other parts, except the device may be u those pertaining to or forming a part of my invention, being required. The invention is also applicable to the adjusting of cars on the track, and may be applied to the rails with the greatest facility, to answer

43,104.—Spring Bed-bottom.—John and Samuel Danner, Canton, Ohio:

We claim uniting and supporting the slats by means of interposed springs, upon and within the walls of the brackets, E, which brackets are removable and replaceable at pleasure, all substantially as described and represented.

-Cupboard Latch.—Edward Doen, New Britain,

Conn.:

I claim as a new improved article of manufacture a cupboard atch, substantially as shown and described.

43,106.—Plaited Shirt Bosom.—Abraham Drey, Baltimore, Md. Ante-dated June 5, 1864:

I claim uniting the surface-riged or creased material to the shirting, or back lining of the shirt bosoms, by stitching through the creases or ridges and through the lining, substantially in the manner described.

described.

43,107.—Plaited Shirt Bosom.—Abraham Drey, Baltimore, Md. Ante-dated June 10, 1864.:

I claim the new product for shirt bosoms, shams, etc., substantially as herein described, producing by ridging the surface material on its mner side, and fastening such ridged material in front of the ridges to a backing, substantially as set forth.

43,108.—Manufacture of Watch Keys.—George H. Fuller, Pawtucket, R. I.: I claim making a key pipe for watch keys by the method and on the principle substantially as herein described.

13,109.—Ratchet Drill.—Henry Getty, Brooklyn, N. Y.: I claim, first, The body, A, with its interior ring or flange, a, and recess, I, for the purposes described. Second, The screw, C, constructed as shown, for the purpose speci-

Second, The screw, C, constructed as shown, for the purpose speci-fied.

Third, The handle, D, with its eccentrically curved recesses and projections or lips, F F, substantially as described for the purposes specified.

Fourth, The eccentric sliders, E E, constructed as shown, for the urposes specified.

Fourth, The eccentric snoers, E.E., constructed as snown, for the purposes specified.

43,110.—Breech-loading Ordnance.—William F. Goodwin, Powhatan, Ohio:
I claim, first, A swinging yoke or breech-piece, constructed substantially as described, with cheeks, B', by which it is secured to the gun without requiring the employment of trunnons, screws, or bolts. Second, In combination with the above I claim a cannon formed with an enlargement, A', and recesses or countersinks, a receiving and securing the ends of the yoke, and constituting the bearings on which it is oscillated, substantially as explained.

Third, The doubly-jointed swinging arms, I2 I3, for carrying the breech plug, I, and permitting the ready insertion and withdrawal of the same, substantially in the manner specified.

Fourth, The spring, I3, employed in the manner described, to close the joint at the rear of the breech plug, and loosen or expel the latter when the yoke is turned back.

Fifth, I claim the combination of the racks, E F, and loose pinicn, G, for operating the swinging breech yoke, B, in the manner explained.

43,111.—Breech-loading Ordnance.—Wm. F. Goodwin,

Powhatan, Ohio:

I claim, first, The swinging yoke or breech piece, B, provided with arms, b b, and concave recesses, b'b', fitting over the convex ends of cylindrical or partially cylindrical projections, C C, substantially as and for the purposes specified.

Second, The flanges, d d, fitting in annular grooves, c c, in the projections, C C, for preventing the spreading of the arms.

43,112.—Artificial Fuel.—Wm. Halstead, Washington, D. C., and Oliver S. Halstead, Jr., Newark, N. J.: we claim the combination and mixture of the ingredients, in the manner and in the proportions above described.

and in the proportions above described.

43,113.—Clothes-dryer.—Thomas George Harold, Broollyn, N. Y.:

I claim, first, A series of folding bars jointed to each other at the ends, and at a point nearer one end than the other of said bars, that the frame rises when it is opened, substantially as specified. Second, I claim the arrangement of the sustaining legs in combination with the said folding frame, as specified.

nation with the said iolding frame, as specified.

13,114.—Valve-gear for Steam Engines.—Robert Heys Philadelphia, Pa.:

I claim, first, The valve-spindle, D, of a steam engine, the link, E ceentrie rod, G, and arm, F, in combination with the weighted lever t, and link, h, or their equivalents, whereby the motion of the governor-rod may be imparted to the link, as set forth for the purposneeding.

k, and first, in or the purpose error-rod may be imparted to the link, as set forth for the purpose specified.

Second, The wheels, N and V. lever, P, and pawls, e and e', with the shield, t, when the position of the latter is regulated by the governor, and when the whole is applied to the raising and lowering fithe link, E, substantially as and for the purpose herein set forth.

43,115.—Shoreacters as and for the purpose neren set 10751.

Machines.—Liveras Hull, Charlestown, Mass.:
I claim the improved thread tension and delivery mechanism, constructed substantially as explained, or in other words, as having a brake, or lever and brake, applied to the bobbin and its stand and so as to be operated by the thread and by the tension weight, substantially as specified.

tially as specified.

43,116.—Harvester.—Stephen Hull, Poughkeepsie, N. Y.:

I claim, first, The extended braces, B B', of the wheel frame. A. so constructed and arranged as to constitute the supports for the apron, C, and also an elevated bridge, b, for the driver's seat, substantially as described.

Second, A reciprocating reel bar which is reciprocated by a revolving eccentric axis, and itself reciprocates vertically, or nearly so, on said axis, substantially as and for the purpose described.

43,117.—Material for the manufacture of Butt Hinges, etc.—Oliver S. Judd, New Britain, Conn.:

I claim the substitution of the composition known as laminated zinc for other metals in the manufacture of butts.

zinc for other metals in the manufacture of butts.
43,118.—Medical Preparation.—John B. Knoebel, Shoal Creek, Ill.:
I claim the use of an antidote for "dropsy" and allied diseases, of the preparation which I term "hydropin," made substantially in the manner herein shown and described.
Also the within described composition of the ingredients above specified, and mixed together in the manner and about in the proportion set forth.

of the section.

(This invention is based on the discovery that an extract prepared rom the juice and seeds of sprouting cucumbers, and also the seeds

of water melon, either alone or mixed with elaterium, tincture seiller and tincture colchiri, form a desirable and effective antidote against and tincture colchiri, form a desirable and effective antidote against "dropsy," and other diseases of a similar nature or arising from a similar cause.]

43,119.—Washing Machine.—Joel Lee, Galesburg, Ill.: I claim the friction roller shaft, D, cross bars, E E, friction rollers, I, rub-board frame, B, rub-board, C, washing rolls, F F, and guide grooves, H, the whole constructed and arranged substantially as and for the purposes set forth.

13,120.—Mode of treating Tanned Leather.—Benjamin H. Lightfoot, Philadelphia, Pa.:
I claim the currying or dressing of tanned leather by applying to the same crude petroleum, or any of the mineral oils, treated substantially in the manner described.

annuary in the manner described.

3, 121.—Car Spring.—William Marshall, New York City: I claim the combination of the springs, CD, ant levers, B. arranged beta the combination of the springs, CD, ant levers, B. arranged uperate in the manner as and for the purpose set forth.

[This invention consists in the employment or use of spiral springs arranged and combined with levers in such a manner that a strong

and durable spring will be obtained, and one which may be con structed at a very moderate cost. The object of the invention is to obtain a spring which will possess as much elasticity as the ordinary elliptic or semi-elliptic springs, and be equally as durable, and still be capable of being cheaply constructed and readily repaired when necessary. The elliptic or semi-elliptic springs although far preferable to any hitherto constructed, being too expensive for general use and applied only to the more expensive style of cars.]

43,122.—Washing Machine.—John McLaughlin, Monongahela City, Pa.:

I claim the manner of constructing and arranging the bottom of the body, a, with relation to the rubbing follower, C, that the operator is enabled by it to turn or reverse the clothes and bring all parts of them in contact with the rubbingsurface of saidrubbing follower, the whole being constructed, arranged, and operating in the manner herein described and set forth.

as torth.

43,123.—Cultivator.—William Mettler, Frankfort, Ill.:
I claim the teeth, G.G. laterally movable bodily without angular change, in combination with fixed teeth, F.F., situated further behind and outward than the said movable teeth, arranged and operating substantially as and for the purpose herein specified.

I also claim the combination of the guide posts, n, with the adjusting screws, P.P., as herein set forth.
I also claim the combination of the hinged or jointed controlling braces, E.R., with the guide posts, n, n, and elevating device, L M M, substantially as and for the purpose herein specified.

43,124.—Pump,—John Munson, San Jose, Cal.:
I claim, first, The check or retaining valve, G, fitted in the frame, H, provided with a projection, I, and arranged in relation with the valve, F, of the piston, C, and the bolts, D, thereof or other projection attached, so as to cause both valves to be opened and remain open when the piston is at the bottom of the pump cylinder and thereby admit of the escape of the water, substantially as set forth. Second, The hollow plunger, B, attached to the piston, C, to operate as an air-vessel or chamber, as specified.
Third, The plate, J, with the socket or brake joint, K, attached, substantially as described.

43,125.—Faucet.—Ferdinand Meyrose, St. Louis, Mo.: I claim a faucet provided with a valve, C, attached to a horizon I claim a faucet provided with a valve, C, attached to a horizontal stem, D, having a screw, e, on its outer part, on which a nut, E, is fitted and the latter placed and allowed to turn freely in a cylindri

cal chamber, f, all being arranged in connection with the two tubes, A B, substantially as described.

nsists in having a valve placed or attached to a stem which is fitted horizontally in the case of the faucet or cock and is operated by a nut so as to open and close the valve, the latter against its seat in a direction corresponding with the direction tion of the pressure of the liquid; and all so arranged that a very simple and efficient faucet or cock is obtained, and one not liable to leak, and which may be opened and closed with the greatest facility.]

Letter Envelope.—Anna M. Murphy, New York

City: claim, as a new article of manufacture, an envelope letter sonstructed with a center, c, side laps, b b', sealing lap, a, and ows of perforations, d and e, all as herein described and for the oses specified.

[This invention is an improvement on that class of letter envelo on which Letters Patent have been granted to Wm. Murphy, June 2d, 1863, and the object of the same is to facilitate the operation of ening the letter without tearing 11.]

43,127.—Furnace for heating and welding.—George Nimmo, Jersey City, N. J., and Robert S. Stanton, New York City:

We claim the combination of the heating compartment, A, with the heating and welding compartment, B, and the fire-place, C, constructed and arranged substantially as in the manner set forth and for the purposes specified.

43,128.—Medical Compound.—Frank H. Norton, New York City:
I claim, first, The remedy, "Anti-Diphtherion," compounded of sumach berries, alum, saltpeter, and honey, in the proportions and manner set forth.
Second, I claim the use of acetic or other acid, in combination with the materials set forth, for the purpose of preventing fermentation.

the materials set forth, for the purpose of preventing fermentation.

43,129.—Roasting Sulphurets and other Ores.—August F. W. Partz, Wurtsboro, N. Y.:

I claim, first, An upright shaft or chamber through which heat and a r are passed, in combination with a series of inclines, applied in such shaft to check the descent of the ores, as set forth.

Second, I claim a shaft in which the heat and air ascend, as the ores descend, in combination with a receiving chamber, substantially as specified.

Third, I claim a vertical shaft or chamber in which the heat and air ascend as the ores descend in combination with a door or damper for admitting a supply of air for regulating the temperature, as set forth.

43,131.—Sausage-filler.—John G. Perry, South Kingston R. I.:

K. 1.: I claim the combination of the nozzle and cylinder with the pist or ead and rod, all being constructed and arranged substantially as erein described and for the purpose set forth.

43,132.—Baling Press.—John W. Roberts, New Monmouth, N. J.:

mouth, N. J.:

I claim the combination of the levers, E. E., provided with the segments, G. G. in connection with the levers, D. D. and with the shafts J. J., provided with bent ends, f., and connected by the arms, K. K., and link, L., in the action upon the box, B, and fastenings of its doors, all substantially as described.

[This invention relates to a new and improved press for compres ing substances for baling, such as hay, cotton, hops, etc. The object of the invention is to obtain a press for the purpose specified which will be very compact and occupy but little space, so that it may be operated in a building or compartment of moderate hight, and stil compress substances into bales of the ordinary dimensions.]

43,133.—Coal-breaker.—H. C. Rogers, Scranton, Pa.: I claim, as a new article of manufacture, the coal-breaker tooth, herein-before described, consisting of a pyramidal or tapering body, A, of soft metal, to be secured in the roller, R, by casting, and a point of steel welded in a groove in the front of the wrought-iron body, A.

(This invention consists in a coal-breaker tooth composed of iron with a steel point inserted in such a manner that as the softer metal wears away, the harder metal is left prominent, and thus always pre sents a sharp point.]

43,134.—Sash Fastening.—Herman Rugee, Milwaukie

Wis.:

I claim the application of the lever, E, in connection with the slots
II, in the cover, B, and the slot, H, in bolt, E, constructed in combination, operating as described, for the purposes set forth,

3,135.—Herbal and Scrap Book.—A. M. Safford, Springfield, Mass.:

1 claim the improved herbarium, constructed and arranged subtantially as herein specified. 43,136.—Balanced Elevator.—C. B. Sawyer, Fitchburg,

Mass.:
I claim the combination and arrangement of the rope, a b c, wind ass, D, pulley, H, and wheel, M, as and for the purpose described. 43,137.—Metal-planing Machine.—William Sellers, Philadelphia, Pa.:
I claim, first, Prov ding a rigid support for the revolving cutter head as near as possible to the cutting tools, substantially as and for the purpose specified.

head as near as possible to the cutting tools, substantially as and for the purpose specified.

Second, Traversing the revolving cutter heads, E and F, at right angles to the main supporting bed, in combination with one or more tables, G and H, when either or both the heads, E and F, and tables, G and H, can be adjusted to or from each other, substantially as described and for the purpose specified.

Third, The two revolving cutter heads having a traversing motion at right angles to the main supporting bed, A, substantially as described, when one or bothlof said heads has an adjustment parallel to the main supporting bed, and for the purpose specified.

Fourth, Two or more tables, G and H, in combination with one or more cutter heads, E F, when so arranged with reference to each other as to be capable of moving in two or more directions, substantially as described.

tially as described.

43,138.—Friction Clutches or Pulleys.—H. S. Shepardson, Shelburne Falls, Mass.:

I claim, first, The combination of the wedges, h, on the sliding collar, F, with the radial arms, n, connected with the expansive or friction ring, A, substantially as and for the purpose described.

Second, I also claim connecting the radial arms, n, to the friction segments by toggle levers, o, which straddle the cuts in said ring, as and for the purpose described.

43,139.—Hand Corn-planter.—Solomon S. Smith, North Fairfield, Ohio:
I claim the plunger, D, brush, C, recesses, B F and G, spring plate, I, nose, E, handles, K and N, spring, O, and stop, O', when these several parts are arranged and operating substantially as and for the purpose set forth.

43,140.—Furnace for desulphurizing Ores.—Charles A. Stetefeldt, New York City:
I claim, first, The employment or use of an upright terrace furnace, substantially such as herein described, for the purpose of reducing gold, silver, quicksilver and other metals from the sulphuretted ores.
Second, The peculiar construction

ted ores.

Second, The peculiar construction, proportion, and disposition of
the terraces, L, in the shaft, K, as based on the rules deduced from
the formula 1 to 24, whereby a complete and rapid desulphurization
of the ores is accomplished.

forming 14 24, whereby a complete and Taple description he ores is accomplished.

pird, The combination of a hot-air apparatus with an upright ter
furnace, for the purpose substantially as set forth.

43,141.—Apparatus for purifying and refining Spirits.—
Thomas Thompson, Baltimore, Md.:
I claim the apparatus described in the foregoing specification, c such an equivalent apparatus as will expose the alcohol, whiskey c

I claim the bone or wooden rings or their equivalents, in combina-tion with the yarn or twine, for the purpose described.

43,142.—Valve for Steam Engines.—D. B. Travis, La Crosse, Wis.:

I claim the combination with two slide valves, A A, of two movable three-ported valve seats, F F, and a system of six ports in the permanent seat, the whole constructed, arranged, and operating substantially as and for the purpose herein set forth.

[This invention consists in a novel system of movable valve seats and stationary and movable ports, in combination with slide valves in as steam engine, whereby the engine is enabled to be reversed and stopped very quickly and easily.]

-Grate Bars.-Lorenzo B. Tupper, New York

13,145.—Grate Bars.—Lorenzo B. Tupper, New York City:
I claim connecting the ends of three, four, or five of the cross bars or pieces, b, to each other as at c, for the purposes and as specified.
13,144.—Clothes-hanger.—Alexander J. Walker, New York City:
I claim a series of horizontally-turning hooks with arms above and below a supporting bar or strip, substantially as specified.
And in combination therewith, I claim the eyes, c c, for the purposes and as specified.

43,145.—Bolt for Shutters.—Thomas Warner, German-

town, Pa.:

I claim the bolt, D, its spring, e, and the projection, f, straight on one edge and rounded on the other, in combination with the plates, 3 and U, and their staples or their equivalents, the whole being contructed and arranged substantially as and for the purpose herein set

Sewing Machine.—Wm. Wickersham, Boston 43,146

Mass.:

I claim, first, Automatically raising the cloth presser foot, b, in sewing machines above the surface of the cloth of various thicknesses, in such manner that said foot shall rise higher for thick than for thin cloth, suiting the elevation to each thickness, in the manner and for the purpose described.

Second, I claim the combination in sewing machinery, of mechanism, for automatically raising the cloth-presser foot, b, variably to suit different thickness of cloth, with the feed bar, n, having merely a forward and backward motion, in the same horizontal plane, in the manner and for the purpose described.

Third, I claim attaching the loopen, z, to the feed lever, h, operating in the manner and for the purpose described.

Fourth, I claim the arrangement of a sewing machine, making a double chain stitch, in which there is a main shaft above the table operating the upper needle and the presser foot, and a rocker shaft below, operating the lower needle and the feed, in the manner and for the purpose described.

Fitth, I claim operating both the feed and the looper, z, by the screw flange, g, attached to the rocker shaft, as described.

43,147.—Lock-fastener.—Henry S. Wilcox, West Meri-

den, Conn.:

I claim the rod, H, constructed as described in combination with the shank, D, key-bow, G, or their equivalents.

43,148.—Manufacture of Vinegar.—Henry Wittich, Bal-

timore, Md.:

I claim the application of starch to the liquor used in the manuacture of vinegar as a substitute for alcoholic liquor, when used subtantially in the manner and for the purposes herein described.

43,149.—Calisthenic Pulley and Spring Cord.—John Wood, New York City:
I claim the construction and arrangement of spring cords, substantially as described, for calisthenic purposes.

ually as described, for calisthenic purposes.

43,150.—Tackle for Fore-and-aft Sails.—Wm. Woodbury,
Gloucester, Mass.:
Iclaim, first, Placing the springs, b, on a rod, E, parallel to the
traveler rod, C, substantially in the manner and for the purpose set
forth.
Second, Forming the springs, b, in short sections with the washers,
c, interposed, substantially in the manner and for the purpose set
forth.

43,151.—Bullet Ladle.—Moses Babcock, Charlestown, Mass., assignor to James F. & E. P. Munroe, Fitchburg, Mass.:

I claim as a new article of manufacture the improved bullet ladle.

our g., mass.: I claim as a new article of manufacture the improved bullet ladle, made su istantially as herein shown and described.

43,152.—Spring Clasp or Button.—Francis E. Drake (assignor to himself and George Arms), Chicopee,

mass.. claim a clasp or button fastening, constructed, arranged, and ating substantially in the manner described.

operating substantially in the manner described.

43,153.—Mode of lubricating the Bearings of Spinning Frames—Albert H. Gilman (assignor to Charles A. Shaw & himself), Biddeford, Maine:

I claim a spindle gear when so constructed that the gear itself shall form a cap for, and pass down over or around, the step without being in contact with it, substantially in the manner and for the purpose shown and described.

43,154.—Liquor Flask.—Robert Heneage (assignor to Reuben Dill), Buffalo, N. Y.:

I claim as a new and improved article of manufacture a liquor flask, constructed with two or more compartments and rotary nozzle, substantially as described.

substantially as described.

43,155.—Reservoir Stove.—Zebnion Hunt, Hudson, N. Y., assignor to himself and Wm. J. Miller, Greenport, N. Y.:

I claim, first, Employing the circular-inclined partition or hopper, s., for the combined purpose of forming the hotair chamber or flue, s., for the conducting the coals and ashes into the ash pan, and of preserving the brightness of the fire by shielding it from the cold air, substantially as and in the manner set forth.

Second, The shake bar, e, crank, a, and handle, b, when used in combination with the revolving grate, G, having projections on its lower edge, substantially in the manner and for the purpose set forth.

lower edge, substantially in the interpolation of fire-pot, P, with grated sides and base, Third, The combination of fire-pot, P, with grated sides and base, suspended within the ash pit, as shown, with the fuel reservoir, B, substantially as described.

ubstantially as described.

3,156.—Treating Oil and Fat to form Composition for Illuminating and other Purposes.—Sylvester Lewis, Rochester, N. Y., assignor to Wm. J. Williams, New York City:

1 claim the treatment of oliene expressed from fats and oils with enzine, benzole, or naphtha, substantially in the proportions and on principles set forth.

43,157.—Process of recovering the Acid used in refining Petroleum.—Robert G. Loftus, Chelsea, Mass., assignor to himself and Alonzo Farrar, Brookline, Mass.:

Mass.:

claim the improved process as above described, of restoring the
or separating it from its impurities or foreign matters after it
have been used in the refining of a liquid hydro-carbon or oil.

may have been u ed in the refining of a liquid hydro-carbon or oil.

43,158.—India-rubber Syringe.—F. M. Shepard (assignor to himself and W. A. Shepard), New York City:

I claim as a new article of manufacture an elastic india-rubber bub syringe in which the trimmings, i.e, the valve cases and other non-elastic parts are made of vulcantic or hard rubber in contradistinction to metal of which they were heretofore made.

43,159.—Splitting Leather.—Caleb S. Stearns (assignor to himself and Thomas Corey), Marlboro', Mass.:

I claim the combination and arrangement of the grooved carrying roller, B, the roller, D (or its equivalent), the splitting knife, E, the bar or plate, F (or its equivalent), and the series of stripping knives, of o.

 $^{0\ 0}$ C 0 I also claim the combination and arrangement of the grooved car-

rying roller, B, the roller, D, or its equivalent, the splitting knife, E, the bar or plate, F, or its equivalent, the series of stripping knives, o o o, and the roller or drum, H.

I also claim the combination of the discharger C, with the jaws, a b, the cylinder, B, the roller, D, or its equivalent, or the same and the mechanism for stripping the leather or skin, in manner as specified.

43,160.—Bleaching and whitening Wool, etc.—Peter Stevenson (assignor to Bigelow Carpet Company), Clinton, Mass.:

I claim the method of bleaching or whitening wool, woolen, and worsted yarns and cloth, by the combined action of oil of vitriol and aniline blue, substantially as specified.

43.161.—Manufacture of Toy Chairs.—Doras A. Stiles,
Meriden, Conn., assignor to Merriam Manufacturing
Company, Durham, Conn.:
I claim as a new improved article of manufacture a toy chair, cut
in one piece of metal, substantially as and for the purpose described.

in one piece of metal, substantially as and for the purpose described.

43,162.—Brick Machine.—Porter L. Sword & George S. Tiffany (assignors to Porter L. Sword), Adrian, Mich.:

We claim, first, Constructing the bed-plate, I, with the recess, w, and curvilinear opening in that part which forms the bottom of the cylinder, S, over the space traversed by the molds, in combination with the inclined plane, o, and wheel, T, when they are arranged to operate substantially as and for the purpose herein set forth.

Second, Supporting and adjusting in proximity to the bed-plate the mold wheel, K, by means of the wheel, P P P, and rods, a a a, as set forth.

43,163.—Railway Truck adapted to different Gages of Tracks.—Charles D. Tisdale, East Boston, Mass., assignor to himself and Barna W. Tisdale, Boston, Mass.:

Mass.: I claim the application of the wheels to the axle by means of sleeves or tubular shafts, as described, and combining with the latter and the axle a means or mechanism for fixing the sleeves at different distances apart on the axle in order to adapt the wheels to tracks of different gages, in manner as specified.

I also claim the combination of the clutch-box, D, the flanges, G H, and the semi-circular clutch, E, the same being made and applied together and to the axle, B, and the tubular shaft or wheel sleeve, C and so as to operate substantially as specified.

I also claim the combination of the stopper, F, and the bolt, N, the two clutch-boxes, D D, and their clutches, E E, the whole being constructed and applied to and so as to operate with the axle and the wheel sleeves or hollow shafts, substantially as hereinbefore explained.

plained.

And with the wheels applied to the axle by means of sleeve tubular shafts as described, and these latter and the axle provi with a means or mechanism for fixing the sleeves at different tances apart on the axle, and for the purpose of adapting the wh to tracks of different gages, I claim the application of a "feat connection" (viz., the rib, a, and groove, b), or its mechanical equilent, to one of the sleeves only of the axle, the other sleeve be free to revolve as well as to slide on the axle.

rree to revolve as well as to slide on the axlé.

43,164.—Felting Machine.—Enoch Waite, South Natick,
Mass., assignor to Edmond Richmond, Boston,
Mass.:

I claim the combination and arrangement of an auxiliary enlless
apron, O, with the two main felting aprons, G H, and their felting
platens, whether there be one, or more sets of platens, the whole
being arranged substantially in manner and so as to operate as described.

scribed.

43,165.—Inking Hand Stamp:—L. M. H. Fromont, Paris, France, assignor to Moritz Pinner, New York City:
I claim, first, The placing of the two concentric tubes, cylinders, or barrels, E and F, and the ascending and descending movement of these tubes, which, in drawing the die, D, give it a rotary movement, the result of which is to carry the face of the die alternately to the inking pad, C, and to the surface to be stamped, substantially as above described.

Second, The isolated position of the ink-pad, C, in the interior of the tubes, by which it is kept from intermediate contact with the hand, and consequently from the effect of its warmth, substantially as above described.

as above described.

43,166.—Gun Cotton,—Baron W. Lenk, Vienna, Austria.
assignor to Norman Rawson and Charles Richmond.
Detroit, Mich.:
I claim an explosive improved gun cotton, made substantially as

herein described.

43,167.—Steam Trap.—Hubert Joseph Vaessen, Liege, Belgium, assignorto Bernard Schaffer and Christian Budenberg, New York City:

I claim the employment or use of two valves, AB, so arranged in relation to each other and to a steam cylinder, that if said cylinder takes steam on one end by the action of the steam itself the valve communicating with said end of the cylinder is closed and the other opened and vice versa, and by these means the condensed water accumulating on the exhausting end of the cylinder is allowed to escape without obstruction.

[The object of this invention is to free a steam cylinder from the water condensing in the same. The invention consists in the empare condensing in the same. The invention consists in the empare condensing in the same.

water condensing in the same. The invention consists in the employment or use of two valves so arranged in relation to each other and to a steam cylinder, that if said cylinder takes steam on one end by the action of the steam itself the valve communicating with said end of the cylinder will be closed by the action of the steam itself and the other opened and vice versa, and by these means condensed water accumulating on the exhausting end of the cylin is allowed to escape without obstruction.]

43,168.—Composition for lining Puddling Furnaces.—
John Williams, Montreal, Canada:
I claim the within-described composition of cinder cement mixed together of the ingredients above specified, substantially in the manner and about in the proportion set forth.

ner and about in the proportion set forth.

43,169.—Composition for protecting Ship Bottoms.—W.
B. Davis, Brooklyn, N. Y.:
I claim, first, The combination of carbonate of copper and arsenic, with the residuum of palm oil or tallow, after distillation, spirits of turpentine and animal oil, or their equivalents, the whole forming a composition for preventing ships etc., from fouling, as set forth.

Second, The use of the residuum of palm oil or tallow, after distillation in combination with arsenic or with arsenic and copper compounds, in a protective composition, substantially as and for the purpose specified.

RE-ISSUES.

KF-ISSUES.

,697.—Water Closet.—W. E. Parmenter and Joseph and James Grundy, West Cambridge, Mass.. assignees of Thomas Grundy, deceased, late of Boston, Mass. Patented June 26, 1860:

We claim arranging a valve or plunger, or both, above the valve eat, and with reference to the inlet and outlet passages of a water-tontrolling device, substantially as specified, that is to say, so that ither or both the valve and plunger shall be relieved or protected from the super-imposed impingement thereupon of the current passing through such a device.

1,698.—Harvester.—J. F. Seiberling, Doylestown, Ohio.
Patented Oct. 15, 1861:
I claim discharging the completed gavel by dropping the rear end of the platform simultaneously with arresting the accumulation of the grain thereon, substantially as and for the purposes set forth.
Second, The combination of the cut-off, L, with a dropping or tilting platform, for the purpose of arresting the fall of the accumulating grain, whilst discharging the completed gavel, substantially as described.

1,699.—Harvester.—J. F. Seiberling, Doylestown, Ohio.
Patented Oct. 15, 1861:
I claim, first, The arrangement and combination of the treadle, F, rod, U, lever, V, rod, G, and lever, H, for elevating and depressing the platform, M, substantially as set forth.
Second, In combination with the parts, FUVG&H, I claim the lever, I, and rod, K, for operating the cut-off substantially as set forth for the purpose mentioned.

1,700.—Harvester.—J. F. Seiberling, Doylestown, Ohio.

Patented Oct. 15, 1861: claim, first, The slotted dropping platform, through which ble penetrates and seizes the gavel whilst the platform is dra y for the purpose of discharging the grain, substantially as spe

Second, I claim the combination of the slotted dropper, M, the cut off, L, and the finger beam, substantially as described.

1,701.—Harvester.—J. F. Seiberling, Doylestown, Ohio. Patented Oct. 15, 1861:

I claim the arrangement of the hinged bars, Q and R, for supporting the heel of the cutter beam, and for elevating and depressing the same and the reel, by means of lever, T, or other devices, said hinged bars being used in connection with the shoe or bar, O, and its flexible attachment, substantially as set forth.

1,702.—Harvester.—I F. Saibonling, Doulestown, Ohio.

iexible attachment, substantially as set 1 orth.

1,702.—Harvester.—J. F. Seiberling, Doylestown, Ohlo.

Patented Oct. 15, 1861:

I claim a finger beam provided with a caster wheel at its outer end and a horizontally-folding hinge at its inner end, whereby said finger beam is rendered capable of folding automatically to the side of the nain frame, for the purpose of transportation, substantially as set orth.

orth.

703.—Hoop Skirt.—Cæsar Neumann, New York City.

Patented Nov. 1, 1859. Re-issued June 26, 1860:

Iclaim a hoop skirt having its hoops supported by cords twisted to braided, either before or during the manufacture of the skirt, abstantially as herein shown and described.

DESIGNS.

1,953 to 1,956.—Carpets.—Elemir J. Ney(assignor to the Lowell Manufacturing Company), Lowell, Mass. Four patents.

1,957.—Plates of Cook's Range.—C. J. Shepard, Brooklyn, N. Y.

1,958.—Pedestar I... New York City. Pedestal for Railroad Cars.—John Stephenson,

1.959.—Lamp Box for Railroad Cars.—John Stephenson New York City.

1,960.—Railroad Car-step.—John Stephenson, New York City.

1,961.—Clog-hanger for Railroad Cars.—John Stephenson, New York City.

1,962.—Axle-box for Railroad Cars.—John Stephenson, New York City.

3.—Watch Chain—A. D. Warren (assignor to Ste phen Richardson, 2d), North Attleboro, Mass.

EXTENSION.

Spring Mattress.—W. F. Ressique, Cincinnati, Ohio, deceased, Louisa Ressique, Brooklyn, N. Y., administratrix. Patented June 10, 1850:

I claim the construction of the jointed spring mattress, substantially as set forth in the specification.

42,686.—Pump.—Andrew J. Reynolds, Sturgls, Mich.
Patented May 10. 1864. [Incorrectly reported in official list of that date]:
I claim, first, The arrangement of side pipe, C C', closed at the ends and receiving water through the two-way inlet, E, whose ports, F and F', are closed alternately by the one double-headed valve, G, substantially as set forth.
Second, The double-headed and self-emptying inlet valve, G a a' be, the same being inserted and put together and adapted to operate in the manner set forth.



- J. W. McC., of Pa .- From the indicator card you send us your eccentric appears to have shifted. The steam comes in tor soon on one side, and too late on the other. Set screws are poor security, you should put in a key. Turn the eccentric back on the shaft toward the cylinder, and you will remedy the trouble.
- J. R. A., of R. I.-We have received your communica tion about the use of Babbitt metal on bearing surfaces, but do no think it of sufficient importance to publish. We shall be pleased to hear from you and all other mechanics on practical or
- R. P., of N. Y .- No knife or tool will cut well if it has what is called a rounding edge. You should ask some expert to show you how to grind and sharpen an edge tool.

Money Received.

At the Scientific American Office, on account of Patent Office business, from Wednesday, June 8, 1864, to Wednesday, June

J. D. B., of R. I., \$70; P. F. D., of La., \$25; R. S., of N. Y., \$44; J. D. McL., of N. Y., \$20; S. W., of Conn., \$45; H. M., of N. J., \$20; W. B., of Mass., \$20; E. T. J., of Vt., \$20; F. R., of N. J., \$16; G. C. of Mich, \$120; C. A. M., of III., \$20; J. D., of N. Y., \$20; D. G. H. of Mass., \$45; A. B., of N. J., \$41; J. H. C., of Pa., \$36; A. H. M., of of Mass., \$45; A. B., of N. J., \$41; J. H. C., of Pa., \$36; A. H. M., of N. Y., \$22; P. P., of N. H., \$20; W. V., of Mich., \$45; W. F., of Mass., \$25; A. & B. N., of N. Y., \$15; S. S. G., of Mass., \$16; E. P. B., of N, Y., \$16; C. W. & B., of Pa., \$35; L. W., of Ill., \$20; C. B., of Pa., \$16; McK. & W., of Wis., \$25; J. F. A., of La., \$30; J. T. S., of N. Y., \$16; M. F., of Conn., \$16; L. W., of Conn., \$40; J. G. B., of Pa., \$30; H. W., of Ill., \$195; W. S., of Ohio, \$16; R. T. M. W., of Vt., \$25; J. M. F., of Wis., \$50; A. R. A.. of England, \$30; E. C., of N. Y., \$41; S. W., of Pa., \$20; P. & H., of Pa., \$20; J. A., of Wis., \$40; A. P., of Mo. W., of Pa., \$20; P. & H., of Pa., \$20; J. A., of Wis., \$40; A.P., of N. Y., \$20; J. K. M., of N. Y., \$16; J. B., of Ohio, \$20; S. & T., of Mo., \$16; L. H. C., of Ill., \$20; H. G., of N. Y., \$16; R. R., of N. Y., \$20; J. V. C. C., of Conn., \$10; H. S., of N. Y., \$16; E. B. C., of R. I., \$20; A. T. B., of N. Y., \$20; C. M., of N. Y., \$25; A. J. A., of Ill., \$30; R. W. G., of Ill., \$47; F. & B., of Ill., \$40; W. P. M., of Wis., \$25; O. P. F., of N. Y., \$25; A. G. W., of Cal., \$15; W. R. F., of Nevada, \$10; R. S. Y., of R. R. F., of N. Y., \$25; A. G. W., of Cal., \$15; W. R. F., of Nevada, \$10; R. S.L., of III., \$25; O. P. S., of III., \$16; N. A., of Conn., \$16; W. C., of Pa., \$25; A. L. S., of Conn., \$16; E. H. C., of Mich., \$25; C. R. H., of Wis., \$15; C. S., of N. Y., \$35; E. H., of N. Y., \$25; E. F., of N. Y., \$25; W. B. K., of N. H., \$45; C. S., of N. Y., \$16; M. McM., of N. Y., \$20; G. S. C., of N. Y., \$21; C. T. F., of N. Y., \$20; J. F., of N. J., \$20; P. D., of Pa., \$41; C. S., of N. Y., \$10; B. M., of N. Y., \$20; T. D., of N. Y., \$20; J. P. E., of N. Y., \$20; S. L., of Mo., \$20; E. N., of N. J., \$16; N. M., of Pa., \$26; W. J. T., of Maine, \$25; H. & S., of Pa.,

\$16; A. W., of Ill., \$16; J. T., of Wis., \$25; J. B. L., of Iowa, \$16; F. H., of N. Y., \$25; S. & P., of Ill., \$25; L. B., of La., \$27; D. F. H., of Mich., \$25; P. & S., of Conn., \$45; W. J. L., of Mass., \$16; H. M., of of Ill., \$15; J. S., of Ohio, \$50; H. K. J., of Con \$16; H. L. H., of Cal., \$26.

Persons having remitted money to this office will please to example a second se the above list to see that their initials appear in it and if they have not received an acknowledgment by mail, and their initials are not to be found in this list, they will please notify us immediately, stating the amount and how it was sent, whether by mail or express.

Specifications and drawings and models belonging to parties with the following initials have been forwarded to the Patent Office, from Wednesday, June 8, 1864, to Wednesday, June 15, 1864:— J. D. B., of R. I.; P. F. D., of La.; W. W., of Conn.; E. F., of N. Y.; J. H. C., of Pa.; E. C., of N. Y.; J. G. B., of Pa.; J. O. McF., of Ill.; G. I. B., of Ind. (2 cases); J. F. A., of Wis.; L. W., of Ill.; W. J. T., of Malne; W. F., of Mass.; L. B., of La.; L. W., of Conn.; R. T. M. W., of Vt.; J. M. F., of Wis. (2 cases); R. S., of N. Y.; A. H. M., of N. Y.; A. B., of N. J.; P. D., of Pa.; P. & S., of Conn.; A. G. W., of Coll. T. T. & W. W., of S. D. F., of W. Y. N. W., of Coll. T. S. Wish, P. S. J. of W. D. F., of W. Y. N. W., of Coll. T. S. Wish, P. S. J. & W., of W. Y. N. W., of Coll. T. S. Wish, P. S. J. & W. C. W. J. P. F. & S., of N. Y. N. W., of Coll. T. S. Wish, P. S. J. & W. J. P. S. J. & W. J. N. W. of Cal; J. T., of Wis.; R. S. L., of Ill.; O. P. F., of N. Y.; N. M., of Pa.; W. P. M., of Wis.; McK. & W., of Wis.; E. H. C., of Mich.; C. S., of N. Y.; E. H., of N. Y.; A. R. A., of England; G. T., of Germany; B. S., of Prussia; A. I. A., of Ill.; W. C., of Pa.; D. F. H., of Mich.; S. & P., of III.; P. H., of N. Y.; C. M., of N. Y.; F. & B., of III.; W. R. F., of Nevada; H. M., of N. Y.

Binding the "Scientific American."

It is important that all works of reference should be well bour The SCIENTIFIC AMERICAN being the only publication in the country which records the doings of the United States Patent Office, it is preserved by a large class of its patrons, lawyers and others, for reference. Some complaints have been made that our past mode of binding in cloth is not serviceable, and a wish has been expressed that we ould adopt the style of pinding used on the old series, i. e., heavy poard sides covered with marble paper, and mo

Believing that the latter style of binding will better please a large portion of our readers, we commenced on the expiration of Volume VII., to bind the sheets sent to us for the purpose in heavy board sides, covered with marble paper and leather backs and corners.

The price of binding in the above style is 75 cents. We shall be un able hereafter to furnish covers to the trade, but will be happy to receive orders for binding at the publication office, No. 37 Park Row, New York.

Back Numbers and Volumes of the "Scientific American."

VOLUMES I., III., IV., VII., VIII. AND IX., (NEW SERIES) complete (bound) may be had at this office and from periodi cal dealers. Price, bound, \$2 25 per volume, by mail, \$3—which in-cludes postage. Every mechanic, inventor or artisan in the United States should have a complete set of this publication for reference. Subscribers should not fail to preserve their numbers for binding VOLS. II., V. and VI. are out of print and cannot be supplied. We are unable to supply any of the first six numbers of the current volume. Therefore all new subscriptions will begin hereafter with the time the money is received



ATENTS

MUNN & COMPANY.

In connection with the publication of the SCIENTIFIC AMERICAN, have act-

ed as Solicitors and Attorneys for procuring "Letters Patent" for entions in the United States and in all foreign countries during the past scenteen years. Statistics show that nearly ONE-THIRD of all the applications made for patents in the United States are solicited through this office; while nearly three-fourths of all the patents taken in foreign countries are procured through the same source. It is almost needless to add that, after seventen years' experience in preparing specifications and drawings for the United States Patent Office, the proprietors of the SCIENTIFIC AMERICAN are perfectly conversant with the preparation of applications in the best manner, and the transaction of all business before the Patent Office; but they take pleasure in presenting the annexed testimonials from the three ast ex-Commissioners of Patents :-

MESSES. MUNN & CO.:—I take pleasure in stating that, while I held the office of Commissioner of Patents, more than one-fourth of all the business of the office came through your hands. I have no doubt that the public confidence thus indicated has been fully deserved, as I have always observed, in all your intercourse with the office, a marked degree of promptness, skill, and fidelity to the interests of your employers.

Yours very truly,

Chas. Mason.

Judge Mason was succeeded by that emlnent patriot and statesman, Hon. Joseph Holt, whose administration of the Patent Office was so distinguished that, upon the death of Gov. Brown, he was appointed to the office of Postmaster-General of the United States. Soon after entering upon his new duties, in March, 1859, he addressed to us the following very gratifying letter:

MESSRS. MUNN & Co.—It affords me much pleasure to bear testimony to the able and efficient manner in which you discharged your duties as Solicitors of Patents, while I had the honor of holding the office of Commissioner. Your business was very large, and you sustained (and I doubt not justly deserved) the reputation of energy, marked ability, and uncompromising fidelity in performing your professional engagements.

d acting, and uncomposed and engagements.

Very respectfully, your obedient servant,

J. Holt.

Hon. Wm. D. Bishop, late Member of Congress from Connecticut acceeded Mr. Holt as Commissioner of Patents. Upon resigning the

Hon. Wm. D. Bishop, lawe memory of some succeeded Mr. Holt as Commissioner of Patents. Upon resigning the office he wrote to us as follows:

Messers, Munn & Co. .—It gives me much pleasure to say that, during the time of my holding the office of Commissioner of Patents, a very large proportion of the business of inventors before the Patent Office was transacted through your agency; and that I have ever found you faithful and devoted to the interests of your clients, as well as eminently qualified to perform the duties of Patent Attorneys with skill and accuracy.

Very respectfully, your obedient servant, Wm. D. Bishop.

THE EXAMINATION OF INVENTIONS

Persons having conceived an idea which they think may be patentable, are advised to make a sketch or model of their invention, and submit it to us, with a full description, for advice. The points of

novelty are carefully examined, and a written reply, corresponding with the facts, is promptly sent, free of charge. Address MUNN & CO., No. 37 Park Row, New York.

As an evidence of the confidence reposed in their Agency by inventors throughout the country, Messrs. MUNN & CO. would state that they have acted as agents for more than TWENTY THOUSAND inventors! In fact, the publishers of this paper have become identified with the whole brotherhood of inventors and patentees, at home and abroad. Thousands of inventors for whom they have taken out patents have addressed to them most flattering testimonials for the services rendered them; and the wealth which has inured to the individ-uals whose patents were secured through this office, and afterwards illustrated in the SCIENTIFIC AMERICAN, would amount to many millions of dollars! Messrs. MUNN & CO. would state that they wever had a more efficient corps of Draughtsmen and Specification Writers than those employed at present in their extensive offices, and that they are prepared to attend to patent business of all kinds in the quickest time and on the most liberal terms.

PRELIMINARY EXAMINATIONS AT THE PATENT OFFICE.

The service which Messrs. MUNN & CO. render gratuitously upon examining an invention does not extend to a search at the Patent Office, to see if a like invention has been presented there; but is an opinion based upon what knowledge they may acquire of a similar invention from the records in their Home Office. But for a fee of \$5, accompanied with a model, or drawing and description, they have a special search made at the United States Patent Office, and a report setting forth the prospects of obtaining a patent, &c., made up and mailed to the inventor, with a pamphlet, giving instructions for further proceedings. These preliminary examinations are made through the Branch Office of Messrs. MUNN & CO., corner of F. and Seventh streets, Washington, by experienced and competent persons. Many thousands of such examinations have been made through sons. Many clouse this of such examinations have been made through this office, and it is a very wise course for every inventor to pursue. Address MUNN & CO., No. 37 Park Row, New York.

HOW TO MAKE AN APPLICATION FOR A PATENT. Every applicant for a patent must furnish a model of his invention if susceptible of one; or, if the invention is a chemical production, he must furnish samples of the ingredients of which his composition consists, for the Patent Office. These should be securely packed, the inventor's name marked on them, and sent, with the Government by express. The express charge should be pre-paid. safest way to remit money is by a draft on New York, payable to the order of Messrs. MUNN & CO. Persons who live in remote parts of the order of messrs. MUNN & CO. Persons who live in remote parts of the country can usually purchase drafts from their merchants on their New York correspondents; but, if not convenient to do so, there is but little risk in sending bank bills by mail, having the letter registered by the postmaster. Address MUNN & CO., No. 37 Park Row

Patents are nowgranted for SEVENTEEN years, and the Government fee required on filingan application for a patent is \$15. Other changes in the fees are also made as follows:—

On filing each Caveat	. \$10	
On filing each Caveat. On filing each application for a Patent, except for a design On issuing each original Patent.	.\$1	
On issuing each original Patent	. \$24	į
On appeal to Commissioner of Patents	\$20	į
On application for Re-issue	. \$30	į
On application for extension of Patent	. \$5(ί
On granting the Extension	. \$50	
On filing a Disclaimer	. \$10	ĺ
On filing application for Design (three and a half years)	. 🖠 10	ĺ
On filing application for Design (seven years)	\$1.	١
On filing application for Design (fourteen years)	\$3	í

The Patent Laws, enacted by Congress on the 2d of March, 1861, are now in full force, and prove to be of great benefit to all parties who are concerned in new inventions.

The law abolishes discrimination in fees required of foreigners, excepting natives of such countries as discriminate against citizens of the United States—thus allowing Austrian, French, Belgian, English, Russian, Spanish and all other foreigners, except the Canadians, to enjoy all the privileges of our patent system (except in cases of designs) on the above terms. Foreigners cannot secure their inventions by filing a caveat; to citizens only is this privilege accorded

CAVEATS.

CAVEATS.

Persons desiring to file a caveat can have the papers prepared in the shortest time by sending a sketch and description of the invention. The Government fee for a caveat is \$10. A pamphlet of advice regarding applications for patents and caveats is furnished gratis, on application by mail. Address MUNN & CO., No. 37 Park Row New

REJECTED APPLICATIONS.

Messrs. MUNN & CO. are prepared to undertake the investigation and prosecution of rejected cases, on reasonable terms. The close proximity of their Washington Agency to the Patent Office affords them rare opportunities for the examination and comparison of ref-erences, models, drawings, documents, &c. Their success in the prosecution of rejected cases has oeen very great. The principal portion of their charge is generally left dependent upon the final result.

All persons having rejected cases which they desire to have prosecuted, are invited to correspond with MUNN & CO., on the subject,

giving a brief history of the case, inclosing the official letters, &c.

FOREIGN PATENTS.

Messrs. MUNN & CO., are very extensively engaged in the prepara-tion and securing of patents in the various European countries. For the transaction of this business they have offices at Nos. 66 Chancery lane, London; 29 Boulevard St. Martin, Paris; and 26 Rue des Eper-onniers, Brussels. They thing they can safely say that THREE-FOURTHS of all the European Patents secured to American citizens are pro-

Jured through their agency.

Inventors will do well to bear in mind that the English law does not imit the issue of patents to inventors. Any one can take out a patent there

rculars of information concerning the proper course to be p in obtaining patents in foreign countries through MUNN & CO'S Agency, the requirements of different Government Patent Offices, &c, may be had, gratis, upon application at the principal office, No. 37 Park Row, New York, or any of the branch offices.

It would require many columns to detail all the ways in which the Inventor or Patentee may be served at our offices. We cordially invite all who have anything to do with patent property or inventions to call at our extensive offices, No. 37 Park Row, New York, where any questions regarding the rights of Patentees, will be cheerfully

Communications and remittances by mail, and models by express (prepaid) should be addressed to MUNN & CO. No. 37 Park Row New



ILLUSTRATIONS.

А

Arch for sorghum evaporators (Bodwell) 352 Atlas and blackboard, combined (Heri-der) 225

R

Bag-holder (Godfrey) 868
Barmeter and thermometer, combined
(Thomson) 292
Bee-hive and honey-box (Warren) 40
Boller, corrugated iron (Montgomery)
148

149
Boiler, steam (Harris) 96
Boilster and spring bed-bottom (Frey)184
Box-opener (Keague) 382
Brake-shoe (Bing) 261
Bush, mill-stone (Landon) 340

C

Calender, pocket (Crosby) 197
Calipers, self-registering (Morse) 152
Cannon, shaft-shooting (Bates) 276
Capstan, geared (Morgan) 56
Card-rack (Winters) 841
Cartridge-tearer (Kelly) 160
Chimney, bracket lamp (Colburn) 344
Chimney-cap and car ventilator (Tominson) 312
Clock and register, marine (Groud) 97
Chimney-pot and cap (Sweet) 264
Clothes-dryer, portable (Newell) 136
Coal-scutte (Chase) 373
Cultivator (Mitchell) 168

D

Dish-washing machine (Bristol) 192

\mathbf{E}

Engine, reciprocating steam (Root) 193 Evaporator, sorghum (Chesney) 224 Evaporator, sorghum (Price) 403

F

Fastening, bit and auger (Hunter) 400 Faucet (Broughton) 64 Faucet, gas (Shaw) 289 Feed-cutter "Hoosier" (Hunt) 104 File (Dodge) 136 Flour-packer (Cook) 392 Fountain, portable soda (Lynde) 88

Gate, self-opening (Cool) 232
Gear for counter-shafts, reversing
(Shaw) 328
Governor, aerial (Pomeroy) 17
Governor, gas (Leffingwell) 24
Grain-dryer, automatic (Marsh) 49
Grain-dryer, hot blast (Marsh) 85
Grate bar (Lasher) 406
Grate for locomotive fire-boxes (Lister) 48
Gun, breech-loading (Reynolds) 24
Gun-barrels, machine for rifting (Powers) 13
Gun-sight (McKibbin) 116

Hand-stamp, "Reservoir" (Rogers) 144
Harvesting and raking apparatus, combined (Hoffleins) 80
Hay-fork, the "Union" (Reynolds & Young) 360
Hay-loading machine (Bentley) 209
Hay-loading machine (Foust) 273
Harrow and clod-crusher (Dubuissen) 386
Harrow, rotary (Daniel) 240
Heating apparatus for kerosene lamps (Fish) 72
Hoisting apparatus (McIntyre & Reeves) 369
Hook, cam-rod (Haycock) 232
Horoscope (Eble) 296

K

Kiln for drying lumber (Oliver) 88 Knife-cleaner (Watson) 168 Knuckle-joint (Taylor) 256

Land-roller (Dunham) 32 Lantern (Straszer) 116 Lantern, reflector (Archer & Pancoast) 284 Lantern, reflector (Atterbury & Reddick) 56

Lantein, renector (Atterbury & Reddick)
56
Lathe for crank-pins (Cheney) 8
Leather-polishing machine (Smith) 200
Lifting machine, 'Herculean'' (Howe)
120
Lightning-rod (Brittain) 208
Lock, hoop (Oatlin) 344
Lock, 'Push-and-pull'' (Hackman) 328
Lubricator (Dunham) 16
Lubricator (Godwin) 133
Lumber-edging machine (Ensworth & Barker) 257

M

Mill, sorghum (Denney) 376 Mill, portable stamp (Wise) 241 Mangling machine (Lesley) 184 Mill, "Nonpareil" (Sedgeteer) 216 Manure-spreader (Stevens) 239

P

Pantaloons, metallic guard for (Sinclair) Pantaloons' protector (Heaton) 256

Pick, eyeless (Hoffman) 356
Plane, box (Cushman) 240
Plan for ascending the White Mountains
Plant for or or seed (McKell) 100
Planter, seed (Rich) 367
Plower seed (Rich) 367
Plower seed (Rich) 367
Plower seed (Rich) 367
Press, alphatable punching (Stiles) 305
Press, baling (Price) 16
Press for printing for the blind (Ruggles) 157
Press better hay (Innes) 401
Press better hay (Innes) 401

152 Press, beater hay (James) 401 Pulley, friction (Burleigh) 112 Pump and engine, rotary (Adancourt) 40 Pump, steam (Reynolds & Babcock) 81

Safe, match (Snow) 368 Sawing machine (Bowers) 65 Sawing machine, "Universal" (Vance) 288

Sawing machine, "Universal" (Vance)
288
Saw-mill (Knowlton) 128
Ships, system for armored (Heaton) 1
Ships, plan for constructing (Hein) 272
Signal, railroad switch (Barnes) 72
Spike, screw (Montignani) 320
Stone-lifting machine (Hathaway) 223
Stop, window-sash (Clough) 160
Stop, window-sash (Clough) 160
Swine-catching implement (Goldsmith
& Gregory) 276
Switch, permutating telegraph (Lewis) 177

Tilling the soil, machine for (Wadsworth) 312
Tires, machine for upsetting (Dole) 304
Try-square (Richards) 296
Turbine, helical (Stevenson) 280
Turret, "Union" (Snedecor) 2129
Typographer (De Mey) 33

Valve, governor (White), 406 Ventilator for stoves (Gillette) 360

W

Washing machine, "Railway" (Chipman) 376
Weather-strip, metallic (Brown) 8
Wheel, central-vent water (Flenniken) 248
Wheel, noiseless cog (Morley) 309
War-ship and submarine guns (Woodbury) 385
Wheel, water pressure (Smith) 334
Wrench (Richardson) 248
Wrench, adjustable (Sharp) 336
Wrench, screw (McDonald) 32

Yoke, ox (Lakin) 200

MISCELLANY.

Figures followed by stars (*) refer to illustrated articles.

Absinthe poison 357
Acid, on the purification of sulphuric 276, 311
Advertisements, 14, 30, 46, 62, 79, 94, 110, 126, 142, 153, 174, 190, 206, 222, 233, 254, 270, 265, 302, 318, 334, 300, 366, 322, 398
Alr-pumps and condensers 169
Agriculture, department of 361
Alcohol upon the gastric secretions, effect of 245
Alligator, entozoa in the stomach of the 328
Alloy, a new 401

393
Alloy, a new 401
Alloys of silver and zinc, on the 402
Amaurosis from the use of tobacco 7
Anvils and artillery, a chorus of 199
Apples and pears, the best varieties of 182
Armies, great improvement in feeding
313
Armor-clads, two great British 84
Armor, Heaton's system of defensive 54,
86

Armor, ineaton's system of defensive 54, 86
Armor, impregnable 197, 246
Armor plates at Portsmouth, testing 228
Armory at Trenton, the 234
Armory at Trenton, the 234
Armory, conflagration of Colt's 117, 161
Art, a new work of 74
Art and science, missionaries of 122
Arts and science, improvements in the 5
Articles for the soldiers, marked 240
Artillery experiments of the Government 153
Atmosphere, composition of the 99
Atoms, the vibrations of 340
Aquillo, delay in raising the monitor 165
Azuline 22

Balloons, small fire 392
Balls, rebel asphixiated 376
Baths, warm swimming 128
Battery, rebel submarine 30
Battery, the Stevens's 278
Bees, treatment of the sting of 102
Belteropton, the British iron-clad frigat
154
Belting, power from 104
Blacksmith outwitted, a 234
Blasting by electricity 311
Blockade-runners 51
Boats, Forbes arrangement for lowerin
ship's 307*
Bhemicm, loss of the 163
Boiler scale is deposited, the way 165
Boiler to explode, will saudden relief frof
pressure cause a 342
Boilers, a Western editor on steam 34

Boilers, cobbling up steam 48
Boilers, explosions of steam 201
Boilers, faulty construction of steam 233
Boilers, inspect your 265
Boilers, priming of steam 22
Boilers, removing incrustations from steam 193
Boilers, steel 73
Boilers, strength of steam 71, 102, 134, 150, 198, 263, 278, 210
Boilers, strength of steam 71, 102, 134, 150, 198, 263, 278, 210
Boilers, surgestions concerning steam 374
Boiler-making, fancy 376
Boiling, hard 121
Books and publications, new 3, 22, 98, 122, 162, 178, 218, 314, 374, 404
Bores, a hint to letter-writing 199
Boys, work for 402
"Bosses" and workmen 9
Brainwork and longevity 226
Breast, blackening 22
Breathe, a good thing to 393
Breathing apparatus 7
Breech-loaders and the bayonet 341
Breech-sights for field guns 167
Bridge, great railway 237
Brine, utilization of 309
Buildings, ventilation of 22, 101

C

Cable, the new Atlantic telegraph 247
Calamity and its lesson, a 73
Calamity at Sheffield, terrible 234
Calendar, Trow's daily 74
Call and breech-loaders, the new 201
Campaign, three incidents of the present 373 ent 373
Camphor, formosa 85
Canals, steam on 294
Cannon under water, firing 64, 134
Cart-bodies, improvement in hanging 344
Card-making machine, the invention of 194

Cannon under water, firing 64, 134
Car-bodies, improvement in hanging 344
Card-making machine, the invention of 194
Cattle by measurement, estimating the weight of 229
Cave, newly-discovered bone 323
Centers, spare the 217
Champagne, 119
Charje, effects of a ninety-pound 261
Charlatan unmasked, a 163
Chemistry, free lectures on 115
Chemistry, the best work on 371
Chemistry, the b

Coffee, production and consumption of 98
Cohn and paper, the money phases 117
Cold, the production of artificial 359
Collars, india-rubber shirt 288
Commenche at San Francisco, the sunken monitor 230
Compass, deviations of the 34
Compasses, improvement in ships' 352
Condensers, air surface 365
Congelation, the concentration of mineral waters by means of 136
Controversy, the great naval 121, 147
Conversion of force, what is meant by the 185
Copper, 225, 321
Cork, the 343
Corns, cure for 39
Corset wanted, an effectual 71
Cort, inventor of iron puddling, Henry 85
Cotton culture in Italy, the 309
Cotton-fields, new 372
Cotton, foreign 51

Cotton culture in Italy, the 309
Cotton-fields, new 372
Cotton, foreign 51
Cotton, foreign 51
Cotton, foranada 85
Cotton in France, cultivation of 83
Cotton manufacture, revival of the 170
Country without a reptile, a 103
Courtesy, the value of 183
Crank-pin and cross-head, the relative motions of the 102
Criminal, curicus detection of a 232
Crucible company, a visit to the works of the patent plumbago 388
Cure, new system of 102
Curious if credible, 277
Curiosity, a natural 279
Currency of the United States, changes in the metallic 23
Currency—money, 89
Curriers, to 262
Cutters, the new revenue 74

Damages of the Sheffield disaster to be paid 336
Deafness cured by compressed air, 241
Decimal system, the 118, 147
Defeat, how to insure 163
Dentistry, American 70
Desert of Sahara, geological age of the 390
Designs for textile fabrica 169

Desert of Sahara, geological age of the 390
Designs for textile fabrics 163
Diameter of a circle from which a square or hexagon can be made, to find the 104
Diamonds for dressing mill-stones, 231
Dictionary, supplement to Ure's 230
Dictionary, supplement to Ure's 230
Dietary of the working classes 210
Diptheria in fowls 374
Discoveries and inventions abroad, recent 21, 87, 210
Discoveries and inventions, the most important American 130, 146, 242, 258
292
Discoveries of 1863, the 274, 308

Discoveries of 1863, the 274, 308 Diseases of over-worked men 208

Divers operate, how submarine 23
Dixle-land, prices in 36
Draft, exemption from 7
Draft, to stop the 136
Dress, our new 23
Drill and its office, the 165*, 181*, 213*, 229*, 230, 278
Drills and their details, concerning 374
Dyes obtained from coal-tar, the 42

E

Earth came forth, the way the life of the 359
Earth made cold by heat, the 87
Earth's temperature in Palaeozoic times, the 144
Economy, German 34
Economy is wealth 164
Economy is wealth 164
Economy, royal example in 343
Eggs, a substitute for 195
Elevators in English hotels 242
Engineering and architecture 116
Engineering and architecture 116
Engineering and architecture 116
Engineer, heroism of a naval 370
Engineers and their duties 57
Engineers to Congress, memorial of navy 122
Engine, an experiment with a steam 326
Engine by Californian mechanics, new
Engine, double-cylinder expansive 232

navy 122
Engine, an experiment with a steam 326
Engine by Californian mechanics, new 236
Engine, double-cylinder expansive 232
Engine, duble-cylinder expansive 232
Engine, ubricating the steam 186
Engine, ornamental steam 248
Engine, ornamental steam 248
Engine, ornamental steam 248
Engine, concerning portable 17
Engines, concerning portable 17
Engines, concerning disabled 120
Engines, humoring disabled 120
Engines, humoring disabled 120
Engines, humoring disabled 120
Engines, small traction 102
Engines, small traction 102
Engines, small traction 102
Engines, traction 369
Racines without bed-plates 25
Engine-work, finishing steam 393
Engraving, great improvement in 178
Engraving, vial's process of 210
Eolian harp, the way to make an 402
Expansion, the laws of 137
Explosion, a terrific boller 150
Explosion of a small boiler, tremendous results from the 309
Explosion, the "mystery" of a boiler 321
Explosions, boiler 336
Explosions, from superheated steam, the theory of boiler 329
Explosions, from superheated steam, the theory of boiler 345
Explosions, Will sudden relief from pressupoistons, Tyndal on boiler 345
Explosions, Will sudden relief from pressure cause boiler 346
Exports of California 183
Extension case before Congress, indiarubber 152, 169
Extension of patents, applications for 186
Extension of patents, applications for 186
Extension of patents, applications for 186
Extension of the Goodyear patent, a remostrance against the 201
Extension of the Goodyear patent, a remostrance against the 201
Extension of the Goodyear patent, a remostrance against the 201
Extension of the Goodyear patent, a remostrance against the 201
Extension of the Goodyear patent, a remostrance against the 201
Extension of the Goodyear patent, a remostrance against the 201
Extension, the Janus-faced lock 24
Extension specifications for the 6
Exposions, promition of the 6
Exposions, prom

Failures during the year 1863, business 83
Fair, the forthcoming Sanitary 90
Fair, the Metropolitan 185, 249, 259, 294
Fair, the Mississippi Valley Sanitary 292
Failacy, a new 168
Family, the oldest 395
Fan for hospitals wanted 326
Farmer's Club, the 149, 162, 182, 196, 276, 387
Feed-water for steam boilers, heating 134
Feet, how to prevent wet 261
Files, American steel and machine-cut 105
Files, renewing worn-out 35

Files, renewing worn-out 35
Fire-arms, Commissioner Holloway on
370

Files, renewing worn-out 35
Fire-arms, Commissioner Holloway on 370
Fire, precaution against 102
Firing, submarine 103, 137
Fisheries, the Newport 178
Flax-cotton and machinery, American 105
Flax exhaustive, is 234
Flax, practical management of 37
Flour, drying 73
Fluxes on the composition of manganiferous castirons, the influence of 263
Fly, and its remedy Hessian 403
Food for cattle 99
Food for hogs, boiling 99
Food upon the intellect, influence of 114
Forests, a necessity of fertility 3
Forgings, scrap-iron 377
Fort for Russia, wrought-iron 322
Frames and timber planking, iron 102
France under monopolies and patents, 57
Friends say of us, what our 214
Frigates for the Austrian navy, armorpiated 231
Fuel, economy of 262
Furnace doors, holes in 344
Furnace falling into a coal-mine, a 304
Funds for the war have come from, where the 81

G

Gasket, how to lay up an eight-strand 244s Gas, cheap 243 Gas, increasing the illuminating power of 327 Gas, nitrous oxide 102 Gas, novel plan for supplying 342 Gear on locomotives, expansion 384 Genius and cooking 291 Geography, how to teach 214 Georgia, sale of the pirate 391 Ghosts at Union Square, the 279 Gift, Mr. Peabody's 256

Girders, effect of vibrations on iron 336
Glaciers of Europe, the ancient 357
Globes, improved school 329
Glycerin, explosive 18
Glycerin for filling gas meters 184
Grain, artificial fecundation of 18
Gold-miningin California 118
Grain, effect of the air on weighing 262
Grantic was formed, how 344
Grant, General 841
Grapes and other fruits, preservation of 119
Test Eastern steamer and the Atlantic telegraph, 339
Grumblers 407
Gun-cotton, J. Scott Russell's report on 18
Gun-cotton, J. Scott Russell's report on 18
Gun-cotton, the chemistry of 274
Gunpowder, the expansive force of 321
Gunpowder, the pressure produced by 106
Gun, Wiard's 404
Gun, Capt. Ericsson's wrought-iron 234
Gun, Capt. Ericsson's wrought-iron 234
Gun, the English 'Blakely' 216
Gun used by Butler, the gating 391
Guns American cast-iron 148
Guns before Charleston, Parrott 68
Guns broadside and turret 311
Guns by steam, loading 199
Guns, great 129

Hands, chapped 8
Hap-hazard 313
Havanna, the iron propeller 151
Head, a bald 54
Hen and chalk doctrine, the 246
Hint worth remembering, a 163
Home-sickness as a malady, 215
Honey, action of light on 402
Hoots for horses, artificial 225
Horses, cheap mode of feeding 305
Horses, cheap mode of feeding 305
Horses, bow to shoe 7
Horses, the value of dead 67
Horse-shoe wanted, a new 88, 166
Hydrostatics, a question in 118

I Ice-making machines in demand 68 India-rubber once more, 185 Indolence and industry, 82 Institutions, reformatory 73 Insects, language of 38 Intelligence, foreign 307, 325 Intelligence, foreign 307, 325 Intelligence, recent Southern 123, 151, 195, 262 "Interfering" of horses' feet, cause and preventive 198, 231, 278 Invention and civilization, 25, 105 Invention has done for the blind, what 149* Inventions abroad, progress of American 150

Invention and civilization, 25, 105
Invention has done for the blind, what
149*
Inventions abroad, progress of American
150
Inventions, agricultural 386
Inventions, chemical 281
Inventions, new committee to examine
135, 165
Inventions, the SCIENTIFIC AMERICAN as
a medium for 182
Inventions, the value of patented 362
Inventions, the value of patented 362
Inventions, death of distinguished 19, 282
Inventors, a plea for 313
Inventors, death of distinguished 19, 282
Inventors, death of distinguished 19, 282
Inventors, death of distinguished 19, 282
Inventors, manufacturers and consumers are mutually benefited, the way
185
Investigation, a delicate 341
Iodine, new uses of 283
Iron and iron-makers, British 42
Iron and steel in the blast furnace, direct production of wrought 323
Iron in Baltimore, manufacture of charconl 120
Iron, industion of 391
Iron with aluminum, coating 344
Iron-clads, at force and abroad, 290
Iron-clads, the rebel 394
Iron-clads, the rebel 394
Iron-sides, the iron-sald 264
Ivory, artificial 185
Ivory, ten thousand dollars for a substitute for 160

Joints in wrought-iron, riveted 290 Joints, rust 195 Journal for 1864, our 39

ĸ

Key-scats, sizes for 294, 341* Knowledge, household 279

Labor and contentent, 115
Laboratory, the Government 112
Lam p, patent fishing 357
Land by steam, cultivating 36
Law, amendments to the national banking 182
Lead as a poison, 189
Lead near Buena Vista Lake, an asphaltum 82
Leather vermin-proof, how to render 342
Lecture, Prof. Doremus's third 132
Leeches, accidents from swallowing 122
Legerdemain, ingenious 312
Life, suspending 402
Light, nature of substances for giving 30
Lightming-rods, relative effect of differ-

Light, nature of substances for giving 90
Lightning-rods, relative effect of different points upon 375
Lime for the calcium light, the best 199
Line due east and west by the rising and setting sun, how to draw a 404*
Linen import and manufacture of 405
Locomotion, a new method 233
Locomotive, present of a 369
Locomotive that supplies itself with water while running, 86
Locomotive-works, the Roger's 391

M

Machinery, accidents from carele around 57

our 407 nitors under fire at Fort Sumter 362 ney received 13, 30, 46, 62, 78, 94, 110, 126, 142, 158, 174, 190, 206, 222, 238, 254, 270, 286, 302, 318, 327, 350, 366, 382, 398, 4107 Mudsills 217 Munn & Co. to the reader, Messrs. 56 Museum. Agassiz's 64

N

Nature and art, 71
Nature, the constitution of 275
Navy department, important circular from the 197
Navy department, permanent commission of the 165
Navy, present strength of the British 106
News. Southern 82

106

Notes and queries, 13, 30, 45, 78, 94, 110, 126, 142, 158, 174, 190, 205, 222, 237, 254, 270, 286, 302, 318, 327, 363, 382, 366, 398

Notices, special 75, 91, 103, 122, 187, 202, 213, 234, 243, 251, 276, 294, 314, 373, 387, 410

n

Observatory, United States naval 37
Obstructions in Charleston harbor 52
2282
Ocean bottom, curiosities of the 210
Oil for machinery, porpoise and shark 56
Oil, how to obtain neat's foot 322
Oil, manufacture 62 coal 4
Oil, obtaining neat's foot 537
Oil of nutneg, chemistry of the 323
Oil supply, the 103
Oil, vernication of olive 234
Oils for generating steam, petroleum,
and hydro-carbon, 23
Optum heil 11 abara, am 96
Ordnance, American ast-iron 100
Ordnance, Capitan imitating our 72
Ordnance, England imitating our 72
Ordnance England imitating our 72
Ordnance, speriments, Government 20*,
36*, 52*, 68*
Ores, new mode of smelting lead 282
Ores, new method of reducing poor lead

P

Paint, pure copper 230
Paint, the best time to 279
Paint, the best time to 279
Patent case, re-issue of a 330
Patent case, re-issue of a 390
Patent committees 25
Patent committees 26
Patent committees 26
Patent controversy, india-rubber 231
Patent decision, important 119
Patent fees to Canadians 86
Patent, indignation vs. Goodyear's 326
Patent-law discussions 377
Patent Office decorations 342
Patent to wear a nightcap, royal 405
Patents, annual report of the Commissioner of 296, 306, 310, 338, 334
Patents, Congressional interference with 297
Patents, extensions of 8
Patents, facts concerning the Goodyear 250, 285
Patents, joint-owners of 36, 44
Patents

ents, joint-owners of 36, 44 ents, "Macfie" on 105 Patents, "Macfie" on 105
Patents, recent American 10, 27, 55, 75, 91, 106, 124, 135, 154, 170, 187, 196, 202, 218, 235, 250, 266, 283, 295, 314, 324, 341, 355, 371, 387, 404
Patents, relating to 353
Pavements, street 22
Peach-trees, i on for 404
Petroleum and gas, comparative cost of 325

Patents, relating to 353
Pavements, street 22
Pavements, street 22
Pacch-trees, 1 on for 404
Petrieum and gas, comparative cost of 202
Petroleum, a fuel 240
Petroleum, French patent for refining Petroleum, French patent for refining Petroleum in pipes, distributing 310
Petroleum product, an unal 55, 304
Photographs, et al. (20)
Photographs, quick 120
Photography and printing 9
Photography and printing 9
Photography, the progress of 180
Photometry, discovery in 339
Photosculpture 50
Pianoforte, use and abuse of the 356
Pianos, manufacture of 375
Pig, big 152
Piscoleulture in England 242
Pistols adopted by the British Government, how Colt got his 34
Pistons, packing steam 43, 167
Place to live in, a pleasant 23
Planing machine, large American 326
Plants, animals and engines, food and breathing of 6
Plates, American armor 121
Plates, armor 184
Plates, patent machinery for punching Platinum porous 18
Pleuro-pneumonia 260
Poisou, slugular detection of 225
Polytechnic Association of the American Institute 133, 180, 212, 223, 244, 260, 277, 309, 430, 368
Population, nativity of our 212

Post-office, the "blind men" in the London 242

London 242
Potato-rot, the 103
Potato, the most profitable variety of 183
Press and mechanical reports, the daily
313
Project, a most noble 169
Progress inventive 4, 314 313
Project, a most noble 169
Progress, inventive 4, 314
Propelling instruments, the slip of 346
Putfing, adepts in commercial 216
Pumps, inoperative feed 38

Ω

Quartz-mining in California, gold 2

\mathbf{R}

Railroads, American 74 Railroads, how to run over sharp cur on 18 Railway system, the French71 "Ratchet," the term 198 Railway system, the French71
"Ratchet," the term 198
Readers, to our 377
"Reaper" trade, statistics of the 103
Reaping machines, tempering the cutters of 279
Receipts, useful 322
Re d' Italia, the 370
Re d' Italia, sterious accident to the 21
Reform, another step in educational 249
Regatta, the yacht club 394
Re-issues, the law and practice 358
Rest, mental 263
Revenue-cutters, the new steam 250
Riflemen, hints to 258
Rifles for the army, breech-loading 170
Rifling, "shunt" 183
River, a longitudinal 227
Rolf Krake in action, the Danish ironcidad 212

S

Sacromento, trial trip of the 378
Safes, sire-proof 27
Salt in Louisiana, a mountain of 166
Samson, an insect 23
Sanctum, talk in a 262
Satisfied, well 262
Sc ints, ancient use of 386
School-rooms, decoration of 279
Science, do ladies appreciate 230
Science, Morgan on speculative 38
Science, progress of engineering 53, 69
Science, the nature of 89
Science, the world's indebtedness to 122, 132, 148
Screw and the paddle, the comparative efficiency of the 230
Screw-threads, the pitches of 407
Sheep, shelter for 3
Sherry and Madeira, California 48
Shingles, split and sawed 401
Ship, break-down of an English 370
Ship, destruction of an iron propeller in a copper 326
Ship, small leaks in the household 199
Ship, the swiftest 115
Ships are bored, how the stern of screw
170
Ships, coppering iron 217
Ships, iron-clad 43, 131

170
Ships, coppering iron 217
Ships, iron-clad 43, 131
Ships, iron-framed and wooden-planked
214
Ships, new plan of building 356
Ships, Norman Scott Russell on turret

Ships, new plan of building 356
Ships, new plan of building 356
Ships, new plan of building 356
Ships, wentilating 225
Ships-of-war, overburdened 43
Shot, spherical steel 164
Shot to the resistance of irou plates, relations and shell 82
Shot, spherical steel 164
Shot to the resistance of irou plates, relation of the steel 165
Silt manufacture in Paterson, the 67
Silt manufacture in Paterson, the 67
Silt worm in France, the Allanthus 208
Silk-worm in France, the Allanthus 208
Somoke on vegetation, inducate of 328
Societies, co-operative 207
Somoke on vegetation, inducate of 328
Societies, co-operative 207
Solders, versachity of American 67
Sorghum, a sugar-refiner's opinion of Sound, Laplace's correction for the velocity of 101
Sound, what is 166
Stars and the 168
Stars and the 168
Stars and the 169
Statues are made, how 85
Steam expansively, the Government experiments in working 404
Steam, power of 59
Steam, power of 59
Steam power of 59

Steam, power of 89
Steam, valuable experiments in working
377
Steamboath, the first 232
Steamboating no the lakes 64
Steamboating, profits of 152
Steamer, a curious 16
Steamer, a curious 18
Steamer, a curious 19
Steamships in the Navy, fast 38
Steamships, want of American ocean 9
Steelcold, welding 245
Steelclirectly from plg-iron, the production of cast 164
Steel, improvements in making 166
Steel is made, how 20
Stomach, abuse of the 25, 226
Stomach, abuse of the 25, 226
Stomach, abuse of the 279
Stones, of precious 90
Storm-glass, the camphor 121
Strawberries, large and small 394
Strychnia, antidotes for 213
Subscribers, our 106
Sugar is made from the cane, how 228
Sugar, white maple 241, 247
Summary, miscellaneous 2, 19, 35, 51, 67, 83, 115, 185, 151, 162, 178, 194, 211, 227, 217, 325, 446
Surnames 222
Sword, a costly 296
Swordish, a 337

Taps and their constructions 89
Target, experiment on a wool 264
Taxation—its defects and remedies 26
Tax, the unternal revenue 243
Taxes, comearison between America
and Engish 123
Tea-chest, nete on a Chinese 87
Teeth of chuidren, extraction of some
the permanent 215
Telegraphing, weather 24
Telegraphing, weather 24
Telegraphing weather 24
Telestraphy submarine 310
Testimonial, a valuable 326
Thackery, death of 51
Ihallium paralyzed by that of sodium
spectral ray of 322

Theory tested by experiment, the superheated 361
Thermometer, the centigrade 202
Things, trivial 199
Tillage by steam 57
Tomeranda, the iron-clad steamer 403
Tools, cheap 361
Tools, speed of cutting 41, 113
Tooth, migration of the stump of a 304
Top, the gyrascope 343
Torpedo, destruction of an United States steamer by a 165
Torpedoes, the rebel 309*
Totredoes, the rebel 309*
Totredoe, Canadian reciprocity 115
Trees of California, the big 375
Tubes, drawing steel 245
Tubes, experiments of driving and of drawing air through 143
Tungsten and its alloys 105
Tunnel at Chicago, the lake 288
Turpentine and position 74
Turpentine and rosin business of California, the 133
Turpentine, spirits of 344
Turrets, the Monitor 201, 281, 324 Theory tested by experiment, the heated 361

Valve, the slide 2 Valves, setting on safety 32 Vattemare, Alexandre 291 Vines, mowing off 231 Vision, peculiarity of the 215

W

Walking, the art of 23
War and the progress of invention 329
Warfare, submarine 84, 282
Waste 238
Waste products, utilization of 402
Watch, the wonders of a 189
Water as a fuel 217
Water, energy of heated 41
Water, energy of heated 41
Water for high pressure engines, distilled 137
Water of condensation unhealthy? is 278
Water, on boiling 313
Water-power, improvements in 22
Wave, further illustrations of the electric 54
Wealth and population of New York
City 31
Wealth of the United Kingdom, the mineral 19
Weather and steam engines, cold 51
Wediock, advantages of 68
Weight, an ounce weight and a tun 289
Weights and measures, extensive adoption of the French system of 144
Weights, names for the French 214
West, the great 71
Wharves and piers, New York 74
Wheat and its remedies, the rust of 372
Wheat, cleansing 397
Whiskey controversy, the 138
Whitewashing, about 323, 344
Whitworth and Armstrong, the great contest between 311
Wine, the bouquet in 50
Wines, almonds and olives in California
17
Wind would plenty of it, a fair 246

Wine, the bouquet in 50 Wines, almonds and olives in Californ 137
Wind and plenty of it, a fair 246
Wind-mills 57
Wind-wagon, crash of a 189
Wood, mode of silvering 390
Woods in the Sout, autumn 38
Wool-growers, convention of 87
Women, employment for 310
Words of cheer 39
Work, the great labor of simple 163
Working-men, social condition of 281
Writing, secret 375

PATENT CLAIMS.

A

Acid and other gases, apparatus for generating 301
Acid from petroleum refiners, mode of utilizing the waste 348
Acid, manufacture of sulphuric 156, 380
Air, apparatus for purifying and cooling 92
Ar-gun 138
Air-pump 301
Alarm, gas 236
Album, photographic 378
Alcohol from defiant gas, mode of manufacturing 171
Amalgamating, machine for 330
Amalgams, separating and collecting gold and silver 141
Ambulance 266
Ammunicum for fire-arms, fixed 171
Anchors 187, 298
Aniline colors, dyeing and printing with 38
Apple-parers 77, 157

Aniline colors, dyeing and printing w
58
Apple-parers 77, 157
Angle-iron, machine for bending 11
Angle-iron, rolling 316
Anotta, solution of 396
Apple-coring and slicing machine 60
Armament, submarine 396
Arm, artificial 316
Arm or grain board, currier's 267
Auger for boring wood 139
Augers, hollow 332
Augers, machine for making 189
Awning 408
Ax, chopping 284
Axie, carriage 364
Axie, carriage 364
Axie, railroad-car 252
Axles, mode of lubricating car 396

В

Baby-tender 347
Bag, floating 156
Bags, feed 33, 171
Bags, machine for making 284
Bag-holder 284
Baker, portaole 317
Balance 11
Balance, hydrostatic 334
Bales of merchandise, mode of faster ing 13
Bamboo, preparing fiber from the 156
Band, elastic fur 60
Band-cutting and feeding attachment thrashers 108

Bamboo, preparing fiber from the 156
Band, elastic fur 60
Band, elastic fur 60
Band, elastic fur 60
Band-outting and feeding attachment to thrashers 108
Bar-links, manufacture of 253
Bars, apparatus for bending metal 396
Bars for trucks, device for bending 380
Bars of trucks, device for bending 380
Barrel for carbon oils 93
Barrel for carbon oils 93
Barrel for carbon oils 93
Barrels, connection for floating 300

Barrels, machine for chamfering and

crezing 77
Barrels, machine for sawing heading for 28
Barrels, machine for sawing heading for 28
Barrels mode of pitching 330
Barrels to contain petroleum, preparing 331 Barrels to render them oil-tight, coating 395 Barrel-cover 333 Barrel-heads, machines for dressing 77,

395
Barrel-cover 333
Barrel-heads, machines for dressing 77, 107
Barrel-hoops, machine for crimping 331
Basket, fruit 378
Bat for cricket, &c. 362
Basket, Fruit 378
Bat for cricket, &c. 362
Bathing apparatus 187
Bath-tub 138
Battery, galvanic 395
Beans, machine for pulling 330
Bearing for car axles and shafting 140
Bed-bottom, folding 252
Bed-bottoms, spring 107, 138, 140, 408
Bedstead, folding 331
Bedstead, sofa 171
Bedsteads, invalid 139, 235
Beehives 58, 139, 172, 220, 236, 251, 267, 380
Bells, call 252, 331
Bells, door 171
Bells, mode of ringing 208
Bell-ringer, steam 301
Bell-ringer, steam 301
Belting machine 109
Bier 158
Bilge-blocks for docking ships 298
Bilge-blocks for docking ships 338
Bilge-blocks for docking ships 298
Billinds, device for operating 316
Bilnds or shutters, opening and closing 1 fron 17, 171
Blinds, sun 301
Bild-staples, machine for inserting 61
Boat and pontoon 172
Bobbins, machine for winding conical

Doat, submarine 107
Bobbin 12
Bobbins, machine for winding conical
363
Bodies, fastening hinged, sliding, or
other 125
Blowers, fan 13 (2)
Boiler for locomotives 92
Boilers, apparatus for heating brewer's
27
Boilers, method of suspending steam 395
Boilers, steam 12, 92, 157, 187, 299, 301 (2),
330
Boiler-feeders 100 220

Boilers, steam 12, 92, 157, 187, 299, 301 (2), 330
Boiler-feeders 109, 139
Boiler, vegetable 408
Bott for shutters 409
Bott, reversible latch 108
Botts and rivets, machine for making 324
Botts, machine for heading 220
Bonnet 296
Bonnet case for oil-stones 140
Book, herbal and scrap 409
Book, ivory-covered 316
Books, machine for cutting 92
Books, protecting blank 348
Boot, shoe, or sandal, metallic 267
Boots and shoes 92, 396
Boots and shoes, finishing the soles of 108
Boots and shoes, heal for 205

Boots and shoes, heel for 395
Boots and shoes, heel for 395
Boots and shoes, machine for shaping
heels for 285, 408
Boots and shoes, machine for nailing
heels to 28
Boots and shoes, machines finishing the
heels of 139, 330, 332
Boots and shoes, nailing wooden soles to
362

Boots and shoes, nailing wooden soles 362
Boots and shoes, rubber 204
Boots, mode of cutting 219
Boot-blacking machine 333
Boot-ortmping machine 285
Boot-heels, machine for punching lifts of 28
Boot-leg-stiffener 317
Boot-protector, gaiter 11
Boot-straps 59
Boring machine 364
Bolt for shutters 409
Bottle, nursing 301
Bottle, pepper 107
Bottles, closing 58, 267
Bottling machines 124, 155
Box, axie 220
Box for mustard and the like articles
Box, match 235
Box axie 235

Box for mustard and the like articles 33/ Box, fruit 61
Box, match 235
Boxes for railroad cars, axle 236, 334
Boxes, journal 76, 156, 364
Braiding machines 29
Braiding machines 29
Braiding machines, &c., thread tension and delivery mechanism in 333
Braiding machines, thread tension and delivery in 408; thread tension and delivery in 408; thread tension and delivery in 408; thread tension and Brake, carriage 396
Brake, carriage 396
Brake, earliage 396
Brake self-acting 315
Brake, self-acting 315
Brake, self-acting sled 172
Brakes, brake-blocks for car 316
Brakes, brake-blocks for car 316
Brakes, brake-blocks for car 28, 29, 173, 219, 257, 383
Brakes, methodof applying steeps according to the self-acting sled 172
Brakes, methodof applying steeps according to the self-acting sled 172
Brakes, methodof applying steeps according to the self-acting sled 172
Brakes, methodof applying steeps according to the self-acting sled 172
Brakes, methodof applying steeps according to the self-acting sled 172
Brakes, methodof applying steeps according to the self-acting sled 172
Brakes, methodof applying steeps according to the self-acting sled 172
Brakes, methodof applying steeps according to the self-acting sled 172
Brakes, methodof applying steeps according to the self-acting sled 172
Brakes, methodof applying steeps according to the self-acting sled 172
Brakes, methodof applying steeps according to the self-acting sled 172
Brakes, methodof applying steeps according to the self-acting sled 172
Brakes, methodof applying steeps according to the self-acting sled 172
Brakes, methodof applying steeps according to the self-acting sled 172
Brakes, methodof applying steeps according to the self-acting sled 172
Brakes, methodof applying steeps according to the self-acting sled 172
Brakes, methodof applying steeps according to the self-acting sled 172
Brakes, methodof applying steeps according to the self-acting sled 172
Brakes, methodof applying steeps according to the self-acting sled 172
Brakes, methodof applying steeps according to t

Brakes, Sen-acting size 17, 219, Brakes, Sen-acting size 17, 219, 267, 389.

Brakes, methodof applying steam-power to car 239

Brakes, methodof applying steam-power to car 239

Brakes, mode of operating car 284

Brakes, mode of operating car 284

Brakes, wagon 32, 155, 334

Brakes, mode of steaming for 171

Bridge from 155

Brine and salted meats to remove the sait, treating 380

Brines, mode for the Durification of salt 284

Broom 235

Broom 235

Broom 235

Broom 235

Brough for cleaning boiler flues 251

Brough for cleaning boiler flues 251

Brush for cleaning boiler flues 251

Brush for mucliage bottles 124

Brush, rotary hair 204

Brush, rotary hair 204

Brush, rotary hair 204

Brush, self-feeding blacking 172

Brushes and bolders, blacking 107, 332

Brushes, and loops, attaching 408

Buckle, harness 348

Buckles, suspender 251

Buckles 77, 219, 333

Buckles and loops, attaching 408

Buckets, manufacture of elevator 334

Buffer for railroad cars 138

Bulldtings, mode of strengthening and improving sheet-fron 183

Bullet machine 408

Bungs or corks, machine for cutting 139

Burner for vapor lamps 124

Burners, gas 253, 300

Bushe, mill-stone 219

Bushes in holes, mode of securing cloth 346

Butter-workers 76, 203, 268

Button, glass 379

Button, sleeve 75 Button, &c., attachment of 235 Buttonhole-cutter 172

C

Cables of iron-clad vessels, means for the protection of the anchor 139 Cable-stopper 77 Calculating machine 219 Calendars 105, 155 Calipers 108 Campers, photograph 156, 316, 390 Camp-kettle 330 Camples process of treating fatty bodies for the manufacture of 364

Camp-kettle 330
Camp-kettle 330
Camp-kettle 330
Candles, process of treating fatty bodies
for the manufacture of 364
Candlestick for tents, shops, &c., adjust Cans, closing preserve 124, 157, 235
Cans, closing preserve 124, 157, 235
Cans, closing preserve 129
Cans, manufacture of tin 299 (2), 331
Cans, oil 139, 331
Cannon, machines for boring the chambers of 255
Canopy, mosquito 172
Caoutchoue, &c., product from 332
Caoutchoue, &c., product from 332
Capstan 315
Card-holder 289
Cards, agame 141
Carriage, shall 25i
Carriages, spring brace and clip for 395
Car, fallow for adjust for adjus

Clamp 6: holding nuts and bolts 234
Clamp for stopping leaks in hose pipes 334
Clamp-milling machine 267
Clamp for wringers 408
Clasp, bett 267
Clasps for harness tugs 11 (2)
Clasp or button, spring 409
Cleaner for lamp chimneys 235
Cleat for releasing sails of vessels, safe ty 204
Clews, enveloped thread 364
Clews, means of attaching clew-line blocks to 59
Clip, album 252
Clock, calendar 60
Clock-pillar 252
Cloth, machine for measuring 12
Cloth, machine for measuring 12
Cloth, machine for raising a hap on 76
Cloth, but of the same and the same 120
Cloth-holder for sewing machines 267
Clothes-darer 12
Clothes-darer 126
Clothes-frame 172
Clothes-hanger 409
Clothes-pincer 379
Clothes-brineer 379
Clothes-brineer 331, 364
Clutch, friction 316, 409
Coal and other minerals, mode of cutting 332
Coal, &c., mode of pulverking and preparing for use 269

Clothes-wringers 331, 304
Clothes, friction 318, 409
Coal and other minerals, mode of cutting 332
Coal, &c., mode of pulverking and preparing for use 259
Coal-breaker 409
Cog-wheels, construction of 331
Collar, norse 138
Collar, prose 138
Collar, norse 138
Collar, norse 138
Collar, norse 138
Collar, norse 138
Collar, prosest 218
Collars, 100
Composition, explosive 141
Composition, explosive 141
Composition for artificial ivory 379
Composition for artificial ivory 379
Composition for illuminating and other purposes 409
Composition for lining puddling furnaces 409
Composition for pasting cops 91

naces 409
naces Compos 409

Composition for removing amnish, &c., 284

Composition for scouring wool 92
Composition for staining wood 380
Composition for stove-polish 236
Compositions, lubricating 53, 60
Compositions, manufacture of coffins and other articles from asphaltic 91
Compound and varnish, water-proof 250
Compound blasting 363 Compounds, medical 25, 2020, 402 Compresser for flyers in spinning ma-chines 331 Condensers, surface 140, 334 Cone and chimney elevator 236 Cone, and chimney elevator 236 Cooking, apparatus, steam 301 Cooking utensil 92 Copper-roaster 122 Cords, machine for twisting and plat-ing 331 Cord-tightener for curtains 76 Cork extractors 108, 30 Cord and beet root to produce sugar and sirup, process of treating Indian 334 Corn-stalks, fibrous material from 156
Corrugating machine 11
Corsets 11, 315
Cotton and other fibrous materials; machine for treating compressed 172
Cotton, &c., dveing 60
Cotton, &c., dveing 60
Cotton, &c., for spinning, machine for preparing 252
Coublings, car 13, 92, 139, 187, 203, 219, 236, 298, 300, 333, 334, 363, 364
Coupling, carriage-circle 267
Coupling for carriages, shaft 139
Countersink 234
Cover for fruit cans 27
Cover for fruit cans 27
Cover for cooking stoves 379
Cowmilker 76
Cradle, grain 76, 267
Cradle, self-rocking 139
Crane, portable 60
Crank, hand-car 141
Cranks over dead points, carrying 107
Cribbage-board 28
Crimp, boot 2 0
Cringle and clew, sail 107
Crucible, black-lead 379
Crushing and pressing machine 396
Crutch 315
Cuff-fastener 301
Cultivator and seeder 92
Cultivators 11 (2), 12, 13, 59, 60, 108, 124 (2), 125, 139, 140 (3), 141, 155, 171, 172 (2), 173, 187, 219, 203, 316 (2), 332, 334, 379, 408
Cultivator-teeth 12
Cup, molasses 347 403 Cultivator-teeth 12 Cup, molssses 347 Cup, 601 :95 Curp, soap 2:06 Curd-cutters, cheese 91, 203, 268 Curry-combs 12, 187 Cushion for piercing implements, elastic 268 268
Cutter-y, manufacture of table 23, 363
Cutter-bits for rifling machines, apparatus for grinding 156
Cutting, punching, and bending machine 235

Dampers 125, 156, 204, 236 Dancer, automaton 379

235 Cuvette and tray for photographic purposes 251 Cylinders, machine for boring curved 331

Dampers 125, 156, 204, 236
Dancer, automaton 379
Dasher, churn 389
Delineator, mortise and draw-bore 330
Derick, foating 330
Derick foating 330
Desk and chair combined, office 236
Die for nut machines 60
Die, registering 268
Digger, post-hole 408
Digner-path, lantern 91
Dish-cover, refrigerating 76
Dish-drahe 408
Disks revolving in air and water, centrifugal 334
Disks revolving in air and water, centrifugal 334
Doors for churches, safety 334
Doors, mode of hanging 28
Dove-tailing machine 235
Drain 140
Drill, rock 267
Drills, grain 28, 76, 138, 172, 188, 251, 252
(2), 267, 234, 299, 300, 301, 303, 389
Drills, racinet 330, 489
Drilling machines 256, 299
Drop for hammering sole-leather 331
Dust-pan 187
Dye, hair 11
Dyeing and printing, preparing coloring matters for 396

Eave-troughs, machine for making sheet-metal 12 Economizer, water 380 Egg-beater 331 Egg-hatching apparatus 203 Eggs, preserving 58, 300, 379 Ejector for steam engines, refuse 75 Elbow, stove-pipe 316 Elevator, balanced 409 Elevator, balanced 409 Elevator for loading cars 138 Elevator, portable wet grain 334 Elevators, water 109, 156, 171, 219, 284, 301, 364 Engine, carding 195 Elevator, portable wet grain 34
Elevators, water 109, 156, 171, 219, 284, 301, 364
Engine, carding 125
Engine, direct-acting 316
Engine, gas 92
Engine, hot-air 59
Engine, locomotive steam 268
Engine, propeller 298
Engine, rose 333
Engine, rose 333
Engine, rose 333
Engine, rose 333
Engine, rose 330
Engine, vacuum 220
Engine, vacuum 220
Engine, water 364
Engines, bed-plate for paper-mill 397
Engines, steam 76, 141, 155
Evaporator for saccharine liquids 11
Evaporators, sugar 12, 59, 76, 171
Envelope machines, apparatus for feeding paper to 108
Envelopes, 188, 203, 236, 409
Envelopes, 188, 203, 236, 409
Envelopes, opening 252
Exercising machine 316
Extracts.apparatus for making 235
Eyeleting machines 60, 92
Eye-protector, 76
Eyes for lacing bootees and other articles 58

Fabric, felted 58
Fabric for envelopes of cartridges 333
Fabric for roofing 364
Fabric, knitted 76
Fabric manufactured from caoutchouc, &c. 317
Fabric, waterproof 379
Fabrics, machine for hot-pressing textile 183
Fabrics, printing and ornamenting textile 334
Fabrics, process for finishing woolen 139
Fastening, buckle 334
Fastening, buckle 334
Fastening for dock and side-lights of vessels 237
Fastening for dock and side-lights of yessels 237
Fastening for docks, stair-rails, lasts, &c. 380
Fastening for flasks or molds 317 380 state and a st Fastening for wooden blocks 396
Fastening of musquito bars to windows
Isatening, seythe 251
Fastening, shutter 13
Fastening, shutter 13
Fastening, shulter 13
Fastenings, blind and shutter 58, 379
Fastenings, hame 220,4332
Fastenings, hame 220,4332
Fastenings, sash 58, 396, 409
Fastenings, sash 58, 396, 409
Fastenings, skate 11, 76, 108, 315
Fat, machine for cutting up 220
Faucets 12, 157, 284, 408
Faucets and vents, combined beer 333, 362
Feed for horses, &c., concentrated 92
Feeting machines 331, 409
Fence, wire 396
Fence, portable field 363
Fences, construction of 363
Fences, construction of 363
Fences, construction of 363
Fencer for roofs of buildings, ice and snow 330
Fiber preparation of vegetable 285
Fibers, disintegrating and separating vegetable 140
Fibrous materials, machine for surface sizing 67
File-blanks, machine for grinding 395
File-blanks, machine for rolling 390
File-cutting machines 268 (2)
Filter for srups, &c., bag 284
Filters 35, 107
Fire-arms, breech-boading 27, 28, 77, 91, 33, 173, 183, 235, 252, 268, 315, 316, 317, 183, 235, 252, 268, 315, 316, 317,

Fire-chambers, apparatus for cleaning 251
Fire-escape 156
Fire-places 27, 298, 346, 348
Fire pot for stoves 362
Fish to guano, &c., apparatus for reducing 254
Fish-water for use in dyeing, mode of treating 12
Fixture, gas 156
Fixture, window blind and curtain 267
Flag 157
Flannel, wool 268
Flask, liquor 409
Flax, &c., treating 75
Flax and hemp, cleaning and separating the fibers of 203
Flax and hemp, cleanine 219 (2)
Flax, hemp, &c., disentegrating or cottonizing 91, 188
Flax, hemp, &c., fiber from 91, 93, 188
Flax, hemp, &c., retting and disintegrating, peg 28
Floor-clot 315

Flax, hemp. acc., sing 93, 203
Float, peg 28
Floor-cloth 315
Flour, &c., bolting 172
Flour, &c., bolting 172
Flourencker 315
Flumes for floating logs, building 91
Flyer for spinning machines 91
Flyer-guides, machine for manufacturing 92
Fly-nets, machine for cutting leather 125
Fluid, washing 11, 60, 235
Forge, portable blacksmith's 251
Forge-fre, Lehigh 60
Fork, horse-hay 60
Fork, hay-elevating 172 (2)
Foot-shield 172
Forms, machine for cutting tapering 316

Forks, hay-elevating 1/2 (2)
Forms, machine for cutting tapering 316
Forts, &c., by means of inflammable
liquids, destroying 315
Fountain, soda 331
Frame, clothes 397
Frame for the manufacture of matches,
dipping 219
Frames for traveling bags 109
Frames, photographic printing 298, 332
Freezer, ice-cream 347
Fruit, drying 299, 396
Fruit-gatherer 239
Fruits, mode of clarifying and condens-

recuzar, nec-cream 347
Fruit, drying 299, 396
Fruit-gatherer 239
Fruit-gatherer 239
Fruits, mode of clarifying and condensing the juices of 363
Fuel, artificial 11, 203, 207, 408
Funnel straight and condensing and co

Gages, alarm steam 299, 301
Gage for measuring the pressure of explosive gases 332
Gage for steam boilers, water 333
Gage for weather boarding, stop 188
Gage, joiners' 204
Gage, slitting 188
Gages, steam 317, 363
Games, card 189
Gas-apparatus 397
Gas, apparatus for inhaling 334
Gas, apparatus for regulating the pressure of 236
Gas from petroleum, apparatus for separating 252
Gas, apmufacture of 1°, 124
Gas, process of making illuminating 347

Gases and vapors, apparatus for distilling off 347 Gas-check for breech-loading fire-arms

Gases and vapors, apparatus for distilling off 347
Gas-check for breech-loading fire-arms 138
Gas-cocks by electro-magnetism, opening and shutting 219
Gasometer, portable 251
Gate and door-closing device 220
Gates 11, 187, 220, 300
Gallery, portable photographic 13
Garment for travelers, sleeping 267
Gear for steam-engines, cut-oif valve 188
Gear for steam-engines, valve 11, 60, 563
Gear of steam-engines, valve 12, 608
Gear for steam-engines, valve 11, 60, 563
Gear of steam-engines, valve 12, 608
Glass, machine for grinding, cutting and engraving 396
Glass, machines for cutting, polishing, dressing and ornamenting 396 (2)
Glass, manufacture of 58
Glass-pressing machine 23
Globe, geographical 220
Gloves, &c., mode of coloring kid 91
Gold and silver, apparatus for amalgamating 187
Gold and silver, apparatus for amalgamating 187
Gold and silver, apparatus for amalgamating 187
Gold and silver, machine for grinding and amalgamating 299
Goods, focking india-rubber 125
Governor, vith the gates of water-wheels, method of connected 220
Gram for distillation, preparing and treating 396
Grain-dirers 28, 108 (2), 157, 285
Grain-decaner 139, 155
Grain-dryers 28, 91, 173, 219, 220, 285, 298, 379
Grain-securer 23
Grain-binders 29
Grain-wilners 29
G

Guano, treating and repairing Navassa 235
Guard-finger for harvesters 219
Gum and palate, artificial 395
Gun, submarine 108
Gun, toy-spring 225
Guns, operating ships 332
Gun-barrels, implement for cleaning the bores of 138
Gun-barrels, manufacture of 171, 334
Gun-battery, many-barreled 330
Gun-cotton 490
Gun-sights 60, 390
Gunpowder, apparatus for the manufacture of 237
Gunpowder, mining powder, &c. 236, 237

Н

Hamner, drop 187
Hammer, drop 187
Hammer, drop 187
Hammer for many-barreled fire-arms, adjustable 139
Hammer, trip 330
Hammocks, knapsack 124, 204
Harness, wire 203
Harrows 138, 300
Harvesters 28, 29, 58, 108, 109, 138, 140 (4), 141, 155, 172, 173, 203, 236, 253, 267, 269 (22), 224 (2), 225, 300 (3), 301, 316, 317, 330, 373, 408
Harvesters, corn 13, 251 Hair-restorer 188 Hames 155 141, 155, 172, 173, 203, 255, 253, 267, 269
(2), 284 (2), 285, 300 (3), 301, 316, 317, 330, 379, 408
Harvesters, corn 13, 251
Hats and bonnets, apparatus for forming
183, 184, 277 (2), 380, 397
Hats, apparatus for making brush 316
Hats, apparatus for stretching, 28
Hats, pressing 92
Hat-limings in sewing-machines, device for sewing 266
Hay, 4c., apparatus for elevating 156
Hay for pressing, machine for cutting 109
Hay-forks, horse 58, 138, 139
Hay-loader 315
Hay-shocking machine 203
Head-rest for ladies 58
Head-net, ladies 125
Head-rest for railway carriage-seats 251
Head-rest for railway carriage-seats 251
Head-rest, photographers, 332
Heater for steam bollers, feed water 107
Heater, vapor 156
Heaters, 55, 77, 138, 267, 268
Heaters for locomotives, feed-water 92, 155, 317 (2)
Heat-governor for stoves 268
Heel, boot and shoe 220
Hemp, flax, &c., preparing short staple fiber from 395

253
Hemp, flax, &c., preparing short staple fiber from 395
Hemp, flax, &c., separating the fibers of 397

Hemp, Hax, &c, preparing short staple fiber from 395

Hemp, flax, &c., separating the fibers of 387

Hides and skins, tanning 395

Hides, machine for handling 92

Hinges, 76, 347

Hinge, concealed 220

Hinges, butt 157, 408

Hod, coal 331

Hoes, rakes &c., construction of 139

Hoisting apparatus, steam 124

Hoisting apparatus, steam 124

Hoisting machines 188, 331

Holdback-iron for tarriages, 364

Holder for butter-knives 228

Holder for carr-doors 301

Holder, percussion-cap 157

Holes, machine for boring angular 363

Hollow-ware, bailed 252

Hook, clothes and hat 11

Hook for boats'-tackle, self-relieving 92

Hook for fastening umbrellas 172

Hook for fastening umbrellas 172

Hook for garments 76

Hook for garments 76

Hook, harness 332

Hook, safety 60

Hook, tag 334

Hook, trace 363

Hooks, wardrobe 188, 236

Hoops, device for chamfering barrel 348

Hoops for cannons manufacture of 333

Hoose, sor for cannons manufacture of 333

Hoose, for cannons manufacture of 333

Hoose, for cannons manufacture of 333

Hoose, sor preventing interfering in 379

Horse-power 138

Horse-shoes, 363, 364

Hose to couplings, mode of fastening 156 Houses, construction of 124 Hubs, machine for boring wagon 251 Huller and screen 236 Husking-pin 396 Hydrant 60 Hydrometer 380

T

Ice-crusher 108 Indicator, stain 156 Indicator, stain 156 Indicators, steam-engine 61, 138 Injector, water 236 Ink for hand-stamps, &c. 300 Ink-well 60 Ink well 60 Iron and steel, machinery to aid in puddling 171, 397
Iron, apparatuses for the manufacture of 188 (2)
Iron from gas purifiers, treating and and utilizing oxides of 584
Iron, hardening cast 315
Iron, machine for drilling 139
Iron, machine for planing 348
Iron, manufacture of 188, 364
Iron, process of bronzing or coloring 12
Insulator for telegraph wires 60

Jack, carriage 236
Jack, lever 13
Jack, litting 173
Jack, pegging 331
Jack, ritting 179
Jack pegging 331
Jack, railroad 92
Jacket-stretcher for couch-roller of paper
machines 363
Jars, &c., closing fruit 76, 108, 139, 141
Joint for railroad rails 124
Jug-top 334

Key, watch 408
Kiln, brick 252
Kilns, lime 171, 316
Knapsacks 348, 364
Knife for cutting honey 348
Knife for cutting tobacco 332
Knife, pocket 236
Knife, pocket 236
Knife, blacks, machine for rolling 235
Knife-blades, machine for rolling 235
Knife-cleaner 252
Knitting-machines 27, 108, 140
Knitting-machines, stop-motion for 333
Knitting-machines, stop-motion for circular 109

109 Knuckle-joint for shafting 156

Labels intended for second use 268
Lacings, apparatus for tagging 348
Ladder 288
Ladder 288
Ladders, fruit 12, 316
Ladders, fruit 12, 316
Ladders, step 267, 330
Ladle, bullet 409
Lamp, a cap to contract the flame of a
might 285
Lamp, railroad 363
Lamp, railroad 363
Lamp, suspended bunker 59
Lamps 172, 187, 188, 236, 269, 283 (2), 316,
317, 330
Lamps, coal-oil 59 (2), 92, 233, 315
Lamps, coal-oil 59 (2), 92, 233, 315

Lamps 172, 187, 188, 235, 269, 283 (2), 316, 317, 380

Lamps, coal-oil 59 (2), 92, 236, 315

Lantern, and lamp frame 363

Lantern, and lamp frame 363

Lantern, 299, 332, 363, 378

Lantern-guards 316, 364

Lard, apparatuses for rendering 28, 188

Last, 448 (2)

Last-finishing machine 60, 220

Latch 396

Latch, cupboard 408

Latch, cupboard 408

Latches, turning 37, 269

Lathes, turning 27, 269

Lathes, turning 27, 269

Lathes for turning spherical shapes 91

Lathes for turning spherical shapes 91

Lathes for turning spokes 107

Lathing for walls and ceilings 395

Lazy-lack for salls 251

Lazd, process of refining and softening 383

Leather, coloring tanned 28

Leather, coloring tanned 28

Leather, to the sall 261

Lead, manufacture of white 300
Lead, process of refining and softening 333
Leather, coloring tanned 28
Leather, &c., treating 331
Leather, machine for cutting and embossing 396
Leather for cotton or woolen cards, machine for finishing 300
Leather, cloth, &c., manufacture of enameled 330
Leather, paper, &c., drying 93
Leather-rolling machine 107
Leather-splitting machine 107
Leather-splitting machine 125, 141, 409
Leather, treating tanned 403
Legging, ladies' 266
Legs, artificial 12, 28, 77 (2), 91, 140, 348, 366
Lens, double globe 384
Letter-clup 333
Lettet-opener 347
Lifter-preserver, marine 157
Lifter, stove-cover 316
Lighting apparatus, catoptric 124
Limbs, artificial 125, 220
Lime and soda for culinary and other purposes, double phosphate 252
Lime, burning 300
Lime for culinary and other purposes, preparation of a phosphate of 189
Liniment for rheumatism 252
Link-motion for operating valves 284
Liquids, apparatus for cooling 28
Liquids, apparatus for detecting sugar, &c., in waste 28
Liquids, apparatus for detecting sugar, &c., in waste 28
Liquids, apparatus for detecting sugar, vaporizing hydro-cartoon, 315

348
Liquids for illuminating, apparatus for vaporizing hydro-carbon, 315
Liquids, process of purifying saccharine, 396

Liquids, process of purifying saccharine, 396
Liquids, process of purifying saccharine, 396
Liquids under pressure, bottling 59
Liquids, cooling and discharging fermented 13
Lock of fire-arms 333
Locks 61 (2), 76, 77, 139, 141, 189, 203, 348
(2), 373, 397
Locks and latches 173, 396
Lock-fastner 409
Lock-joint for street railways 139
Lock-fastner 409
Log and lee-way indicator, marine 220
Loom for weaving corsets and articles of irregular form 380
Loom for weaving hats, &c., circular 125
Loom for weaving trimmings 225
Looms, process of the second for seaving that, &c., circular 125
Looms, hand 91, 92, 203
Looms, let-offs for 315, 332
Looms, picker for 315
Looms, yarn-delivering mechanism for 203
Lubricators (2) (2) 120, 120

Lubricator, car-axle 330 (2) Lubricators 92 (2), 139, 188

M

Magneto-electric machine 219
Manure, artificial 92
Manure-spreader 347
Mash of beer, mode of cooling 28
Mattresses, spring 299 (2)
Measure and funnel, combined?
Measure and indicator, faucet
Measure, liquid 155
Meats, &c., mode of preserving chopped
172
Medical preparation 408
Medicine 364
Medicine for wounds, inflammation, &c.
2)4 Medicine for wounds, inflammation, &c. 204
Melodeon 219
Metal, composition 347
Metal, machine for cutting and punching 317
Metal, machine for drilling and boring 183
183
183 Metal, machine for drilling and boring

83
Metal, rolling 299
Metal, planing machine 409
Metal-pointing machine 28
Metal, stamping, &c. 38i
Metals and ores, desulphurizing 301
Metals, apparatus for amalgamating precious 11
Metals, apparatuses for shearing, punching and bending 235 (2)
Metals, mode of ornamenting 60
Meters, fluid 298
Mica, for making reflectors, mirrors, &c., preparing 316
Mica, for making reflectors, mirrors, &c., with a special stamping and bending 235
Mill, apple 172
Mill, bark 348
Mill, clay 236
Mill, floating 347
Mill for crushing sugar-cane 12
Mill for pulverizing metallic ore, Chilian 298
Mill, smut 172 Mill for crushing sugar-cane 12
Mill for pulverizing metallic ore, Chilian
Mill sugar 77
Mills and crushers, device for collecting
Mills and crushers, device for collecting
Mills and crushers, device for collecting
Mills (ader 189, 394, 408
Mills, faming 12, 348
Mills, faming 12, 348
Mills, or grinding fruit, grain, &c. 13,
Mills, sugar-cane 171 (2)
Mills, sugar-cane 171 (2)
Mills, sugar-cane 171 (2)
Mills, sugar-cane 171 (2)
Mills, sugar-cane 172 (2)
Miter-box 330
Mills, condensing 59, 390
Minnie balls, devices for making, grooving and sizing 348 (2)
Mirrors, coating and protecting the silvering of 283
Mold, black-washing 331
Mold for casting sersw-heads 364
Mold for casting stestings 269
Molds for casting steel, 76, 267
Molds, sides and guides for flasks for 300
Mop-head 58
Motton, modes of changing 12, 188, 208
Motor, hydraulic 380
Mowing-machines 125, 220
Muffs, 60, 187
Mule for spinning 285
Mules, self-acting 226, 283
N

N

Nall-machine 380
Nall-plate feeder 347
Nalls, blank for horse-shoe 204
Nalls, machines for making horse-shoe 0, 77, 220, 331
Neck-scarf and collar-supporter 141
Needle, knitting machine 362
Needle-threader 300
Needle-threader 300
Needle-threader, magnet 408
Net, mosquito 220
Newspapers, machines to print addresses on 77, 101
Neple-guard for fire-arms 331
Nipple-grand for fire-arms 347
Numbering machine 233
Nut-and-washer machine 77
Nut for wrenches and other tools 251
Nuts, machine for making 332
Nuts, manufacture of 255

0 Oar, steel-bladed 300
Oll and other hydro-carbons, apparatuses for distilling rock 203, 204
Oil, compound paint 347
Oil for burning and Inbricating, comoil from wells, apparatus for forcing 268
Oil on surface of rivers, mode of collecting 251
Oils, &c., from vegetable and animal suostances, process of extracting 380
Ordnance, precel-loading 92, 156, 235 (2), 408
Ordnance, construction of 76, 157, 285, 330
Ordnance, disabling 59
Ordnance, disabling 59
Ordnance, operating heavy 76, 155, 330
Ordnance, operating heavy 76, 155, 330
Ordnance, machine for cleaning and separating 12, 25
Ore, machine for cleaning and separating 12, 107 Ore, apparatuses for concentrating 12, 251
Ore, machine for cleaning and separating 33.3
Ores and minerals, roasting and desulphurizing 396
Ores, apparatus for washing 12
Ores, burning, roasting and smelting 77
Ores of copper and silver, reducing 251
Ores, separating and sorting 172
Ores, smelting lead 330
Ores, treating auriferous and argentiferous 381
Oven, hot-blast 124
Oven, portable 219
Oysters, steaming and shucking 28

P Packing for journal-boxes 76
Packing rings in gas and water pipes, casting 109
Packings, piston 269, 395
Padlock 294
Paper, letter 333
Paper, machine for cutting 267
Paper, mode of preparing albumenized
187
Paper, sizing 301 Paper, mode of preparing albumenized
Paper, mode of preparing albumenized
Paper, sizing 301
Paper, twine, &c., machine for making
364
Paper stock, &c., forming, drying and
packing 59
Paper-rulers 236, 300
Pattern, transferable embroidery 187
Pavement, ransferable embroidery 187
Pavement, concrete 331
Pavement, concrete 331
Pavement, street 256
Pavement, twoden 298
Pavement, twoden 298
Pavement-driver 236
Perging machines 204 (2)
Pendalum, electro-magnetic 76
Pen-holder and ink-eraser 347
Pen-holder, pen-case and money-safe
combination of 531
Pen-holder, spring 301
Penman's assistant 138
Pens, fountain 140, 317
Pepper-box top 379
Pessary 12
Petroleum, &c., deodorizing 333

Petroleum, obtaining useful products from the tarry residuum of 59 Petroleum, recovering the acid used in refining 409 Petroleum, recovering the acid used in refining 409 Pianoforte 235 Pianoforte, portable 316 Picker for looms 61 Pick, mill 364 Piers, &c., mode of construction of 220 Pile-driver 236 Pincer, lasting 301 Pipe against the action of water, protecting lead 11, 171 Pipe, brick and drainage 378 Pipe, making water and other 379 Pipe, manufacture of tinned lead 108 Pipes, joints, bottles, casks and other vessels, making and coating 33 Pipes, machine for making tobacco 389 Pipes, machine for trimming the bowls of tobacco 380, 219 Pipes, boacco 188, 219 Pistol, toy 220 Pistons for steam-engines 76, 220 Pipes, tobacco 188, 219
Pistol, toy 220
Pistons for steam-engines 76, 220
Pitcher, beer 124
Pilone 02 Fistons for steam-engines 76, 220
Pitcher, beer 124
Plane 92
Plane, beench 396
Plane for steam-engines 76, 220
Plane, bench 396
Plane for jointing table-leaves 77
Plane or scraper, box 141
Plane-stock 235
Planing machine 395
Planter and cultivator, convertible 299
Planter, potato 236
Planters, corn 11, 60, 61, 77, 93, 203, 266, 267 (4), 331, 348
Planters, hand 188, 409
Plate, army 156
Plate, coffin 299
Plate, stencil 203
Plates, apparatus for melting metals for casting stereotype 396
Plates, cooling and tempering cast-steel plow 125
Plates, colling and tempering cast-steel plow 125
Plates, colling and tempering burglar-proof safes, &c. 156
Plates for constructing burglar-proof safes, &c. 166
Plates for printing bank-notes 172
Plates, relief-printing 317
Plating-machine 124
Plotting instrument 28
Plow, rooving or panel 331
Plow, snow 300
Plows 199, 155, 235, 251, 283, 300, 332, 348, 363
Plows, gang 125, 138, 156, 171, 259
Plow-beams and handles 58, 268 Plow, snow 300
Plows 109, 155, 235, 251, 283, 300, 332, 348, 363
Plows, gang 125, 138, 156, 171, 269
Plow-beams and handles 58, 268
Plowin-beams and handles 58, 268
Plowin-machine 107
Plumb and square, reversible 93
Pollsh, hat and velvet 204
Ports, directing guns by adjustable 77
Port-closers for vessels-of-war 11, 268
Port-hole, submarine 379
Post, fence 140
Potsto-diggers 58, 124, 173, 251
Pouch, mail 348
Powder, blasting 364
Powders, dec, putting up 59
Power, economizing human 333
Power, motive 109
Press 347
Press, cider 316
Press, copying 252
Press for obtaining relief plates for surface-printing, die-sinking 39
Press, portable screw 408
Press, portable screw 408
Press, portable screw 408
Press, portable screw 408
Press, sheet-to-bacco 315
Press, wel 187
Presses, baling 172, 236, 268, 409
Presses, hay and cotton 12, 156, 204
Presses, hay and cotton 12, 156, 204
Presses, hay and cotton 12, 156, 204 Press, woel 187
Presses, col 187
Presses, baling 172, 236, 268, 409
Presses, cheese 59, 61, 300
Presses, cheese 59, 61, 300
Presses, hay and cotton 12, 156, 204
Presses, lithographic printing 203, 252
Presses, printing 11, 203
Priming to cartridge cases, applying percussion 333 (2)
Producer or furnace, gas 334
Propeller 363
Propeller, endless chain 107
Propeller, mariae 59
Projectile for ordnance 12
Projectile for ordnance 12
Projectile for ordnance, explosive 396
Projectiles for rified ordnance 60, 331, 396
Projectiles for rified ordnance, packing 171, 283
Pufley and spring cord, calisthenic 409
Pulley, fast-and-loose 203
Pulleys, apparatus for molding 301
Pull prom straw, &c., manufacture of paper 235, 266
Puter Ling, machine 251
Pump, automatic railroad 58
Pump, direct-action steam 333
Pump, double-acting 347
Pump, double-acting submerged 333
Pump, lifting 363
Pump, inting 363
Pump, inting 363
Pumps for bored wells 252, 333
Pumps for bored wells 252, 337
Pumping and condensing, apparatus for 188
Punch, spring 251
Punchung and shearing, apparatus for Shaft, carriage 234
Shakers, attachment to fanning mills
Shakers, attachment to fanning mills
Shakers, attachment to fanning mills
Shakers for boots and shoes, metallic 172
Sharpener, harvester-cutter 28
Shears, for sheet metal 363
Shears, sheep 339
Shell, cannister 204
Shell for ordnance, signalizing 61
Shells for ordnance, explosive 76, 203, 220, 235, 349
Sheet-metal, machine for bending the edges of 337
Sheet-metal, machine for bending the edges of 312, 28, 299
Ships-of-war and of defensive armor for fortifications of defensive armor for fense of 298
Ships-of-war, construction of 91
Shirt-bosom, plaited 408 (2)
Shirt-collar, steel 301
Shoes-Laigh 347
Shoe for car-brakes 59
Shoes lacing 316 Punch, spring 251 Punching and shearing, apparatus for 203
Punching-machine 252
Puzzle for children 140

 \mathbf{R}

Quartz-crusher 409

Rack and trough combined, feed 378
Racks, sheep 76, 395
Radiator, heat 58
Radiator, steam 166
Rafts, connection for barrels 172
Raijroad, street 236
Railroad support 91, 331
Rails, piling old railroad 332
Raiis, railroad 332, 363
Railroad, pneumatic 316
Railways, marine 124, 125
Railway-bars, securing 156
Raisin-stoner 187, 188, 267, 315, 316 (3), 347, 395 (3)
Rakes for harvesters 23, 58, 60, 139, 156, 188, 267, 315, 316 (3), 347, 395 (3)
Rakes, horse 75, 91, 92, 124, 135, 173, 235, 231, 284, 333
Ram for naval offense and defense, battering or piercing 172
Ranges, cooking 93, 235
Ration, forage 11
Razor 204
Reaping machine 108
Reel, finishing-line 138
Reel for telegraph paper 92
Reflector for gas-lights, lamps, &c. 140
Refrigerators 13, 59 (2), 171, 220
Register, telegraph 269
Regulator, strong 185, 220, 301
Restorative, hair 58
Regulator, spring tension 204
Regulators, gas 155, 220, 301
Restorative, hair 58
Rice, machine for polishing 11
Rings and ring-rails in "ring-and-travel-er" spinning-frames, mode of adjusting 32

Riveting machine 299
Rivets in textile fabrics, instrument for inserting 61
Road-grading machine 267
Rock-breaking machine 141
Rock-drilling machine 141
Rock-drilling machine 219
Rocket 171
Rocking-horses apring 141, 379
Rolls for spinning yarn 28
Rolls for spinning yarn 28
Rolls for roiling metal 92, 203, 301
Rolls in Crawling-frames, mode of operating the 251
Roller, field 12
Roller, printer's in ing 204
Roller, spinning 92
Roof of railroad cars 268
Roofs, thatching 396
Room of thing 38
Roof of railroad for vulcanizing 93
Rudder 316
Ruffles 91, 300
Ruffles, apparatus for making fluted 300, 316

S

Saddles, riding 60, 236, 330
Saddle-bag and medicine case 77
Saddle-tree, side 12
Safe, match 330
Safes 12, 139, 156
Salis and rigging, ship's 333
Salis to mast-hoops, device for attaching 348
Satt, manufacture of common 235 (2)
Sap-conductor 269
Sash, machine for coping 172
Sash-supporter and lock 77
Sash-weight, window 251
Sash-supporter and lock 77
Sash-weight, window 251
Saws, gifler 409
Saw for felling trees 236
Saws, gif 59, 140
Saws, grinding 124
Saws, ginding 124
Saws, ginding 124
Saws, me thod of hanging 140
Saw-horses, folding 140, 219
Saw-mills 172, 204, 219, 284 (2), 379
Saw-mills 172, 204, 219, 284 (2), 379
Saw-mills 172, 204, 219, 284 (2), 579
Sawing irregular forms, machine for 28
Sawing-machine, cross-cut 58
Sawing-machine, drag 59
Sawing-machine, drag 59
Sawing-machine, fross-cut 58
Sawing-machine

screw-blanks, apparatuses for shaving and nicking the heads of 347 (2) screw-bead 251 Screw-plate 59 Screw-power 91 Screws-power 91 Screws-power 91 Screws-power 91 Screws-power 91 Screws-power 91 Screws-power 91 Screws, wood 315, 364 Scuptle, coal 77 Scythe-rods or bars, manufacture of 284 Scythe-smaths, nih for 235 Seeding-machine 348 Sced-sower, broadcast 92 Slev-scrators, grain 27, 28 (2), 29, 75, 76, 157, 268, 300, 332, 347, 346, 396 Separators, ore 299, 300, 331 Sewing-machine for sewing on the soles of boots and shoes 364 Sewing-machines 60, 124, 139, 141, 188, 219 236, 252 (2), 253, 254 (3), 301, 316, 330, 333, 347, 380 Sewing-machines, gathering mechanism for 236 Sewing-machines, welt and thread-cutte for 363 Sewing-machines, welt-gage for 348 Sewing-machines, &c., tension-indicator for 345 Sewing-machines, thread-waxing devices for 58, 397 Shaft, carriage 234 Shakers, attachment to fanning mills 252 Shank for boots and shoes, metallic 172

Shoe-string 347
Shoe for car-brakes 59
Shoes, lacing 316
Shoes to horses' feet, mode of secu

Shoes to horses' feet, mode of securing 363
Shoe-binding, machine for manufacture of 284
Shoe-blacking apparatus 284
Shot-blacking and smoothing 58
Shot-blacking apparatus 284
Sight for shot-blacking 384
Sight for fire-arms, telescopic 204
Sight for ordnance, adjustable front 251
Signal, marine leak 188
Signal, railroad 93
Silk, manufacture of se ing 266
Single-trees, mode of attaching 315
Silk, shot-blacking 3

Single-trees, mode of attaching 315 Sink-strainer and stench-trap, combined 361 Siphon 284 Siphon 284 Siphon for raising water, steam 60 Sirup, process of refining sorghum 12 Sizing and water-proofing paper 77 Skates 11, 125, 172, 220, 285 Skids for drays 58 Skids for drays 58 Skids for boat 408 Skimming apparatus for sugar-pans 220 Skirts, hoop 13, 60, (22, 188, 333, 334 Skirt-lifter, ladies 108 Skirt-supporter, corset 235 Skiving-machine 363 Skirt-supporter, corset 235 Skiving-machine 363 Slates, machine for dressing 107 Slates and other frames, machine for making 333 Slates in window-blinds, machine for out-ting 107 Slides, harness breast-strap 92, 125, 330 Smap, rein 347 Soap-dish 165

Soap, machine for making 138
Soap, manufacture of 108, 140
Socket for hanger-bars 28
Socket for paint and other brushes 58
Socket, gas-burner 331
Soda-water under pressure, bottling 330
Sole-edge and heel-shave 284
Soles and molds for the same, composition 301
Soling, leather and rubber 77
Spading machine 60
Spark-arrester 348
Spike and nail 226
Spikes, machine for pointing 284
Spikes, machine for pointing 284
Spindles, &c., in spinning and other machines, devices for lubricating 284, 330
Spindle-bolsters of spinning-machines 13, 336

Spindle-bolsters of spinning-machines 13, 396
Spindle-bolsters of spinning-machines 13, 396
Spinning-frames, lubricating the bearings of 409
Spinning-machine 284
Spines, machine 284
Spines, machine for treating curved 140
Spirits, apparatus for purifying and refining 409
Spints, for barrel hoops, machine for making 171
Spoke-socket and felly clamp 107
Spring, door 235
Spring for lanterns 347
Spring, helical 220
Springs, can 300, 316, 333, 408
Springs, confining the ends of elliptic 13
Springs for wheel vehicles 108, 139
Square, trying 108
Square, trying 108
Square, trying 108
Square, machine for stamping carpenters 173
Stamp, hand 349
Stamp, self-inking hand 409
Stamps, handle for 155
Stamps, postage and other 60, 139, 235, 268
Stamper for metallic ore, anti-friction
Stanchions, cattle 219, 379

Stamp, self-inking hand 409
Stamps, handle for 155
Stamps, postage and other 60, 139, 235, 268
Stamps, postage and other 60, 139, 235, 268
Stamper for metallic ore, anti-friction Stanchions, cattle 219, 379 [298
Stand, book-holding 124
Stand, camera 284
Standard for lumber-cars 267
Starch deposits, machine for removing 299
Staves, machine for dressing 300
Staves, machine for dressing 300
Staves, opportunity machine 315
Steering apparatuses 267, 332
Stirrups, riding 267, 316 (2)
Stitch, sewing-machine button-hole 219
Stitching-horses, saddler's 236, 349
Stone, manufacture of artificial 13
Stone-gatherer 91
Stool, foot and kneeling 60
Stop-cock and case for pipes leading from street mains 396
Stop for skates 379
Stove for heating soldering-irons 76
Stoves, for adjacting 322
Stove or radiator, drum 315
Stove, heating 332
Stoves of 76, 124, 141, 155, 156, 204 (2), 251, 225, 263, 285, 301, 316, 331, 362, 363, 364, 379
Stoves, fire-place 251, 284
Stoves, parlor cooking 33', 347
Stoves, petroleum 138, 233, 237
Stove-pipe elbow 409
Stoves, vapor 235, 261, 268, 269
Strap, pantaloon 12
Strap-fastener 333
Staw-cutters 83, 364
Street-scraping machine 284
Street-serraping machine 11
Striffing or mattresses 155
Stumstances, mode of applying lubricating 314
Substances, mode of preserving animal and vegetable 266

Substances, mode of applying lubricating 334
Substances, mode of preserving animal and vegetable 236
Suckers from tobacco plants, instrument for removing 347
Sugar, apparatus for evaporating and refining 77
Sugar during evaporization, apparatus for preventing the loss of 235
Sugar from sorgium, process of manufacturing 12, 108
Sugar, manufacture of 252, 334
Sugar-cutting machine 203
Sulphurets and other ores, roasting 409
Support, railroad 91
Supporter and corset, combined abdominal 331
Supporter, neck-tie 397

minal 331
Supporter, neck-tie 397
Supporter, uterine 155
Suspender 91
Suture Instrument 408
Switch, portable railroad 408
Switch, sortable railroad 58, 204
Switches, automatic railroad 58, 204
Switches, for railroads, signal 11, 379
Syringe, india-rubber 409

Table for separating ores, shaking 380
Tables, leather dresser's 125
Table, sewing-machine 185
Tables, rim tor 76
Tablet, india-rubber 364
Tack, lasting 141
Tackle for fore-and-aft sails 409
Tack-protector, carpet 60
Tag for cotton bales 363
Tags on shoe-laces, machine for cutting
77
Tamping-bars 284
Tan-bark, extracting 188
Tanning 157
Tank for hot houses 299
Tap, screw 139
Tea-kettle 138
Tent or frame, musquito 220
Tents, ventilating opening for 880
Telegraph, electro-magnetic 363
Telegraph, semaphore 348
Teeth, artificial 379
Teeth, molding artificial 316
Tension device for sewing-machines 91
Thrashers 23, 378
Thimble, clew 362
The protect 167
The serve 186
Tiles, castove-pipe 185
Tiles, ca

Tobacco, mode of securing a des color to 236
Tobacco-cutters 156, 172,315 (2)
Tool, farrier's 364
Tool for boring butter-molds 408
Tool for channelling soles 330
Tool for clipting and clinching shee nails 172
Tool for drawing piltes 204
Tool for fastening bother tubes 13
Tool for fastening bother tubes 13
Tool for making bother tubes 13
Tool for fastening bother tubes 13
Tool for fastening bother tubes 13
Tool for making bother tubes 13
Tool for turning boxes 218
Tool for turning lathes 138, 189
Tool-holder 332
Tool-rest for turning lathes 204

V

Valve arrangements, safety 41, 187
Valve, check 317
Valve, check 317
Valve for steam engines, piston 28
Valve for steam engines, piston 28
Valve for steam engines, piston 28
Valve for steam engines, potating 173
Valve steam engines, rotating 173
Valve steam engines, rotating 173
Valve steam engines 187, 284, 299
Valves for steam engines 187, 285, 408, 409
Valves of steam engines 187, 285, 408, 409
Valves of steam engines, slide 107, 266, 287, 243, 379
Valves, pump 140, 333
Valves, method of operating cut-off 59
Vegetable-cutters 13, 187
Vegetable-steamer, revolving 138
Vegetable-steamer, revolving 138
Vegetables, machine for washing and scouring 363
Vehicles, wheel 12, 133
Vehicles and plows, hitching horses to 300
Ventilator, car 268
Vermin, preparations for destroying 171, 252, 348
Vessel, culinary 59
Vessel for cooking by steam 156
Vessels, apparatus for disinfecting 315
Vessels, construction of war 188, 267
Vessels, mode of discharging 141
Vessels, the parts applying to other structures for defense, war 61
Vinegar, apparatus for the manufacture of 253, 409
Vise 268
W
Wad for cartridges. metallic 200

Wad for cartridges, metallic 300
Wadding, mode of manufacturing 156
Wagon 362
Wagon, army or train 252
Wagon, steam 263
Wagon, steam 263
Wagon, steam 263
Washing and pressing machine 330
Washing and wringing machines 204, 220
Washing machines 11, 29, 59, 60, 76 (2), 77, 92, 124, 166, 172 (2), 233 (2), 235, 21, 222 (2), 299, 299 (3), 316, 332, 334, 362, 379, 396 (3)
Washistand 235
Washistand and water-closet, combination of 155
Watch 126
Watches, regulating 267

Washstand 235
Washstand and water-closet, combination of 155
Watch 125
Watch 125
Watches, regulating 287
Water, apparatus for raising 333
Water-heater for steam boilers 269
Weat her-strips 12, 156
Wheat cleaning machine 334
Wheel and pulley, gear 204
Wheel, caster 298
Wheel, caster 298
Wheel, cleaning the "Andrews & Kalback" water 28
Wheel, cleastic carriage 220
Wheel, locomotive 379
Wheels, machine for making carriage 28
Wheels, paddio 11, 332
Whiels, water 13, 139, 141, 189, 269, 334, 336
Wheels, water 13, 139, 141, 189, 269, 334, 368
Wheels, water 13, 139, 141, 189, 269, 334, 368
Wheels, water 13, 139, 141, 189, 269, 334, 368
Wheels, water 13, 139, 141, 189, 269, 334, 368
Wheels, water 13, 139, 141, 189, 269, 334, 368
Wheels, water 13, 139, 141, 189, 269, 334, 368
Wheels, water 13, 139, 141, 189, 269, 334, 368
Wheels, water 13, 139, 141, 189, 269, 334, 368
Wheels, water 13, 139, 141, 189, 269, 334, 368
Wheels, water 13, 139, 141, 189, 269, 334, 369
Wheels, water 13, 139, 141, 189, 269, 334, 369
Wheels, water 13, 139, 141, 189, 269, 334, 369
Wheels, water 13, 139, 141, 189, 269, 334, 369
Whister, signal 253
Windlasses, device for operating 251
Window-frame, sash-sustaining 301
Window

Yarn-guide for spinning machines 141 Yoke, neck 155

Re-issues.

Accouterments, mode of slin ing 397 Belting, machine 204 Boilers, steam 221 (2) Bolt, clover 397 Brewing 380 Brick machine 349 Buckle 380 Buckle 330
Can, preserve 301
Cans, sea ling fruit 29
Capstan and windlass, ship's 77
Carriage, railway 125
Chair, folding 173
Cithmey, lamp 61
Coal, etc., method of distilling 93

Torpedoes, method of removing submerged 60
Trace-festener 92
Track for canal propulsion, submerged 38
Track-clearer for railroads 138
Track-clearer for railroads 138
Track-sies, railroad 172
Trap, steem 348, 408
Traps, animal 28, 251, 396
Transplanting, implement for 300
Trigger cover for fire-arms 138
Trees, retarding blossoming of fruit 267
Trough, a mimal feeding 364
Trough, a mimal feeding 364
Trucks to locomotives, mode of connecting 297, 330, 332
Truns pads 107, 187, 284
Tub, bathing 395
Tube for soda-fountains, draft 251
Tube, wick 252
Tube, hose, &c., manufacture of flexible and other 364
Tubes in steam boilers, &c., method of securing 108
Tubes in tube-sheets, method of expanding 200
Turnet and pilot-house for ships-of-war or other structures 76
Tuyere, blacksmiths 77
Type and 127
Traps, plow 61
Drills, seed 349 (2)
Elevator, hay 125
Elevator, hay 125
Fastening, polve 61
Drills, seed 349 (2)
Elevator, hay 125
Fastening, bottle-stopper 31
Fastening, bottle-stopper 32
Fastening, sash and door 173
Fibrous material, machine for surface sizing 299
Fire-arms, percloading 221
Fire-arms, percloading 221
Fire-arms, percloading 221
Fire-arms, prevolving 397
Fish-water for use in dyeing, etc., process of treating 157
Flour-packer 317
Fabrics, manufacture of flocked 331
Fastening, sash and door 173
Fabrics, manufacture of flocked 331
Fastening, sash and door 173
Fabrics, manufacture of flocked 321
Fastening, sash and door 173
Fabrics, manufacture of flocked 321
Fastening, Frames, machine for enameling picture 109
Frog, railroad 61
Gear of locomotives, running 157
Gins, cotton 204, 365
Grate-bar, stove 380
Hand-cuff 269
Harvesters 173, 380, 409 (2), 410 (3)
Harvesting machines 125 (2)
Harvesters, grain and grass 397
Hat-stand and other clothes-hanging apparatus 204
Hay for pressing, cutting 381
Inkstand 204
Iron, manufacture and refining 381
Juice and strup, refining sorghum 349
Knobs to spindles, mode of attaching 253
Labels for periodicals, etc., accountan 380
Lamp 61

300
Lamp 61
Latch, knob 61
Loom 13
Manure-spreader 61
Melodeon 301
Oils and fats for rendering them more
useful for burning in lamps, lubricating machinery and for other purposes,
mode of treating 253
Ordance, operating 253 (4)
Ore-pulp, machine for collecting and separating amalgam and mercury from
349
Rake, horse 247

Ore-pulp, machine for collecting and separating amalgam and mercury from 349
Rake, horse 237
Rake to grain harvesters 204 (2)
Reaping machine 380
Regulater, draught 349
Sand, washing 381
Separators, grain 301, 332
Sewing machines 13, 61, 141, 173]
Side-lights for ships 221
Silicates to a liquid or gelatinous state, mode of reducing 349
Silicious substances, apparatus for treating 349
Silicious substances, apparatus for treating 349
Silver, etc., from waste solutions, apparatus for saving 269
Skate, wheel 221
Skirt, hoop 410
Snap, harness 397
Sodd-water, apparatus for drawing 125
Soles, machine for cutting out boot and shoe 109
Spinning machine, throstle 349
Stome, machine for cutting out boot shoe 109
Stome, manufacture of artificial 349
Stowes 157 (2)
Stoves, cooking 349, 365, 380
Strap, boot 157
Straw-cutter 253
Stray for paper pulp, preparation of 13
Tape for spring skirts 301

204
Water-closet 409
Windlasses, method of fitting the heaving socket and head of 77

Designs.

Axle-box for railroad-cars 410
Barrels, labeling 157
Bas-relief of General G. B. McClellan 6
Bottle 77
Can, oil 269
Cards, pack of 157
Carstep, railroad 410
Chain, watch 410
Clock-cases 61, 334
Clog-hanger for railroad-cars 410
Engine, hand 109
Figures, groups of 301 (3), 349
Fiurnace, agricultural 397
Hat, lady's 349
Jacket for lamp burners 189
Lamp-box for railroad cars 410
Letters, ornate 301
Nut-cracker 221
Fedestal for railroad cars 410
Pistol-handle, revolving 289
Plates of a cook's range 410
Plates, stove 13 (2), 109, 125
Pulley-block, metal 125
Pattern, oil-cloth 109
Pattern, slipper 334
Patterns, carpet 93 (3), 157 (4), 205 (11), 221
(4), 237, 334 (3), 410 (4)
Patterns, floor-cloth 189 (2), 269 (2)
Sewing machine, arm of a 349
Sewing machine, arm of a 349
Sewing machine, arm of a 349
Sewing machine, arm of a 39
Sewing machine, arm of a 37
Stove, cook's 61
Tea-set, metal 13
Thread-spool 233
Trade-marks 109, 301, 317, 334, 397
Valves 109 (2)

Extensions.

Buildings, construction of the frame, roof and floor of iron 322
Carriage-tops, raising and lowering 157
Chairs, machine for making wroughtions 322
Clott, machine for shearing 331
Clott, process of rolling india-rubber 221
Condenser for steam engines, surface 253
Cord, machinery for making 13
Fibers from winding on drawing rollers in spinning-machines, preventing 349
Forge-lammer to its helve, attachment of the 253
Furnace, portable 221 Forge-hammer to its helve, attachment of the 233
Furnace, portable 221
Furnace, steam boiler 109
Loom for piled fabrics 109
Loom for weaving figured fabrics 13
Mattress, spring 410
Meat-outting apparatus 189
Facking, compound hard and soft meta, Smut machine 187
Spark-arrester 109
Stopper, cat-head and shank-painter 253
Straw-cutter 332