

# SCIENTIFIC AMERICAN

A WEEKLY JOURNAL OF PRACTICAL INFORMATION, ART, SCIENCE, MECHANICS, CHEMISTRY, AND MANUFACTURES

Vol. XIX.—No. 26.  
[NEW SERIES.]

NEW YORK, DECEMBER 23, 1868.

\$3 per Annum,  
[IN ADVANCE.]

## Hydrostatics Applied to Revolving Iron Forts.

So long as human nature is governed by ambition and the pursuit of gain, whether in individual enterprise or for national aggrandizement, so long shall we be subject to wars with their attendant calamities; and while these results are inevitable we should guard against the consequences by being on the alert for the foe.


We now see all the most enlightened nations of the world constantly experimenting; planning, and devising the best means of defence and offence; we see the best moral, military, scientific, and mechanical minds more or less brought to bear upon these two problems: How best to defend ourselves

and are surrounding them with iron-clads, floating batteries, and torpedoes. One writer says that the British Admiralty have made a "lamentable failure of the Plymouth forts and Gibraltar shields," and it is well known that in some cases they plate the tops of the fort, leaving the base exposed, when they know by actual experiment that a single shot has "splintered" granite blocks fifteen feet back from the face, or point of impact. Naval tactics are being reversed; forts were formerly used to protect ships, but now ships have to protect forts, such as they are. Doubtless the true theory is mutuality; one auxiliary to the other.

In view of these facts it is claimed that the Revolving Hy-

drostatic and Pneumatic Fort satisfactorily solves the first problem; how best to defend ourselves against an enemy's ships. Accompanying this article will be found a plan, reduced from working drawings drawn to a scale, to admit of eight 15-inch guns, and is 58 feet diameter on the gun deck. It gets its flotation by being inclosed in an iron tank, say two feet greater in diameter than the bottom section of the fort, having the intermediate space filled with water, or, in very high latitudes where there is danger of freezing, oil may be used. The upper section or fort proper is constructed entirely of iron or steel plates of any given thickness; in this plan it is proposed to use three thicknesses of six-inch plates, which are now considered sufficient to resist any projectile that has been contemplated. It is only a question of buoyancy, whether this fort be one foot or four feet in thickness, which is governed by the superficial area of the base or lower section immersed, so that, it will be seen, this system is unlimited in its capacity. The lower section is divided off into store rooms for provisions and ammunition, and into quarters for officers and men.

the advantage heretofore held by ships under steam and constantly in motion while in the act of bombarding; for this fort can also be kept in constant motion, so that the lateral range when got, need never be lost on a moving ship—overcoming the most difficult part of gunnery in fortifications. This fort can also be located in positions where it would be almost impossible to erect an ordinary fort; as for instance, in low marshy land or on quicksand, this fort may be set up in a few days by simply excavating a pit large enough to receive the iron tank, when the foundation is ready for an eight gun fort, equivalent to a 50 gun fort of the present construction; and if it be exposed to attack from land, it still



## RYAN & HITCHCOCK'S REVOLVING IRON FORT.

against an enemy's ships; how best to assail an enemy with ships.

Of late the science and skill in the manufacture of large guns is so far in advance of the power of resistance in ships when they are clad up to their maximum load, that they are not at all reliable; and the old fortifications are still more unreliable; hence the necessity of corresponding improvements in forts and other means of defence. When our largest guns consisted of 68 pounders, it was but pastime for the brick mason and stone cutter to construct fortifications. But now 600 or 1000 pounders have reduced all such fancy structures to worthlessness. It is now guns *versus* forts, iron and steel against iron and steel. But the iron-clad is now more than a match for the old fort, and iron plating has heretofore proved a failure, therefore we see great energy and anxiety exhibited by foreign nations to protect their fortifications. To preserve their guns in barbette they mount revolving turrets on the top, and in the angles of their forts, but this as a naval defence will probably prove a useless experiment. Other experiments are proposed, such as adopting "rifle pits" on a large scale, with guns so mounted that they "get themselves up and fire over the top of the pit and then get themselves down again to be reloaded;" and, lastly, it is proposed to mount a miniature fort on trucks to be propelled by a locomotive engine; this locomotive fort to travel on an annular inclined railway, coming round from behind a shield or casement moving up the incline and firing over the embankment, and then gracefully retiring. These somewhat novel devices tend to show the drift of the practical mind, the utter incapacity of the present mode of constructing fortifications, and the consciousness that something must be done, and that soon, to solve these two great problems; yet no two engineers can agree, but leave them, as they found them, unsolved. We know, too, that the very existence of some Governments depends on the solution of one or the other of these problems. We know that Governments that ve the most forts, really have the least confidence in them,

drostatic and Pneumatic Fort satisfactorily solves the first problem; how best to defend ourselves against an enemy's ships. Accompanying this article will be found a plan, reduced from working drawings drawn to a scale, to admit of eight 15-inch guns, and is 58 feet diameter on the gun deck. It gets its flotation by being inclosed in an iron tank, say two feet greater in diameter than the bottom section of the fort, having the intermediate space filled with water, or, in very high latitudes where there is danger of freezing, oil may be used. The upper section or fort proper is constructed entirely of iron or steel plates of any given thickness; in this plan it is proposed to use three thicknesses of six-inch plates, which are now considered sufficient to resist any projectile that has been contemplated. It is only a question of buoyancy, whether this fort be one foot or four feet in thickness, which is governed by the superficial area of the base or lower section immersed, so that, it will be seen, this system is unlimited in its capacity. The lower section is divided off into store rooms for provisions and ammunition, and into quarters for officers and men.

A fort of this kind weighing 1,500 or 2,000 tons may be revolved easily with three or four men by simply turning a crank, thus enabling us to handle eight 15-inch, 20-inch, or 30-inch guns.

Suppose science and mechanical skill should produce wrought iron or steel guns of 50 tons or more, with a 24 or 30-inch caliber, which may be considered at least possible, they could not be used on board of ships, nor do we think they would be practical in the present fortifications; but on this hydrostatic principle such guns can be trained as expeditiously as guns weighing only ten tons; and by an ingenious arrangement of compressed air, which takes up the recoil of the monster-pieces and runs them again into battery by the power of a single arm—together with other appliances to facilitate loading, opening and closing the port stoppers—Captain Ryan's system insures a great saving of men and time. And it will be borne in mind that this revolving fort effectually counteracts

maintains its permanence as a defensive work, as nothing short of insanity could induce infantry to assault such a fortress; for so long as provisions and ammunition hold out a garrison of fifty men in its iron shield could never be made to surrender. The attack of a siege train would be quite as futile; starvation or treachery might capture one of these forts, but powder and ball never.

All the advantages pertaining to the revolving fort may be transferred to a floating battery by constructing a solid timber platform or shield 150 feet square, more or less, from 12 to 20 feet deep, with proper fastenings, and plated with iron, to be ram and shell proof, leaving in the center a well-hole through the shield of requisite diameter to receive the fort, in which case it will be seen that the timber shield is a substitute for the iron tank, with this difference that it has no bottom but the sea. In case of necessity this immense shield is towed into position and securely moored. To an obstruction of this kind rams and iron-clads will give a wide berth. With a few of these eight-gun batteries moored in the Narrows and East River, well supported with the revolving forts on either shore, New York can safely defy all the rams and iron-clads of the world. "In peace let us prepare for war," but in time of peace it is not necessary to construct these timber shields, but it would be prudent to construct the iron battery or turret so far as fitting it up, then taking it down and storing it for future use. Beside the intrinsic value of this battery, it gives additional facilities for using torpedoes or other submarine works.

War is expensive at best, and war machinery is growing more and more expensive, but expenses are not taken into consideration as against a nation's existence, safety, or means of defence; in fact it is maintained by some of the most enlightened minds of the day that the more expensive and elaborate the defensive works required, the greater the safety against invasion, therefore the cheapest, which is doubtless the true theory, especially for iron-producing states.

But this does not prove that cheaper engines of war may not be devised, and still be more effective. That this system of defence is the cheapest may be demonstrated by comparison with the cost of one of the British iron-clads. Let us take the *Minotaur*, which was built as a model war ship, fully up to the times. The weight of her hull alone is 7,586 tons—five times more than this fort. Armor and backing 6,124 tons—four times more than the fort; engine and coal 2,540 tons—more than half as heavy again; making, exclusive of armament, 16,250 tons, within a fraction of ten times the weight of this fort. The hull alone cost £365,365; with double armor and backing, would cost £757,350—equal to about \$3,756,750. But the *Bellerophon* is claimed to be an improvement, though smaller and lighter, with a saving of a quarter of a million pounds. These statements are taken from a paper read by Mr. Reed before the Royal Society, London. We are not prepared to say just what this fort will cost, but other things being equal, it will be nearly in proportion to their respective weights, not exceeding \$400,000, or about one tenth of the *Minotaur*; and it would be safe to say that our Government could build ten forts and equip them for action, for every single iron-clad of this type that any foreign Government could build and send against us, at the same time the commander of such iron-clads might hesitate to attempt to pass two of these forts and one battery properly located in the Narrows below this city.

But the construction account is not the only or most unfavorable comparison, the cost of maintaining these sea monsters on a war footing is simply enormous, to say nothing of the deterioration, even when laid up in ordinary. It requires a strong detail of officers and men to keep them afloat and in repair, whereas this fort is never in danger of sinking, or getting out of repair in its machinery, and in time of peace these forts are to be laid up, by drawing off the water and allowing the fort to settle down on its ways, when the iron has only to be protected from oxidation, and a detail of one man to a fort would be a sufficient guard. When in a case of emergency, by having connection with a reservoir, in twenty minutes the fort could be set afloat, all in fighting trim. Neither is this all the saving by this system, as in case of the batteries they may be manufactured to order (exact duplicates), and stored in all the arsenals and seaports, when, if occasion requires, they could be put into working order with all their equipments in thirty days, more or less, according to the emergency.

The discrepancy between their respective powers of offence and defence, may be presented in a few words. The forts are to be absolutely impregnable against any and all shot that can be hurled against them; each one armed with a battery of eight or more guns, double, or perhaps quadruple the weight that will be carried by any iron-clad; with projectiles in proportion, delivered with almost the accuracy of a rifle marksman, at the rate of one every minute, against the sides of a ship made of iron and wood, probably in its strongest parts equivalent to eight inches of iron; for it must be remembered that ships of this type are not entirely clad with iron, the exposed parts being of about the same value for defence that a cigar box would be to a minie ball. Nor would their iron plating amount to much more in resisting projectiles of 500 or 1,000 pounds, propelled with from 100 to 200 pounds of powder; and it remains to be seen what effect a thousand pound shell would have, exploded alongside of an iron-clad, charged with fuming powder, gun-cotton, or nitro-glycerin. Doubtless the ship would be relieved of some of its iron plates. Of course no nation will ever send ships to fight such forts, but only to pass them, if they could.

Further information may be obtained by addressing James T. Ryan, St. Nicholas Hotel. Patent pending.

### Correspondence.

The Editors are not responsible for the Opinions expressed by their Correspondents.

#### Is the Age of Invention at a Stand Still?

MESSRS. EDITORS:—A period of forty years past may be termed the "Age of Invention." We can compare the present with the past: the old stage-coach, or diligence, in Europe, with the steam locomotive of to-day; the old sail ships with the present steamships. We can find in our mother's list of old letters large foolscap sheets, sealed by wax—no envelopes—and bearing date four or five weeks from that at which they were received; and we can compare these missives with those transmitted by our present postage system and the telegraph. We call to mind, also, the great improvements in the art of printing. Then glance at the machinery used in the department of agriculture—mowing machines, horse rakes, reapers, thrashers, plows, cultivators, etc.—and consider the manual labor of forty years ago. The department of war, with ironclads, breech loaders, etc., furnishes a striking comparison. The household, with sewing machines, washing machines, and a number of minor labor-saving machines, still adds to the comparison. We could continue in this strain indefinitely, but we are led to the question: "Is the age of invention at a stand still?" That is, will there be, in the coming forty years, so great an improvement in the modes of transit as there has been in this past forty years? Will there be as wonderful an improvement in the means of transmitting messages? What improvements are we to have in the arts? Is the science of to-day to be still more revolutionized? Will the farmer be aided as much in the future as he has been in the past? Is the age of invention at a stand still? Forty years from now will tell! Inventors, have you among you a Stephenson, a Watt, a Jacquard, a Morse, a Fulton, and a Howe? Will there be with you, forty years to come, an Ericsson or a Hoe? Your deeds are to be inscribed on the tablet of time. Will your names stand in the list alongside of these illustrious ones? The field is large, and it is merely

fenced in—the space is open, and rich crops will repay the tilling!

We hazard an answer that the coming forty years will witness some marvelous improvements. That wonderful agent, electricity, is only yet half harnessed. We now, for a few cents, send word to, and hear from friends a thousand miles away, it being inconvenient only as regards time. Will we not, some day, sit down to a family telegraphing machine and send messages by lightning, without the bother of the mail, and the inconvenience of writing at all?

We speed over the ground, "rattling over bridges," whizzing through the forest, journeying from New York city to San Francisco in seven days; but will it be done in seven hours? No! is the answer of to-day. An old authority on railroads, Wood, in 1825, wrote in his able work: "Nothing can do more harm to the adoption of railroads than the promulgation of such nonsense as that we shall see locomotive engines traveling at the rate of 12, 16, 18, and 20 miles per hour!" A later authority on this subject has added, "an express train on the Great Western Railway, drawing 59 tons, has traveled, for three hours, at the rate of 63 miles per hour!" (Ritchie on Railways). Comment is unnecessary. Will the Pneumatic process of transmission effect the coming great stride from seven days to seven hours, for time across the continent? Why not? No running off the track; no collisions! Really, the "coming man" need not drink in going from New York to California!

Look around you, inventors, and see the endless labor yet to be saved. A thousand and one wants stare you in the face. Steam is yet to be half utilized. Who is the coming man for this? Is it Ericsson with the solar heat and "Sun engines?" Why, almost at the moment of writing, a sewing machine is being bothered with, because it pulls the work, from the fact that all machines are defective in that the feed is only at one side of the work. Who is the coming man for this?

There is no end to the wants of the present day. Will the next forty years supply them all? Time will tell. N. F. P. Paterson, N. J.

#### Burning of Powder in Fire Arms.

MESSRS. EDITORS:—I notice in No. 21, current volume of SCIENTIFIC AMERICAN, page 330, an article headed "Carefulness in the Management of Fire Arms." Now, I perfectly agree with you as to the necessity of keeping a gun clean, but differ with you in other respects. I am over fifty years old and have made gunnery my business, making many experiments. The dirt that collects in a gun barrel will not explode or burn, even by bringing a red hot iron in contact with it. You carry the idea that only a limited amount of powder will burn, and that a gain twist will foul more at the muzzle than at the breech. This is the case with the breech loader, but with the muzzle loader the dirt is driven down at each loading, and if you are able to get your ball down to the powder there will be no danger of bursting the gun.

Now I will give a detail of an experiment that I made about ten years ago in Marshall, Michigan. I spent one day with three men to assist me. I had a heavy target rifle, cast steel barrel, weighing 32 lbs., and carrying 120 round balls, or 50 conical slugs to the lb., and the slugs were one inch long. It was a fine, still morning in the winter, after a snow that fell that night without drifting. I measured accurately one half mile on the ice of the Kalamazoo millpond, and commenced with a light charge of powder after first driving a slug ball through the barrel with the breech pin out, and saving the ball in order to compare it with those fired at the target, but not hitting anything but skipping along in the soft snow until finally they would stop without a scratch or a bruise, just as they left the rifle. After finding one from the first or small charges, I increased my powder half an inch more in depth in the barrel, and throwing clean snow in front of the gun in order to detect if any powder was thrown out unburnt, and then adjusting my sight until I could hit the target. I kept on in this way until I used six inches of powder in depth, measuring from the breech at each charge. The result was that each half an inch of powder raised or carried the ball about three feet higher at each increase of charge, and no more dirt in front of the gun; and each successive ball or slug was stove up, or more properly "upset," and showed the impression of the grooves or rifling still further up, until the last filled them from butt to point. Now this proves not only that all the powder burns, but burns instantly before the ball starts, or else it would not upset it any more with a large charge than a small one. I think it impossible to throw out a single grain of powder if you filled the barrel full with a ball on top of it to confine it; for before the pressure of the gas comes against the ball the fire has found its way between the grains to the utmost extremity of the place of confinement; and for this reason, in blasting rocks every grain must explode before anything gives or else there would be no need of more powder for a deep heavy blast than for a light one. But powder when not confined acts differently, for when the first grain ignites it has plenty of room to escape without being forced through the other until it catches from one grain to another, except what resistance the atmosphere produces.

There is one thing I forgot to mention, viz., that by using a very small charge of powder and by wetting the wad or patch very wet there will be a few grains stick to the wad or patch unburnt, for the heat is not intense enough to dry it before it gets out of the gun, but with a large charge it will not only dry the wet powder but burn the patch as if a red hot iron had been pressed against the butt of the ball with a patch drawn over it. M. L. ROOD.

Denver, Col.

THE strain of belts is always in the direction of their length; thus holes cut for the reception of lacings should be either oval, the long diameter in line with the belt, or placed in the line of a double or V-shaped angle across the width.

## OFFICIAL REPORT OF PATENTS AND CLAIMS

Issued by the United States Patent Office.

FOR THE WEEK ENDING DECEMBER 8, 1868.

Reported Officially for the Scientific American.

PATENTS ARE GRANTED FOR SEVENTEEN YEARS, the following being a schedule of fees:—  
On filing each application for a Patent, except for a design.....\$10  
On issuing each original Patent.....\$20  
On appeal to Commissioner of Patents.....\$20  
On application for Reissue.....\$50  
On application for Extension of Patent.....\$50  
On granting the Extension.....\$50  
On filing a Disclaimer.....\$10  
On filing application for Design (three and a half years).....\$10  
On filing application for Design (seven years).....\$15  
On filing application for Design (fourteen years).....\$30

In addition to which there are some small revenue-stamp taxes. Residents of Canada and Nova Scotia pay \$500 on application.

Pamphlets containing the Patent Laws and full particulars of the mode of applying for Letters Patent, specifying the mode required, and much other information useful to Inventors, may be had gratis by addressing MUNN & CO., Publishers of the Scientific American, New York.

84,670.—PUNCHING MACHINE FOR TIN AND SHEET METAL.—John Annear, Philadelphia, Pa.

I claim the rotary bed plate, C, the punch, D, and the "former," E, the same being constructed and arranged to be operated together, in any suitable frame, A, B, substantially as and for the purpose described.

84,671.—DEVICE FOR PREVENTING INCORUSTATION IN STEAM GENERATORS.—Robert Breckenridge Baker and Charles James Adolphus Dick, Paris, France, assignors to the American Anti-Incorustation Company.

We claim an insulated mass or block of carbonaceous matter, suspended within a boiler, near one end of the same but connected by a wire to the shell of the boiler, near the opposite end of the latter, all substantially as set forth.

84,672.—SHAFT COUPLING.—Charles Bennett, Bristol Station, Ill.

I claim the combination of the band, H, journal, G, pulleys, E, E, jaws, C and D, with the rods, B, B, as and for the purpose herein specified and shown.

84,673.—MACHINE FOR CUTTING EYELETS.—George E. Brayton, Providence, R. I.

I claim an apparatus for cutting tubing into sections, for eyelet blanks or other purposes, consisting of a series of revolving cutters, A, a surrounding revolving jacket, B, for holding and conveying the tubing, and a pressure cylinder, C, all in combination, substantially as described, for the purposes specified.

Also, making the openings, D, in the jacket or casing, B, for holding and conveying the tubing inclined to the axis of the series of cutters, A, as herein set forth, for the purposes specified.

84,674.—SELF-REGULATING AIR VALVE FOR STEAM HEATERS.—Moses P. Breckenridge Meriden, Conn.

I claim inserting the frame, B, which holds the spring, C, into the case or cylinder, A, by this means allowing the said cylinder to be constructed in one piece, and thereby doing away entirely with the use of packing.

84,675.—GAS BURNER.—Julius Bronner, Frankfort-on-the-Maine, Prussia.

I claim, 1st, The use of a slit aperture to a gas burner, the top exterior surface of the head of which is concave or funnel shaped, substantially as and for the purposes set forth.

2d, The combination of the two gas burners thus made, in other words, of two fish tail slit burners, to form a compound economic or double burner, or of such fish tail slit burner, with an ordinary burner, substantially as described.

3d, The use of the fish tail slit burner head or insertion, C, constructed and applied substantially as herein set forth.

84,676.—RUFFLING DEVICE FOR SEWING MACHINE.—Reuben Brooks, Jr., and William N. Manning, Rockport, Mass.

We claim, 1st, The combination of the bar, B, slotted plate, H, and screw, G, all constructed substantially as described, and for the purpose set forth.

2d, The rubber presser, D, combined with the bar, B, and tension plate, E, substantially as specified.

3d, The adjustable spring guide, F, in combination with the tension plate, E, and presser, D, as specified.

84,677.—FASTENER FOR LISTS.—Hiram Brown, Burton, O.

I claim the slide, D, so arranged in such relation to the last, B, that the lower end of said slide is received directly into the last, in the manner as and for the purpose set forth.

84,678.—MECHANICAL MOVEMENT.—A. R. Buffington, U.S.A.

I claim the improved mechanical movement, consisting of devices herein described, by means of which angular motion may be transmitted from one body to another, increased in velocity to twice, or reduced to one half, the power varying, but the motion uniform, according as the one from which the initial motion proceeds acts upon the other, by means of surfaces on which side or oil parts connected with this other body, or through the intervention of projections, axles, hubs, or pins simply, or these with blocks or wheels fitted on them, sliding, rolling, or moving in contact with surfaces of said other body, as substantially herein described.

84,679.—GAS RETORT.—Mills L. Callender, New York, assignor to himself and Sidney L. Holdrege, Greenburg, N. Y.

I claim a double retort, made, arranged, and operated in the manner and for the purposes substantially as described.

84,680.—WEATHER STRIP.—E. Carpenter, Carbondale, Pa.

I claim, 1st, The arrangement of the weather strip, A, having the two projections, a, a', with the slots, e, e', in the plates, E, E, attached to the jamb, or in the jamb itself, substantially as herein described and shown.

2d, The combination of the strip, A, levers, B, D, and door, when the several parts are constructed and arranged to operate in the manner described and shown, and for the purposes specified.

84,681.—FRICTION CLUTCH PULLEY.—Andrew B. Clemons, Ansonia, Conn.

I claim, 1st, The screw-threaded levers, E and E', in combination with the friction plate, D, and threaded hub, C, of the pulley, for the purpose of drawing the two parts together, substantially in the manner and for the purpose specified.

2d, The slide, F, in combination with the levers, E and E', and pins, a, a', for the purpose of operating the said levers upon the hub, C, of the pulley, substantially as herein set forth.

84,682.—WAGON TONGUE SUPPORT.—N. A. De Long, New Scotland, N. Y.

I claim the combination of the tongue and axle with the slotted adjustable plate spring, embracing the standard, F, and having four points of support, as and for the purpose set forth.

84,683.—LEVER GRAPNEL.—Edwin B. Dewey, Pontiac, Mich.

I claim the bearing lever, F, provided with suitable hook, G, when connected with curved and pointed levers, A and B, and constructed and operating substantially as and for the purposes herein set forth and described.

84,684.—HORSESHOE.—Fordice W. Edison, Port Huron, Mich.

I claim the arrangement of the expanding springs, C, C, on the toe piece, B, to which the wings, A, A, are pivoted, substantially as and for the purposes set forth.

84,685.—MAGAZINE GUN.—W. R. Evans, Thomaston, Me.

I claim the combination of the fluted shaft, D, which contains one or more tubes, with the fixed spiral thread or partition, B, substantially as specified.

84,686.—APPARATUS FOR DEODORIZING, DESICCATING, AND MIXING MANURES.—Henry S. Firman, New York city.

I claim, 1st, An apparatus for desiccating and mixing manure, constructed substantially in the manner described, and provided with mixers, as set forth, in a close heating chamber over a furnace or heating flue fitted with dampers, and constructed substantially as described.

2d, The combination of the supply hopper, constructed substantially as described, with a close desiccating pan for the purpose of introducing the material to be treated in the pan, as set forth.

3d, Combining, with a close desiccating and mixing pan, a deodorizing or absorbing chamber for the purpose of utilizing the offensive gases, and avoiding the nuisance occasioned by their escape from the pan.

4th, Creating a circulating of the air and gas in the desiccating pan by means of an air pump affixed thereto, through the agency of pipes, arranged substantially as described.

84,687.—FASTENER FOR HORSE COLLARS.—James P. Force and John E. Force, Constantine, Mich. Antedated November 21, 1868.

We claim the combination with the collar A, A', of the flexible straps or leathers, B, and catches, C, constructed and employed as and for the purpose described.

84,688.—CAR SPRING.—Perry G. Gardiner, New York city.

I claim the arrangement of an india-rubber spring, H, surrounded by steel spring rings, m, and w, and india-rubber springs, J, enclosed in a suitable casing, K, in combination with a plunger, P, acting upon the central india-rubber spring, H, the whole being combined and operating together, in the manner and for the purpose substantially as described.

84,689.—GAS-LIGHTING DEVICE.—E. P. Gleason, New York city.

I claim, 1st, Charging or filling an elastic gas-tight receptacle with gas, and then supplying the same to a burner connected thereto for lighting purposes, whether the same shall be accomplished in the precise manner shown, or in an equivalent manner.

2d, The combination with an elastic gas-tight reservoir, B, of a suitable case, A, and an exit-pipe, D, constructed and operating substantially as described for the purposes specified.

3d, The combination of an elastic gas-tight reservoir or receptacle, B, case, A, and exit-pipe, D, with a spring, G, placed either within or beneath the receptacle, B, for the purposes fully described.

4th, The combination of the case, A, receptacle, B, exit-pipe, D, and spring, G, with the cord, E, for the purposes set forth.

84,690.—MACHINE FOR STRETCHING HAT BODIES.—William C. Griswold, Brooklyn, N. Y.

I claim the combination of the tip-stretching mechanism consisting of the spokes, c', and star, m, with the brim-stretching mechanism, consisting of inclined stationary arms, d', and the expansible or spreading arms, l, all constructed arranged, and operating substantially as herein specified.

84,691.—MANURE HOOK.—Michael Stoll and Henry Gross, Middletown, Pa., assignors to Henry Gross  
We claim, 1st, The handles, A, provided with the slots, i, i, and the strops, p, p, in combination with the beam, B, and hook, C, substantially as described, and for the purposes set forth.  
2d, The lever, e, to act in conjunction with the slot, j, as and for the purposes specified.

84,692.—IMPLEMENT FOR TRENCHING AROUND PLANTS TO PREVENT THE APPROACH OF WORMS.—W. H. Halleck, Ann Arbor, Mich.  
I claim the invention of an implement to prevent the cut or wire worm from destroying corn and plants, using for that purpose the aforesaid stamp, (circular, rolling, square, slotted) or any shape substantially the same, for the same purpose as herein set forth.

84,693.—GRAIN BINDER.—Virgil Hayes, Campbell G. Waldo, and Harlan A. Main, Tekonsha, Mich.  
We claim, 1st, The stationary arm, J, and the tiling rack, K, with its disengaging lever, I, the bracket, M, and stationary rod, N, provided with rest, O, spool pulley, P, with its spool, Q, pin, X, and hollow arm, R, with its opening, S, or their equivalents, when arranged and operating substantially as and for the purposes specified.  
2d, The clutch pulley, V, provided with inclined plane, 2, clutch lever, W, shifter, Y, clutch, Z, shaft, 3, the pulley, Z, provided with wrist pin, 7, and hook, 8, spur wheel, 4, pinion, 5, ratchet wheel, 6, hinged binding apron, U, spring action, 10, clasp spring, 12, provided with wire, or rod, 11, and the knife, 9, or their equivalents, when arranged and operating substantially as and for the purposes set forth.

84,694.—CLOTHES RACK.—I. Hogeland, Indianapolis, Ind.  
I claim, in a rectangular clothes frame, the two rigid stays or cross bars, B, B, pivoted at one end to one of the side pieces, A, A, and having the end which is not pivoted attached to the opposite side piece, in such a manner that it is easily detachable, substantially as described and for the purpose specified.

84,695.—SHEARING MACHINE.—Samuel W. Huntington, Augusta, Me.  
I claim, 1st, The construction and arrangement of the fixed blade, A, the post, C, and goose neck, D, the lever, I, attached to and moving in the slot formed in said goose neck, and the movable shear blade, connected with both the post, C, and lever, I, as herein shown and set forth.  
2d, In conjunction with the fixed and movable blades, A and I, and the lever, I, arranged as specified, the auxiliary cutting blades, d and g, formed in rear of the pivotal point, a', the one upon the post, C, and the other upon the prolongation of the shear, f, as herein shown and described.

84,696.—BURGLAR ALARM AND TABLE BELL.—Anthony Iske (a signor to himself and Benjamin Mshler), Lancaster, Pa.  
I claim the combination and arrangement of the base, V, with its chamber for the fixed key, U, and the spiral spring, T, gearing, and bell attachment, all constructed and operating substantially in the manner and for the purpose specified.

84,697.—DEVICE FOR CUTTING OUT SECTIONS OF ANNULAR CYLINDERS.—Jacob O. Joyce, Dayton, Ohio.  
I claim the combination and arrangement of the bed plate, A, tool post, G, and cutter, I, with the gear wheel, C, shaft, E, worm, D, all substantially as and for the purpose specified.

84,698.—LATHE CHUCK.—Anson Judson, Brooklyn, N. Y.  
I claim making the jaw, C, and the nut, B, or its equivalent, in two or more parts, instead of in a single piece, as heretofore been done, and so combining these parts that the action of the part, B, upon the part, C, shall draw the latter snugly to the faceplate or bed, substantially as hereinbefore set forth.

84,699.—MODE OF APPLYING CRYSTAL FROSTING TO GLASS.—Handy B. Kimball, Charlotte, Mich.  
I claim, as a new article of manufacture, the "crystal frosting" on window glass, produced by flowing one side with any suitable efflorescing solution and preventing the efflorescence, when fully dry, with copal or other suitable varnish, substantially in the manner and for the purpose herein specified.

84,700.—CAR COUPLING.—Christian Kohler, Galena, Ill.  
I claim the combination of the lever, A, pivoted pin, h, with a buffer head, which has cavities, i and j, herein, when constructed and arranged to operate in connection with a spring, k, substantially as described and for the purpose specified.

84,701.—BOLT TRIMMER.—G. W. Lewis, Dansville, N. Y.  
I claim, 1st, The curved handle, d, cast with the screw, A, in combination with the shaft, C, having the wheel, c, pinners, D, shaft, d', wheel, E, cam, B, with openings, and wires, the whole being combined, arranged, and operated in the manner described and for the purposes set forth.  
2d, In combination with the above, the spring, h, substantially as and for the purpose specified.

84,702.—WATER PROOF PAINT.—John A. Moffitt, Boston, Mass. Antedated November 25, 1868.  
I claim, 1st, The combination of either India-rubber, gutta percha or balata, with benzine or naphtha, and either arsenic arsenic acid, or the "universal deodorizing powder," as dryers, in manner and for the purposes hereinbefore described.  
2d, The combination of either India-rubber, gutta-percha, or balata, with benzine or naphtha, and either of said dryers, arsenic, arsenic acid, or the "universal deodorizing powder," with oils and pigments, in the manner and for the purposes hereinbefore described.  
3d, The application of arsenic, arsenic acid, or the "universal deodorizing powder," as dryers for India rubber, gutta percha, or balata.

84,703.—CHILD'S DIAPER.—Mary A. Moore, Lisbon, Ill.—Antedated November 23, 1868  
I claim the combination of the diaper, A, with the elastic straps, B, C, D, constructed and operating substantially as set forth.

84,704.—REVERSIBLE LATCH.—W. T. Munger, Bradford, assignor to F. and E. Corbin, New Britain, Conn.  
I claim the lever, A, acting as a stop, and also retaining the reversible latch, substantially as specified.

84,705.—GRAIN SEPARATOR.—S. E. Oviatt, Richfield, Ohio  
I claim, 1st, The finger bar, D, and conveyer, C, in combination with the roller, H, or its equivalent, to operate substantially as set forth, for the purpose specified.  
2d, So hanging the finger bar, D, of the conveyer to the endless belt, chain, or apron, as to allow the said finger bar to receive a turning or tipping motion, to throw or agitate the straw when it is being conveyed from the threshing cylinder, substantially as and for the purpose specified.

84,706.—THRASHING MACHINE.—S. E. Oviatt, Richfield, Ohio.  
I claim, 1st, The metallic bracket, C, when attached to and forming a support for the lower end of the stacker, B, and having its pivot or journal a hollow, forming a box or bearing for the carrier shaft, E.  
2d, The metallic bracket, C, so connected with the stacker, B, and frame of the thrasher as to form a pivot and support for the lower end of the stacker, substantially as set forth.  
3d, The hinged tail board, H, and tail screen, I, in combination with the shoe, G, of the thrasher, substantially as and for the purpose set forth.  
4th, The hinged chute, K, cut off, L, and shoe, G, arranged in the manner and for the purpose as set forth.

84,707.—ADVERTISING DEVICE.—Cyrus Peabody and Patrick H. Delaney, Detroit, Mich.  
We claim the combination of an advertising board or frame, of a bell striking clock-work, substantially as and for the purposes set forth.

84,708.—HORSE HAY FORK.—Cullen W. Reed, Chagrin Falls, Ohio.  
I claim the cross head, A, when the same is slotted its entire length, the pivoted hinged tines, B and C, when the former is provided with a lever arm, B, in combination with a dog, E, and the whole is so arranged as to operate substantially as and for the purposes set forth.

84,709.—REPEATING CLOCK.—C. W. Roberts, Austin, Ill.—Antedated November 21, 1868.  
I claim, 1st, The combination of the bell spring, J, bell, I, and standards, A, B, etc., substantially as set forth.  
2d, The combination of the bell, I, spring, J, slide, G, cams, M, N, and levers, D, B, as and for the purpose set forth.

84,710.—STEAM GRADUATOR.—William Aspley Robinson, Auburn, N. Y.  
I claim the arrangement of the graduating lever, B, with the reversing lever, A, quadrant, C, and joint, E, as shown and described.

84,711.—GATE LATCH.—John C. Rogers, Alden, N. Y.  
I claim the oscillating catch, C, hinged to the getopost, and provided with notch, e, and socket, f, in combination with the rigid pin, g, and bolt, i, operating substantially in the manner and for the purpose set forth.

84,712.—HAY FORK.—E. G. Dorchester and Uri Scott, Geneva, N. Y.  
We claim the tines, A, when constructed as herein shown and described, and wedge, B, and screw, e, or its equivalent, in combination with the ferule, C, all acting conjointly, as and for the purpose set forth.

84,713.—MACHINE FOR SACKING POTATOES.—Edwin Seely, Elkhart, Ind.—Antedated November 23, 1868.  
I claim the hetchel slides, C and D, and B, the whole constructed, arranged, and operated substantially as and for the purpose set forth.

84,714.—MACHINE FOR BENDING SHEET METAL.—Amos Shepard, New Britain, Conn.  
I claim, 1st, The combination of the plate, C, bars, A, A, and supports, L, L, the whole connected and operating substantially as and for the purpose described.  
2d, The combination of the plate, C, bars, A, A, slides, B, B, and set screws, c, c, the whole connected and operating substantially as and for the purpose described.  
3d, The combination of the plate, C, bars, A, A, gauge, a, and table, K, arranged and operating substantially as and for the purpose described.  
4th, Hinging the plate, C, at one end so that the other end of the plate, C, can be raised, substantially as and for the purpose described.  
5th, The combination of the bars, A, A and plate C, when arranged so that at each operation of the machine the plate, C, shall move edgewise towards the bars, A, A, and gripe the metal previous to any action or movement of the bars, A, A, substantially as and for the purpose described.

84,715.—WASH BOILER.—M. W. Staples, Catskill, N. Y., assignor to himself and John H. Burtis, New York City  
I claim the tubular legs, d, supporting the removable bottom, c, and provided with openings in their sides, near the lower ends, in combination with a tube rising above the bottom, e, through which the rising water circulates, substantially as set forth.

84,716.—CAR COUPLING.—O. S. St. John, Willoughby, Ohio.  
I claim, 1st, The link, G, made with hook, b, and guide shoulders, C, thereon, operating in the manner and for the purpose described.  
2d, In combination with the above, the cams, K and L, chain, N, and shaft, I, arranged as described, and operated by the means, and in the manner, and for the purpose substantially as specified.

84,717.—TACK HOLDER AND CARPET STRETCHER.—J. E. Sturdy, Augusta, Me.  
I claim, as a new article of manufacture, a combined carpet stretcher and tack holder, composed of two hinged jaws, notched upon either or both of

their contiguous edges, so as to receive and hold the tack, and having their opposite teeth turned inwardly or toward the center, as set forth, either without or in combination with a spring of vulcanized rubber, or its equivalent, for holding said jaws together, substantially as and for the purposes described.

84,718.—BEEF STEAK CUTTER AND MANGLER.—De Witt C. Thompson, Ischua, N. Y.  
I claim the combination of the forks, A, with the platform, D, and rollers, B, and sharp knives, C, as above described, for the purpose specified.

84,719.—HYDRAULIC APPARATUS.—John Findley Thompson, Greensborough, Pa.  
I claim, 1st, A pair of upright stationary cylinders, having ports for the admission of water from the forebay, in combination with the valves, a, a', which open and close such ports, and pistons, c, c', which operate inside the cylinders, and are attached to the opposite arms of a walking beam, substantially as and for the purposes above set forth.  
2d, A reciprocating shaft, l, when used for actuating the valves of water-proof cylinders, b, b', and constructed with adjustable connections, h and l', for securing an adjustable or variable cut-off, and giving any desirable lift to the valves, substantially as above set forth.  
3d, Imparting to the reciprocating shaft, l, a greater or less length of throw, by raising or lowering in a slot, of the forward or operating end of an eccentric rod, f', the device being constructed and operated substantially in the manner and for the purposes hereinbefore set forth.  
4th, The slotted levers, m, m', when connected by supports, u, u', with the valve lifters, n, n', in such way that the open port of one cylinder may be closed before the completion of the downward stroke of its piston, without opening the port of the other cylinder under the upward stroke of its piston, shall be nearly or quite complete, substantially as and for the purposes hereinbefore expressed.  
5th, The slotted arm, x, on the walking beam, C, of a water power, and the slotted circular head, y, or its equivalent, connected together by a pitman, x, adjustable at each end, the parts being arranged and operating substantially as and for the purposes hereinbefore set forth.  
6th, The upright cylinders, b, b', with valves, ports, and pistons, as a fluid motor, constructed and operated substantially as and for the purposes hereinbefore set forth.

84,720.—METAL LAST.—G. G. Townsend, Rochester, N. Y.  
I claim the revolving metallic last, B, when made as shown, so as to withstand a blow from the hammer on any portion or point of the face or sole, in combination with the conical pointed standard, A, for the purposes set forth.

84,721.—MACHINE FOR GRINDING CIRCULAR SAWS.—Stephen D. Tucker, New York City.  
I claim, 1st, Making the head adjustable on the carriage, K, in combination with the rollers, E, F, for driving the saw, whereby the machine can be readily adjusted to grind saws of any diameter, substantially as described and specified.  
2d, The movable rest, h, for holding the saw at the point of grinding, whereby the saw may be automatically ground of a concave, convex, or plane surface, substantially as described and specified.  
3d, The rest, h, screw, l, provided with its arm, M', and the grooved and slotted guide, L', pivoted to the carriage, substantially as described and for the purpose specified.  
4th, The combination and arrangement of the clutch, p, pulleys, C, C', the worm, V, on the shaft, W, upright shaft, N', with its spring, Y, and the adjustable stops, d, d, on the carriage, for operating the carriage in both directions automatically, substantially as described and specified.  
5th, The rod, N', provided with the arm, v, and pin, w, clutch, p', and adjustable stops, d, d, on the carriage, for reversing the travel of the carriage substantially as described and specified.  
6th, The scroll gear, G', and inclined rack, I', on the carriage, for giving a differential movement to the carriage, substantially as described and specified.  
7th, The arbor or bearing, q, center pin, p, and cap, o, substantially as described and specified.

84,722.—SAW.—John L. Warren, Detroit, Mich.  
I claim the construction of a saw, substantially as described, with two cutting edges, the one operating at any desired angle relative to the other.

84,723.—HOMINY AND SMUT MILL.—Warren Wright, St. Louis, Mo.  
I claim, 1st, The "double case," consisting of the divided end plates, A, B, A', B', the divided cylindrical shell, C, D, and the divided perforated scouring cylinder, E, F, within and concentric with said shell, C, D, all said parts being arranged to operate substantially as herein described, for the purposes set forth.  
2d, In combination with the partitions, H, the wedge formed wings or cut-offs, S, arranged upon a rotating shaft, in the manner set forth.  
3d, The longitudinally adjustable scouring and blowing shaft, O, constructed with the air gathering cup or scoop, P, and air discharges, o, and armed with roughened blades, R, edge form wings or cut-offs, S, and spring discharge blades, S', in combination with a horizontal partition and perforated cylinder, substantially as herein described, for the purposes specified.  
4th, The combined arrangement with the descending grain discharge spout T, of the laterally traveling and upturned blast passage, U, u', substantially as described, for the purpose specified.

84,724.—BRICK MACHINE.—Jacob H. Ballard and Edward P. Bond, New Antioch, Ohio.  
We claim the frame, A, shaft, B, with wheel, b, pug mill, C, with opening, c, and shaft, C', having the wheel, c, pinners, D, shaft, d', wheel, E, cam, B, with openings, and wires, the whole being combined, arranged, and operated in the manner described and for the purposes set forth.

84,725.—HAY SPREADER.—A. B. Barnard, Worcester, Mass., assignor to Thos. C. Craven, Albany, N. Y.  
I claim the combination with the screw standard of standards, F, provided with nuts as shown, of coiled spring or springs, K, substantially as and for the purposes set forth.

84,726.—COMBINED BREAD CUTTER AND FEEDER FOR THRASHING MACHINES.—F. G. Biggs, H. A. Butler, and H. Granger, Macon, Mo.  
We claim the spreader, H, I, constructed as described, in combination with the bread cutter, G, carrier, D, and frame, O, and beater, A, substantially as herein shown and described, and for the purposes set forth.

84,727.—BRICK MACHINE.—Eli S. Bitner, Lock Haven, Pa.  
I claim, 1st, The pressure rollers, D, D', in the movable frame, A, 5, chain of molds, C, plank, H, and corrugated feed roller, E, constructed and arranged substantially as and for the purposes herein set forth.  
2d, The mold, C, when provided with the movable side, c, and crank pin, c', operated by contact with the inclined planes, I, and pressure roller, D, substantially as and for the purposes herein described.  
3d, The combination of the feed screw, F, when deflected at f, with the disk, f', and box, F', all constructed and operating substantially as and for the purposes set forth.

84,728.—PROCESS AND COMPOSITION FOR PRINTING THE GRAIN OF WOOD.—Johann Bongardt (assignor to himself and L. H. Conn, New York City.  
I claim, 1st, The method herein described of preparing wood to cause it to print its veneer or grain on paper or other material, as set forth.  
2d, The combination herein described for treating wood, for the purpose set forth.

84,729.—GATE.—Edward Buckman and Alexander Buckman, Greenbush, N. Y.  
We claim the combination and arrangement of the latches with the supporting posts and the stops upon the gate, substantially as and for the purposes specified.

84,730.—HARVESTER RAKE.—Orrin H. Burdick (assignor to himself and David M. Osborne), Auburn, N. Y.  
I claim, 1st, The adjustable cam way, in combination with the permanent cam way, G, for the purpose of raising the rake over the grain that may be on the platform, when it is desired to use the rake as a beater only, substantially as described.  
2d, Also, the combination of the two adjustable cam ways, G, h, for controlling the action of the rake, substantially as herein described.  
3d, Also, in combination with the fixed or permanent cam ways for guiding and controlling the rake, the adjustable cam way, in the rotation of the lever, F, and movable cam ways, d, and trigger, for allowing the driver from his seat to control rake, and throw it out of raking action, while the rake itself sets the parts for allowing it to go into raking action, substantially as described.  
4th, Also, in combination with the rake and beater heads, the auxiliary arms, e, and the three adjustable fastenings, u, v, and w', for giving such heads and the requisite inclinations upon their arms, B, substantially as described.

84,731.—POULTRICE CLOTH.—Maximilian L. J. Chollet and Celeste H. E. Hamilton, Paris, France.  
We claim an article of manufacture consisting of a poultice composed of leaves of canvas or muslin, impregnated with mucilaginous substances, substantially as herein described.

84,732.—WASH BOILER.—L. T. Conant, New Lisbon, Ohio. [Suspended.]

84,733.—PRESERVING WOOD.—Eben L. Cowling, Boston, Mass., assignor to Jas. P. Bridge.  
I claim the employment of dry superheated steam, in combination with vaporized chemicals, for the preservation of wood, as set forth, the natural moisture of the wood being first absorbed by the use of the dry superheated steam without the chemicals, and the air expelled, substantially as described.

84,734.—TANNING COMPOSITION.—Needham Cox (assignor to himself, Christopher M. Hoiss, and J. S. Moore), Salem, Ill.  
I claim the use of said composition, when applied in the proportions heretofore given, or their equivalents, substantially as and for the purposes set forth.

84,735.—RAILROAD CAR HEATER.—Arnold Davidsohn, St. Louis, Mo.  
I claim the car heating device composed of box, D, slide, d', influent hopper, E, valve, e, and effluent hopper, F, and discharge valve, f, when constructed to operate as described, and arranged with relation to the vehicle substantially as set forth.

84,736.—STOVEPIPE JOINT.—John Faint, Columbus, Canada.  
I claim a section of stovepipe seamed longitudinally, except that portion lapsing the adjoining section, such portion being lapped the width of the seam, or thereabout, as shown and described, for the purpose set forth.

84,737.—DOOR LOCK.—Charles Fleischel and Wm. C. Bussey, San Francisco, Cal.  
We claim the plate, K, fastened upon the bolt of the lock, and provided with a cam, L, which, when the cylinder is turned, causes the disk, C, and revolving tumblers, F, F', substantially as described, and for the purposes set forth.

84,738.—PAPER FILE.—J. M. D. France, Washington, D. C.  
I claim a device for filing papers, consisting of a frame, A, A', notched as described, in combination with bar, B, base, C, sliding board, D, and pin, E, combined and operated in the manner substantially as hereinbefore described for the purpose specified.

84,739.—CONDUCTORS' PUNCH.—John Friese and G. D. Friese, (assignors to John Friese), Baltimore, Md.  
We claim, in connection with the eyelet-cutting instrument having the

two jaws, A and B, the tooth, a, the opening, e, and the spring, C, the right plate, M, when attached to the bar, B, upon a raised bed, s, and provided with the opening to receive the tooth, a, and bent so as to hook over the end of jaw, A, the several parts being constructed to operate together in the manner and for the purposes herein set forth.

84,740.—MODE OF CONSTRUCTING THE HEATING AND LIGHTING APPARATUS ON RAILWAY CARS.—Abram J. Gibson, assignor to himself, Benjamin J. Thurston, and Thomas A. Harrow, all of Cincinnati, Ohio.  
I claim, 1st, A perforated metallic partition, inclosing and constituting a fire-proof lighting and heating chamber, in one end of a railway car, constructed in the manner and for the purpose substantially as herein set forth.  
2d, One or more lenses, in the perforated metallic partition of a fire-proof lighting and heating chamber of a railway car, as and for the purpose above specified.  
3d, The safety sash or window, when so constructed as to constitute the outer side of a lighting and heating chamber in a railway car, as hereinbefore described and set forth.

84,741.—POTATO DIGGER.—J. E. Giles and W. Ferry, Mead's Mills, Mich.  
We claim arranging the shares, S, S', on the landsides in such a position that the landsides will gather the vines together before the shares enter the hill, substantially as shown and described and for the purpose set forth.  
Also, the construction and arrangement of the two shares, S, S', as shown and described, viz, by making their front edges recede to the rear, and leaving an opening there between them, when said shares are combined with the landsides, substantially as and for the purpose set forth.  
Also, the arrangement of the tines, N, N', etc., in a double curve, as shown and described and for the purpose set forth.  
Also, the combination of the brace, E, (applied to prevent the spreading of the landsides), with the bow, D, when said bow is arranged in position to prevent its engaging with the vines, substantially as and for the purpose set forth.  
Also, the brace, A, when arranged as shown and described for the purpose set forth.

84,742.—SHIPS' DAVITS.—Seth Gill, San Pablo, and D. C. Woods, San Francisco, Cal.  
We claim, 1st, The jointed davit arms, E, E', with their tackle or an equivalent device, the whole constructed and operated substantially as and for the purpose herein described.  
2d, In combination with the jointed arms, E, the traveler, L, with its in-haul and out-haul tackles, M and N, substantially as described.  
3d, In combination with the davit arms, E, the uprights, D, with the lifts, H, and sanchion, I, the whole connected by rods with the davits on the opposite side, substantially as and for the purpose herein described.

84,743.—BOOR CRIMPER.—William B. Gleason, Conneautville, Pa.  
I claim the grab bars, S, S', spring block, M, M', the movable spring grabs O, O', all constructed substantially as set forth.  
2d, The crimping board, L, combined with the grab bars, S, S', spring block, M, and movable spring grabs, O, O', for the purposes as set forth.

84,744.—ELEVATOR.—J. E. Hollister, Calais, Vt.  
I claim, 1st, Combining the brake, A, and the pulley, G, with the car, as and for the purpose specified.  
2d, The hoisting rope, c, and tackle block, J, in combination with the brake A, and pulley, G, for the purpose and substantially as described.  
3d, The tripping rope, I, applied to the hook end, N, of the brake, as and for the purpose specified.  
4th, The draw rope, H, in combination with the car, E, and eye, k, as and for the purpose specified.  
5th, The adjustable and movable cam, h, constructed as described, and applied to the rail, C, for the purpose and substantially as described.  
6th, The rod, f, in combination with the brake, A, and the cam, h, for the purpose and substantially as described.  
7th, The plate, or holding device, in combination with the hook end of the brake, A, for the purpose and substantially as described.  
8th, The combination of all the operative parts specified, when arranged to operate substantially as and for the purposes set forth.

84,745.—HORSESHOE.—R. G. Jameson and W. H. Chamberlain, Bristol, N. H.  
We claim the bar, C, of the form herein shown, and provided with heel and toe calks, when fastened to the shoe by means of the hooks, f, and slots, b, b, at the heel, and screw, l, at the toe, substantially as described for the purpose specified.

84,746.—PREPARATION OF STEEL FOR CORSETS, HOOP SKIRTS, &c.—Catharine Maxwell and I. N. Peirce, Philadelphia, Pa.  
We claim coating steel with this composition, for use in female apparel, as herein described, or any other substantially the same, and which will produce the intended effects.

84,747.—CAR COUPLING.—C. McInturff, Greenville, Tenn.  
I claim a car coupler, composed of the bars, A, with hooks, B, and springs, H, and sliding blocks, C, with springs, D, when used in connection with the levers, G, all constructed and arranged substantially as described and for the purposes specified.

84,748.—GANG PLOW.—F. McTarnahan, Santa Clara, Cal.  
I claim, 1st, The frame or groundwork of the gang plow.  
2d, The combination and arrangement of the beam, R, to which the plows are fastened, the beam to which said plow beam is fastened by hinges, the semicircular hinges, as constructed, and the manner of fastening the plows in the beam, all as shown.  
3d, The screw slides, A, in combination with the frame, R, and beam, B, for the purpose and substantially as described.  
4th, The combination and arrangement of the beam, L, to which the lever is fastened, the post on which it works, the chain, the pulley on which it works, the lever, and the guard all as described.  
5th, The square block, D, under the axle tree, for regulating the amount of land, in combination with the lever.  
6th, The construction, combination, and arrangement of the several parts, as shown and described.

84,749.—COAL CHUTE.—Henry Merriman, Bloomington, Ill.  
I claim the inner weighted apron, C, having the loose catch rods, g, and described, whereby, as the outer apron is swung down to form a spout, the pivot at its lower edge to the chute and the outer weighted apron, D, also pivoted at its lower edge and provided with the lugs, o, o, all operating as lugs, o, o, to release the rods, g, from the catches, e, and permit the inner apron to open the chute for the discharge of coal, substantially as herein shown and described.

84,750.—PLOW ATTACHMENT (DOUBLETREE).—L. E. Morey, Vandalia, Ill.  
I claim a plow attachment, having four connecting points, a, b, b' and b'', arranged substantially as herein described for the purpose set forth.

84,751.—SEED PLANTER.—James Musgrave, New Cumberland, West Virginia.  
I claim, 1st, Detachably securing the buckets, H, to the belts, F, by means of the brackets, G, substantially as herein shown and described and for the purpose set forth.  
2d, The combination of the tube, J, with the hopper, I, and buckets, H, substantially as herein shown and described and for the purpose set forth.

84,752.—LAMP BURNER.—George Neilson, Boston, Mass.  
I claim, 1st, The combination, with the cone and cone-supporting cylinder, of the chimney rest, chimney, and spring device, by which the latter is supported and steadied, under the arrangement and for operation as herein shown and specified.  
2d, The combination, with the chimney and chimney rest, of the springs and hoop or ring for holding the upper ends of said springs, in the manner and for the purposes herein shown and described.

84,753.—LAPPET OR EMBROIDERING LOOM.—Frederick W. Newtown, South Orange, N. J.  
I claim, 1st, The combination of the pattern mechanism with the stitch mechanism, when the two are actuated by different powers, or are connected with the same power by intermediate gearings or attachment, so as to give to each mechanism a motion distinct from the other, substantially as described.  
2d, The friction rollers or cylinders, one or more, for the purpose of giving a definite yet adjustable quantity of whip yarn to the needles without tension, substantially as described.  
3d, The roller, J, of irregular or cam-shape, in combination with the pin and needle-bars, for the purpose of giving them an irregular rotation, substantially as described.  
4th, The combined ratchet and pinion-wheel, G, in combination with the rack, H, substantially as and for the purpose described.  
5th, The double wedge bar, I, for the purpose of regulating the quantity of whip yarn to be furnished to the needles, substantially as described.  
6th, The lever, n, in combination with the bar, O, and its pin for raising the double-wedge bar, substantially as described.  
7th, The traverse bar, M, in combination with the needle bar and friction rollers, substantially as described.  
8th, The combination pinion and friction wheel, N, in combination with the friction wire, substantially as described and for the purpose set forth.  
9th, The lever, e, with adjustable fulcrum, in combination with the traverse bar, M, and needle bar for regulating its movements, substantially as described.  
10th, The friction sleeve having an upright stand, in combination with the pattern and stitch wheels, and traverse lever, e, substantially as described.  
11th, The combination with the stitching mechanism, of the adjustable pawl, C, constructed and operating substantially as described.  
12th, The combination of the mechanism which makes the stitch with the mechanism which gives the whip yarn to the needles, arranged and connected substantially as described, so that the motion of the mechanism which gives off the whip yarn to the needles may be regulated and controlled by the stitching mechanism.

84,754.—PUMP.—Alozo Palmer, Hudson Mich., assignor to himself and N. H. Melcher.  
I claim the disks, J' K and J' K', in combination with the rings, G, G', bolt, H, rod, I, and plates, E, E', with their valves, arranged and used as and for the purposes set forth.

84,755.—SEAT FOR RAILWAY CARS.—G. W. Perry and J. D. Billings, Wilmington, Del.  
We claim, 1st, A seat, B, capable of longitudinal adjustment between side frames, A, A', in combination with a reversible back, which is connected by arms, H, to the side frames, turns on an adjustable fulcrum on said arms, and which may be joined to either edge of the seat, all substantially as and for the purpose described.  
2d, The back, J, with its slots, z, and pins, s, sliding in the said slots in combination with arm, H, joined to the side frames and to the pins, substantially as and for the purpose specified.  
3d, The bent rods, E, pins, m, at the ends, and sliding and turning at the sides of the seat, B, in combination with a reversible back, J, having openings, t, for the reception of the pins, m, substantially as described.  
4th, The rods, E, with the pins, m, and arms, n, in combination with the box, B', the slotted plates, h, and the traversing plate, F, connected to the arms, n, the whole being arranged and operating substantially as set forth.  
5th, The sliding seat, B, with its ratchets, o, o, in combination with the shaft, G, pulleys, k and q, and a worm, for operating the said shaft, substantially as set forth.  
6th, The frame, K, which is hung between the side frames, A, A', and to which are hinged arms, u, n, connected by cross strips, w, w, substantially as and for the purpose described.

87,756.—DOOR RETAINER.—G. W. Perry and J. D. Billings, Wilmington, Del.  
We claim a plate, a, having an opening for the reception of a block, F,

which rests upon springs, d, below the plate, the whole being constructed and operating substantially as and for the purpose described.

**84,757.—WAGON BOX.**—H. W. Persing, Centralia, Ill.  
I claim the combination and arrangement of the eccentrics, e, e, (the staples, ff, and the swivel, d, attached to the rods, c, c, substantially in the manner described, and for the purposes set forth.

**84,758.—GRIDIRON.**—Edward B. Phelps, New York city.  
I claim, 1st, The combined frames, F and F', with the central axle, E, in connection with the trough, K, and stop, N, operated and vibrated in the manner and for the purpose substantially as herein shown.  
2d, Providing reversible grippers with a trough, K, to operate and to be used for the purpose herein described.

**84,759.—WASH BOILER.**—D. A. Porterfield, New Paris, Ohio.  
I claim, in combination with the boiler, the conical or pyramidal spouts, as described, i, e, their bases resting in the bottom of the boiler, without the intervention of a horizontal partition, and so arranged as to admit the supply of water by spanning the sunken pit, or by means of an opening at the bottom, as set forth.

**84,760.—HORSE RAKE.**—Adam R. Reese, Phillipsburg, N. J.  
I claim 1st, The teeth, N, provided with the return arm, arranged relatively to and operating in connection with the rake head, substantially as described.  
2d, The shafts, E, E, when provided with the gains or notches, as set forth.  
3d, The standard, I, in combination with the transverse bars, H, H, arranged upon opposite sides of the shafts, E, E, said bars being provided with gains, and as set forth.  
4th, The bars, H, H, when provided with the gains as set forth.  
5th, The combination of the notched shafts, E, E, plates, G, G, axle, B, and bolts, F, F, substantially as set forth.  
6th, The combination of the notched bars, H, H, shafts, E, E, and bolts, K, K, all arranged and operating as set forth.  
7th, The removable cylinder, E, adapted to be secured to the axle by means of screws or pins, and removable for transportation, as set forth.  
8th, The spurs on the cleaner rods, for the purpose, and substantially as set forth.

**84,761.—STEAM ENGINE VALVE GEAR.**—Hugh Reid, St. Louis, Mo.  
I claim, 1st, The arrangement of the balanced piston valves, D1 D2, with reference to the exhaust cylinder, C, steam port, a, and exhaust ports, E and F, substantially as set forth.  
2d, The arrangement of the piston valves, D1 D2, with reference to the rod, G, G, pin, g, slot, h, and rod H, substantially as described.

**84,762.—SEED PLANTER.**—Isaac Rexford, Malone, N. Y.  
I claim, 1st, The combination of the side bars, D, bars or supports, G, seed box, H, dropping cylinder, E, and wheels, F, with each other and with the forward axle, B, said parts being constructed and operating substantially as herein shown and described, and for the purposes set forth.  
2d, The covers, J, constructed as described, and draft bars or chains, K, in combination with the seed box, H, substantially as and for the purpose specified.

**84,763.—CORN PLOW.**—W. C. Rhinehart and Robert Gaston, Oskaloosa, Iowa.  
We claim the inclined fenders, b, b, for protecting the reins of the driver from the action of the wheels, in combination with the inclined frame, b, substantially as set forth.

**84,764.—REVERSE MOTION FOR WINDING ON BOBBINS.**—George Richardson, Lowell, Mass.  
I claim the cam, B, yoke, C, reverse rod, E, springs, I, I', detent, G, and reverse catch, M, all combined, substantially as and for the purpose set forth.

**84,765.—LUBRICATOR FOR JOURNALS.**—C. M. Kied, Greensborough, Ala.  
I claim the screw, c, with its flange, C, frame, E, cog-wheel, D, cranks, G, pinion, F, spring, H, and dipper, I, in combination with the "housing," or "casing," when constructed and operating substantially in the manner and for the purposes set forth.

**84,766.—COMBINED HORSE POWER AND TRUCK.**—Cyrus Roberts and John A. Thorp, Three Rivers, Mich.  
We claim, 1st, The novel wheel, G, extended downward to the point, and in the manner represented for the purposes specified.  
2d, A horse power, having cogged wheels, A, D, E, and G, staples, B, disk, C, friction rollers, c, and shaft, H, in combination with a truck, constructed and operating as herein specified, substantially as described.

**84,767.—DOOR FASTENER.**—William J. Ross, Worcester, Mass.  
I claim the slotted bar, A, in combination with the catch, B, and hooked sliding bar, D, provided with the thumb or set screw b2, all constructed, arranged, and operated substantially as and for the purpose set forth.

**84,768.—GAS BURNER.**—Edwin P. Russell, Manlius, N. Y.  
I claim, 1st, The hollow cylindrical gas cock, B, constructed substantially as described, and operating as and for the purposes set forth.  
2d, The combination of pipes, a, and b, pipe or hole, z, and small cock, g, chamber, p, all as constructed, with the gas cock, B, substantially as described, and for the purpose set forth.  
3d, The away bar, C, in combination with rods, W, W', arms, f, f', for operating the cock, B, constructed substantially as described, and for the purposes set forth.

**84,769.—TRUSS.**—Woodbury Sanborn, Chelsea, assignor to himself and Bailey West, Chicopee, Mass.  
I claim, 1st, The shell, A, having a frame or spider attached to the inner side thereof, and provided with knobs attached to said spider, either with or without the cover, C, the whole constituting a truss, and constructed of the material substantially in the manner set forth.  
2d, The combination of the shell, A, the metallic frame or spider rigidly attached to said shell, and the T-shaped piece, F, pivoted to said spider, and mounted with knobs or buttons, the whole constructed substantially as specified.

**84,770.—SALVE FOR BURNS AND SCALDS.**—Andrew Schmitt, California, Mo.  
I claim the formation of a salve for the cure of burns, etc., in the manner and of the materials herein described.

**84,771.—HINGE.**—William Shannon, Allegheny City, assignor to himself and Joseph Graff, Pittsburg, Pa.  
I claim providing a hinge with a pintle, consisting of parts, C and D, the inner ends of which are upset, in the manner herein described and for the purpose set forth.

**84,772.—HINGE.**—William Shannon, Allegheny City, assignor to himself and Joseph Graff, Pittsburg, Pa.  
I claim, providing hinges with a pintle, C and D, made in two parts, the inner ends of which are beveled off at f, and provided with hooks, i, substantially as herein described and for the purpose set forth.

**84,773.—STEAM ENGINE CONDENSER.**—Joseph Shirt, and Charles Briggs, Tamworth, Great Britain.  
We claim a condenser, constructed and operating as herein described.

**84,774.—BEE-HIVE.**—John Shoe, Pleasant Hill, Ohio.  
I claim, 1st, The adjusting hinged inclined bottom, C, operating substantially as set forth.  
2d, The cap, B, provided with supports or strips, h, h, to which are attached hooks, catching into staples on the hive, for the purpose of removing the said top, substantially as described.

**84,775.—LAMP BURNER.**—A. G. Smith, Jersey City, N. J. Antedated November 27, 1868.  
I claim, 1st, In combination with the burner, A, and the cylinder, C, the ribs or projections, H, H, substantially as and for the purpose set forth.  
2d, The insulating ring, C, constructed with the flange, I, substantially as and for the purpose set forth.  
3d, In combination with the burner, A, and elastic ring, C, the detachable plate, E, or its equivalent, for the purpose of rendering the ring, C, easily removable.  
4th, The plate, E, secured to the wick tube, F, by a detachable device, substantially as set forth.  
5th, Keeping the plate, E, always in contact with its detachable fastenings, by means of the elasticity of the material of the ring, C, as set forth.

**84,776.—CULTIVATOR.**—Garland B. St. John, Brooklyn, Mich.  
I claim the securing of the standard, G, between the two beams, C, C, by means of the bolt, m, arms, n, n, and braces, H, H, all arranged substantially as and for the purpose set forth.

**84,777.—HORSE RAKE.**—George E. Sutphen, Louisiana, Mo.  
I claim the connecting rod, D, with seat, d2, when used in connection with spring, e1, upon rod, c3, as shown and described, and combined with the prop, C, having the door piece, c, and lever, D, the whole being operated, in connection with the handle, B, and rake, A, as and for the purposes described.

**84,778.—AUTOMATIC STOP FOR MINING CARS.**—James Tamblyn, Virginia City, Nevada.  
I claim the projections or stops, E, E, arranged with the levers, C, F, and spring, H, connected with the chain, G, and all applied to operate in the manner substantially as and for the purpose herein set forth.

**84,779.—PILE FOR RAILROAD RAILS.**—Thomas R. Taylor, Brodhead, Wis.  
I claim the improved pile for forming railroad rails, when constructed and arranged as herein described.  
Also, as a new article of manufacture, railroad rails, when produced from the improved pile herein described, as and for the purpose set forth.

**84,780.—TIMBER GRAPPLE.**—Moses N. Ward (assignor to himself, Benjamin S. Grant, and Thomas Hersey), Bangor, Me.  
I claim the combination and arrangement of the double eyed and shoulder-plate, B, made substantially as described, with the two pronged arms, A, A, pivoted to such plate, as set forth.

**84,781.—NUT MACHINE.**—Francis Watkins, Birmingham, England. Antedated Nov. 28, 1868.  
I claim the combination, with each other, of the reciprocating frames, D and E, stationary die, L, punches, F, J and K, slide, G, punch, H, and stop, I, all made, arranged, and operating substantially as and for the purpose herein shown and described.

**84,782.—BOLT MAKING MACHINE.**—Francis Watkins, Birmingham, England. Patented in England, December 28, 1866.  
I claim the machine, herein shown and described, of two bolt heading machines, constructed substantially as described, and so as to operate alternately, as set forth.

**84,783.—GUIDING ATTACHMENT FOR SEWING MACHINES.**—James Wensley New Brunswick, N. J.  
I claim, 1st, The pivoted gaze, E, and pivoted transparent presser, G, in

combination with the attachment, B, arranged and operating as described, for the purposes specified.

**84,784.—CHURN.**—Amos Westcott, Syracuse, N. Y.  
I claim, 1st, The combination and arrangement of the segment hoop, c, socket, h, h, with its projecting arms, k, k, and the vessel for the reception of the material to be operated upon, substantially as shown and described.  
2d, The combination of the segment hoop, c, and segment, b', substantially as shown and described.

**84,785.—REFRIGERATOR.**—Simeon Wheat, Middletown, and David B. Wheat, New York city, assignors to Frances M. Wheat and Ellen A. Wheat, Middletown, N. Y.  
We claim an improved refrigerator, formed by the combination of the double-walled case or body, A, detachable ice-box, B, waste pipe, C, cup, D, drip pan, E, hinge shelf, F, middle shelf, G, having its middle part cut away, and plaster of Paris lining, K, with each other, substantially as herein shown and described, and for the purposes set forth.

**84,786.—TRACK CLEARER FOR HARVESTERS.**—George W. N. York, Corry, Pa. assignor to the Corry Machine Co.  
I claim the combination of the track cleaver, V, and the finger-bar shoe, W, a curved or bent part of the track cleaver lying within a vertical mortise in an encircling part of the shoe, made and used as described, for grass and grain-cutting machines.

**84,787.—SHOULDER BRACE.**—Alexander Adamson, Washington, D. C.  
I claim the shoulder brace, consisting of a single elastic strap crossing its centre (where it is fastened), and forming the double loops, B, B, as herein described, and for the purpose set forth.

**84,788.—BEE-HIVE.**—Thomas R. Allen, Syracuse, N. Y.  
I claim, 1st, The frame holders, F, F, separately, and also in combination with the sills, a, a, substantially as and for the purposes described.  
2d, A, b, the same parts, in combination with the comb frames, c, c, substantially as described, and independent of and detached from the outside covering, C, D.  
3d, Also, the frame holder, F, constructed as described, in combination with the outer covering, C, and top, D, as set forth.

**84,789.—CAR MOVING.**—Fortune L. Bailey, Freeport, Ind.  
I claim the arrangement of lever, A, bars, I, I, and clamp, B, when combined with the gripping devices on the lower ends of the rods, I, I, as and for the purpose set forth.

**84,790.—MOWING MACHINE.**—L. D. Bidwell, Birmingham, Conn.  
I claim, 1st, The arrangement of the revolving cutters, d, in a revolving head, so as to give to the said cutters a double movement, substantially as herein described.  
2d, In combination with the above, the finger bar, P, constructed and arranged so as to operate in conjunction with the said cutters, substantially in the manner set forth.

**84,791.—APPLE QUARTERER.**—Clark E. Billings, Warren, Vt.  
I claim the arrangement herein described of the fixed knives, F, placed at right angles to each other, and having the central point, g, the plunger, B, hollowed out upon its under side, the plunger rod, C, guides, h, slotted lever, D, pin, i, spring, E, and stand, A, as herein set forth, for the purpose specified.

**84,792.—COMPRESSION COCK.**—G. E. Boissilier, St. Louis, Mo.  
I claim the valve, D, having a screw thread cut upon its outer surface, and furnished with a smooth socket, J, in which the squared end of the valve stem is seated, and a bearing disk, I, bearing against the under surface of the packing placed in the recess of the cap, B, and resting upon the lower packing disk, secured to the shell, A, by the screw cap, all arranged and operating as described, for the purpose specified.

**84,793.—"DRESSER COPPER" FOR WARP DRESSING MACHINES.**—W. H. Boyden, Rockland, R. I.  
I claim, 1st, The combination of the rack B, and wires, m, m, in a frame, A, substantially as and for the purposes specified.  
2d, The arrangement of the rack, B, frame, A, wires, m, m, thumb-screws, n, n, and clamp, I, substantially as shown and described.

**84,794.—ELEVATOR.**—William D. Brooks, Bethany, Pa.  
I claim the cap, b, and rod, a, for sustaining the siveled pulley, C, and a series of hooks, D, in combination with, and arranged, with relation to the adjustable gravity track, as herein set forth and shown, for the purpose specified.

**84,795.—BOTTLING MACHINE.**—Henry Carse, Pittsburg, Pa.  
I claim the screen, I, when the closing thereof is controlled by the downward motion of the filling head, and its opening by the receding motion of the corking piston or its carrying frame, through suitable mechanism, substantially as herein set forth.

**84,796.—MEDICINE.**—M. Cary, Racine, Wis.  
I claim the ingredients herein named, compounded and pressed substantially as and for the purpose specified.

**84,797.—SPADE.**—Michael Connolly, Newark, N. J.  
I claim the described construction of the spade, consisting of the blade, A, bent at its center, so that the two parts, a, b, shall form an obtuse angle with each other, and provided upon its upper end, next the handle, with the widened foot-rest, C, as herein described for the purpose specified.

**84,798.—PLOWSHARE.**—George W. Cooper, Geesee, Ga.  
I claim a cast-iron plowshare, A, made as described, without a landside plate, and with a concave front edge, substantially as and for the purpose set forth and described.

**84,799.—FLUTING MACHINE.**—William D. Corrister, New York City.  
I claim the described arrangement of the operating screw, C, spring, i, nut, h, and bent bar, D, as herein set forth, for the purpose specified.

**84,800.—HAY SPRADR.**—Thomas C. Craven, Albany, N. Y.  
I claim, 1st, The combination, with the ends of the central support, M, and caps, m, of the bars, N, substantially as and for the purpose set forth.  
2d, The combination of the bars, N, having irregular shaped ends, with the heads or disks, L, and central support, M, substantially as and for the purpose set forth.  
3d, The combination of the caps, m, with the central support, M, substantially as and for the purpose set forth.  
4th, The combination, with the frame or bearings which support the reel shaft of the eccentrics, E', substantially as and for the purposes set forth.  
5th, The combination, with the eccentrics, E' and side rail, A, or their equivalents, of the arms, p, springs, s, and pins, r, substantially as and for the purposes set forth.  
6th, The combination of the driving gears, K, with the wheels, F, substantially as and for the purposes set forth.  
7th, The combination, with the frame which supports the reel and the frame which connects the journals of the wheels, F, of adjusting screw, R, and nuts, v, v', substantially as and for the purposes set forth.  
8th, The combination, with the frame of the machine and the driver's seat, of a metallic or other suitable guard or shield, W, arranged substantially as and for the purpose set forth.  
9th, The combination of a hay tedder, of a triangular or three-barred reel, with caps, m, constructed substantially as shown and described.

**84,801.—ARTICLE OF PREPARED CODFISH.**—Elisha Crowell, New York city.  
I claim a new article of prepared codfish, made substantially as described.

**84,802.—STEP COVER AND WHEEL FENDER FOR CARRIGES.**—John Curtis, Cincinnati, Ohio.  
I claim the bracket, F, depending rigidly from the carriage door, in combination with the hinged flap, G, arranged and adapted to operate in conjunction with a carriage seat, in the manner and for the purposes set forth.

**84,803.—SCOOP.**—Thomas B. Davis, New York city.  
I claim a scoop, having its body, A, constructed out of a single piece of sheet metal, B, cut and bent in the form, and soldered, substantially as herein shown and described.

**84,804.—LABEL HOLDER.**—Chauncey A. Dickerman, New Haven, Conn., antedated Nov. 30, 1868.  
I claim the frame, A, through which is formed an opening, B, and upon the under surface, upon three sides of the opening, a, a, a, is formed, and so as to leave an opening through the end, C, for the insertion of the card, and having connected therewith a convex plate, D, the whole constructed and arranged so as to be applied and operate in the manner set forth.

**84,805.—BEE HIVE.**—A. P. Durant, Athens, Ohio.  
I claim the combination of the base or bottom, A, bars, B, B, and frames, C, D, side pieces, E, F, connecting bars, G, G, frame, H, and cap, I, all constructed and arranged substantially as herein set forth.

**84,806.—ELECTRO-MAGNETIC RELAY INSTRUMENT.**—Charles Durant, Jersey City, N. J.  
I claim, 1st, The curving of the shifting or sliding bolt, L, and also the curving of the opening in the armature or armature lever, through which opening said bolt moves and operates, substantially as and for the purpose herein shown and described.  
2d, The spring, U, in combination with the adjustable lever, V, or its equivalent, applied to the shifting or sliding bolt, L, moving through and upon the armature lever, substantially as and for the purpose set forth.

**84,807.—HARROW.**—O. W. Edwards, Bluffdale, Ill.  
I claim, 1st, The combination, with the beam, C, and shafts, B, of the harrow, of the spring, F, substantially as and for the purpose described.  
2d, The combination of the bushes, C, beam, C, shafts, B, and spring, F, as herein described, for the purpose specified.

**84,808.—SAFETY BRIDGE FOR RAILWAY CARS.**—Albert J. Elger, Kansas City, Mo.  
I claim, 1st, Two plates, B, B', one provided with a headed bolt, D, and the other with a slot, when hooked to the opposite ends of two railroad cars, substantially as and for the purposes herein set forth.  
2d, The pivoted hooks, E, E, held in place by the stirrups, I, I, and secured to the platform, A', by the eyes, F, F, in combination with the slotted plate, B', and plate, B, to operate substantially as herein set forth.  
3d, The combination of the plates, B, B', with the headed bolt, D, passing through the slotted plate, B', hooks, E, and C, stirrups, I, and eyes, F, all substantially as shown and described.

**84,809.—FEATHER REVENATOR.**—William H. Elliot, New York city.  
I claim, 1st, The arrangement and combination of the draft pipe, f, steam pipe, e, central partition, d, f, and diaphragm, g, as specified.  
2d, The combination of hollow bearings, k, diaphragm, g, and draft pipe, f, substantially as described.  
3d, The combination of the inlet, c, central pipe, f, with its tubes, r, diaphragm, g, and draft pipe, f, substantially as set forth.

**84,810.—WIRE FENCE.**—George William Ensminger, Richmond, Iowa.  
I claim, 1st, A portable wire fence, formed in sections, composed of the wires, A, movable posts, A1 A2, slats, B, supports, C, and corner posts, D D1, constructed as herein described.  
2d, The rods, K, and plates, k, and the screws, E, and nuts, e, in combination with the movable posts, A1 A2, and corner posts, D D1, arranged and operating in the manner herein described, and for the purpose specified.  
3d, The wires, H, and the screws, G, and nuts, g, in combination with the movable posts, A1 A2, and corner posts, D D1, arranged and operating in the manner and for the purpose herein described.

**84,811.—SHUTTER AND BLIND FASTENER.**—W. B. Farrar, Greensborough, N. C.  
I claim, 1st, The tumbler, E, in combination with the stop, G, both operating in connection with the bolt, B, as and for the purpose specified.  
2d, The combination and arrangement of the springs, F and G, plate, E, shoulder, H, pins, m, knob, e, and bolt, B, having the notch, b, when constructed to operate substantially as and for the purpose set forth.

**82,812.—BEEHIVE.**—James T. Fife, Tyner city, Ind.  
I claim, 1st, The lid, C, when so arranged as to cover the main hive, A, as well as the side boxes, B, B, and to lock the door to the main hive and the end doors to the wings, substantially as and for the purposes herein set forth.  
2d, The chamber, F, constructed as described, and provided with the entrance, k, for the bees to enter the chamber when hiving them, and with entrance, b, for the bees to enter from said chamber to the different honey boxes, substantially as and for the purposes herein set forth.  
3d, The combination of the side boxes, B, B, chamber, F, honey boxes, D, D, and E, ventilating chamber, o, frames, ff, and robber catcher, J, to make and constitute a complete beehive, substantially as and for the purposes herein set forth.  
4th, The arrangement of the case, A, and wings, B, B, with the chamber, F, honey boxes, D, D, and cover, C, all constructed and combined in the manner specified.

**84,813.—KNEE BOOT FOR HORSES.**—James Finlay, N. Y. city.  
I claim, 1st, The knee boot, A, constructed and provided as described, with fixed pads, a, a, and adjustable pads, c, c', to slide upon fixed or sliding straps, b, b', substantially as herein specified.  
2d, A knee boot, constructed with upward projection, A', for protection of the knee, and the leg above the knee, substantially as herein described.

**84,814.—APPARATUS FOR ILLUMINATING RAILROAD CARS, STEAMERS ETC.**—William Foster, Jr., and George P. Ganster, N. Y. city.  
We claim, 1st, Holding the gasoline in sponge, or equivalent absorbent material, on movable plates, substantially as and for the purposes herein set forth.  
2d, Receiving the gasoline in sponges, and exposing it to evaporation therefrom, by holding the sponges in layers in the several chambers, F G H, as and for the purposes herein set forth.  
3d, The perforated tubes, N, M, arranged as represented, in the chambers, F, G, and to the absorbent material, arranged as and for the purposes herein specified.  
4th, The movable platforms, f, g, etc., in combination with the absorbent material chambers, F, G, H, and bottom boards for conducting the air back and forwards through the same, and adapted to be moved vertically by suitable means, as herein specified.  
5th, The upright, K, and cam, J, in combination with the movable platforms, f, g, etc., and arranged to operate therewith, in the manner and for the purposes set forth.  
6th, The reinforcing chamber, E, containing a fresh supply of volatile fluid, arranged relatively to the evaporating chambers, F, G, etc., and their connections, substantially as and for the purposes herein set forth.  
7th, The wicking, e2, arranged as represented, relatively to the reinforcing chamber, E, cock, e1, and evaporating devices below, substantially as and for the purposes herein set forth.  
8th, The combination of a spring power or blowing mechanism, evaporating material, and absorbent material, forming an organized machine adapted to use in railroad cars, and analogous moving structures, with the advantages and for the purposes herein specified.  
9th, The method, herein described, of illuminating moving structures by means of a portable gas apparatus, holding volatile fluid in capillary tubes, and operating by a force independent of gravity, and without disturbance from inertia, all constructed, combined, and arranged, substantially in the manner and for the purposes herein specified.

**84,815.—INSTRUMENT FOR TREATING FISTULA, ETC.**—Edward F. Garvin, M.D., New York city.  
I claim, 1st, The hollow conical slotted tube, a, with two or more slots, substantially as and for the purposes described.  
2d, The cap, c, having the chamber, f, below tube, a, substantially as and for the purposes described.  
3d, The plunger, g, operating in the supplementary chamber, i, also expander, h, both operating with or without screws, substantially as and for the purposes described.  
4th, An expander, h, of equal diameter, operating in a conical tube of unequal diameter, as and for the purposes substantially as represented.  
5th, All the parts of the described instrument, singly or in combination as and for the purposes described.

**84,816.—BRICK MACHINE.**—Evans Geary, Harrisburg, Pa.  
I claim the arrangement herein described of the tempering tub, A, compression plunger, B, adjustable feeding box, C, cut off, f, tilting plate, o, open bottom molds, r, and sliding table, B, all operated as herein set forth.

**84,817.—MORTISING MACHINE.**—D. L. Gibbs, Worcester, Mass.  
I claim, 1st, The employment, with the treadle, D, of a mortising machine, of a catch or stop mechanism adapted to retain said treadle in its depressed position, without the aid of the foot, substantially as set forth.  
2d, The combination of the arm, J, spring, g, beak, and lever, K, in the manner described, the whole constituting a catch mechanism, arranged to operate in connection with the treadle, D, substantially as herein set forth.  
3d, The arrangement, with the main frame, A, of the treadle device herein described, and the devices for elevating and depressing the table, as shown and described.  
4th, The combination with the chisel arbor, O, of the hand lever, P, spring, S, and cam, I, having projection, o, as shown and described.  
5th, The arrangement with the guide frame, U, of the rack carriage, V, lever, 3, connecting rod, 4, standard, 15, stop, 11, weight and cord, 6, 7, stud S, pinion, S', and hand wheel, W, as and for the purposes set forth.  
6th, The arrangement in connection with the treadle rod, D', of the weight, D, and double grooved pulley, Z, and cords or chains, z, z', as shown and described.

**84,818.—HARVESTER RAKE.**—Mason Gibbs, Homer, Mich.  
I claim the pinion and head, G, placed on the reel shaft, B, in connection with the sleeve, C, sector, D, with the teeth, R, levers, H, L, and the cam, M, all arranged for joint operation, substantially in the manner as and for the purpose set forth.

**84,819.—STEAM ENGINEERY.**—William Goodwin, Boston, Mass.  
I claim the combination and arrangement of the steam cylinders, E, E, their pistons, and cranked shafts, g, g, with the driving shaft, B, gears, h, i, and several cranked shafts, as described.  
Also, the combination and arrangement of the two hollow or tubular annuli, D, with the series of steam engines, and their cranked and main shafts, B, gears, h, i, and frame, C, as set forth.

**84,820.—ROOFING COMPOSITION.**—Marion Gould, Chicago, Ill.  
I claim the combination of the ingredients herein named, compounded substantially as and for the purpose specified.

**84,821.—MATCH FOR LIGHTING CIGARS, AND FOR OTHER PURPOSES.**—Gustav Graetz, Alexandria, Va.  
I claim a match, constructed substantially as described.

**84,822.—IMITATION STONE FOR BUILDING PURPOSES.**—Thomas F. Hamilton, New Haven, Conn.  
I claim the herein described process for forming blocks with a wood foundation and cement covering, substantially as herein set forth.

**84,823.—CULTIVATOR.**—C. A. Harper, Wheeling, Ind.  
I claim, 1st, Connecting the wheel, D, to the cultivator beams or frame, A, by means of the hinged or jointed slotted plate or frame, E, substantially as herein shown and described, and for the purposes set forth.  
2d, Securing the flanged shaft, H, or clodder, in its bearings, by means of balls or heads formed upon the ends of said shaft, substantially as herein shown and described, and for the purpose set forth.  
3d, The combination of the swinging arm, J, with the rear end of the flanged shaft or clodder, H, and with the frame of the cultivator, substantially as herein shown and described, and for the purpose set forth.

**84,824.—BED SPRING.**—H. N. Hemingway, Rochester, N. Y.  
I claim the metallic holder, h, having double open sockets, c, (or holding the ends of the elastic loops, g,) and a projecting shank, s, with a lip, a, when constructed substantially as herein set forth, for the purpose specified.

**84,825.—FLY TRAP.**—James Hoover, Gratis, Ohio.  
I claim, 1st, The revolving circular plate or disk, B, constructed on its upper side with the S-shaped shoulder or elevation, C, arranged and operating substantially as and for the purpose set forth.  
2d, The employment of the trap door, F, provided with the spring bar, f, attached to bar F, and spring, g, secured to bar, g', constructed, arranged, and operated substantially as and for the purpose set forth.  
3d, Platform or casing, A, plate or disk, B, elevation or shoulder, C, casing or covering, D, flange or partition, d, trap door, F, spring bar, f, spring, g, bar, g', and reservoir, E, provided with opening, e, all combined, constructed, arranged, and operated substantially as and for the purpose set forth.

**84,826.—BEEHIVE.**—Henry O. Hughes, Judson, Mo.  
I claim, 1st, The lower or bottom part of the hive, A, constructed as described, in combination with the hinged and sliding inclined doors, c, c', and cone-like shaped piece or bottom, e, operated substantially as and for the purpose set forth.  
2d, The employment of the cut offs, D, D', constructed or grooved so as to change the draft or cut off from one part of the hive to the other, arranged and operated substantially as described.  
3d, Frame, B, outer and inner casings or walls, A, A', doors, c, c', bottom, e, comb frame, C, partition or floor, z, honey boxes, g1, g2, doors, h and a, and ventilating cut offs, D, D', all constructed, arranged, and combined, substantially as described.

**84,287.—CABLE SHACKLE FOR BRIDGES.**—Theodore G. Hu-lett, Niagara, N. Y.  
I claim the adjustable cable shackle, constructed and operating substantially as described.

**84,828.—POTATO DIGGER.**—Marion Jacobs, Sturgis, Mich.  
I claim the arrangement of the plows, A, with the knives, D, F and G, forming the digger, all as shown, and for the purposes described.

**84,829.—CARRIAGE LOOP AND BILLET COVER.**—Nicholas Jenny, Jr., Pittsburg, Pa.  
I claim the metal sockets or receptacles into which the straps, B, B, are inserted, and provided with flanges, b, b, and rivets, b', b', in combination with the straps, D, D, and metal plates, C, C, all constructed, arranged, and operated as and for the purpose set forth.

**84,830.—COFFEE URN.**—George Jones, New Haven, Conn.  
I claim, in combination with the perforated cylinder, C, within the body, A, of the urn, the arrangement of the annular chamber, B, and flange, a, of the cover, without communication from the chamber, B, to the urn below, substantially as and for the purpose set forth.

**84,831.—OX BOW PIN.**—Henry P. Judson, Bethlehem, Conn.  
I claim, 1st, The self-acting wire side springs D D when constructed and

operating as and for the purpose specified.

**84,832.—STEAM ENGINEERY.**—William Goodwin, Boston, Mass.  
I claim the combination and arrangement of the steam cylinders, E, E, their pistons, and cranked shafts, g, g, with the driving shaft, B, gears, h, i, and several cranked shafts, as described.  
Also, the combination and arrangement of the two hollow or tubular annuli, D, with the series of steam engines, and their cranked and main shafts, B, gears, h, i, and frame, C, as set forth.

**84,830.—COFFEE URN.**—George Jones, New Haven, Conn.  
I claim, in combination with the perforated cylinder, C, within the body, A, of the urn, the arrangement of the annular chamber, B, and flange, a, of the cover, without communication from the chamber, B, to the urn below, substantially as and for the purpose set forth.

**84,831.—OX BOW PIN.**—Henry P. Judson, Bethlehem, Conn.  
I claim, 1st, The self-acting wire side springs D D when constructed and

arranged as described, in combination with the pin C, and cross head, B, substantially in the manner and for the purpose set forth.

24. The peculiar method, herein described, of attaching and supporting the side springs, consisting of the pipes E, and hooks, A, in combination with the cross head, B, and loops, E, as and for the purpose specified.

84,832.—CLOTHES BOILER.—D. Kellogg, Ypsilanti, Mich.

I claim the removable caps, D, with their branch spouts, f, when combined with the perforated and slotted plates, a, b, as herein shown and described.

84,833.—HARVESTER RAKE.—Wm. A. Kirby, Auburn, N. Y.

I claim, 1st, A combined rake and reel, the arms of which are capable of having a rolling motion on their axes, and in which any arm acting at the time being as a beater, or all of the beaters, can be raised or lowered while acting as such, by the operator riding on the machine, so that it or they may pass over the grain on the platform at any desired height, substantially as described.

2d, Also, in a combined rake and reel, in which any arm thereof may be a rake or a beater, at the will of the operator, the so constructing and arranging the cam ways so that the arm that acts as a rake shall pass over the platform at a uniform fixed height, while the arms that act as beaters may be raised or lowered in parallel lines, to pass over the grain on the platform at such height as the operator may desire, substantially as described.

3d, Also, hanging the arms of a combined rake and reel at points remote from the center of motion of the wheel or head that carries them, so that in dropping or rolling the rake or beater arms into their working position they shall do so in a direction contrary to that in which the wheel, frame, or head that carries them is moving, and so that they may roll into a position to reach the adjustable-hinged lifting and lowering cam way, when used as beaters, and pass beyond or outside of it when used as a rake substantially as described.

4th, Also, uniting a series of rakes and beaters to their journals, respectively, by curved or bent axes, crossing each other, one bent upward and the other downward, for the purpose of getting the centers of motion of the beaters or arms all in the same plane, so that they may all receive a uniform motion from the cam ways that guide or influence them, substantially as described.

5th, Also, the combination of the sleeve with its hinged dogs, the forked latch, K, and the cam wheel, J, for the purpose of enabling the operator on the machine to throw the arm that has been acting as a rake out, and hold it out, or to allow it or any other arm of the series to run into action as a rake while the remaining arms of the series act as beaters, substantially as described.

6th, Also, in combination with a series of arms that have a revolving, rising-and-falling, and a rolling motion on their journals, a hinged cam way that may be raised or lowered, to raise or lower the beaters, by means of a lever extending therefrom, so as to be within the reach of the driver upon the machine, substantially as described.

7th, Also, in combination with a series of arms, one of which acts as a rake, and the others as beaters, a series of hinged dogs, G, one of which shall serve to adapt an arm specially to raking, while the others shall adapt the other arms specially to reeling in the grain, substantially as described.

84,834.—HORSE SHOE.—Kudolph Laporta, New York city.

I claim the combination of the screw bar, C, with the nut, E, cross bar, H, and the calks, I, with the shoe, A, which constructed and arranged to operate together substantially in the manner and for the purpose described.

84,835.—APPARATUS FOR MAKING PAPER BOXES.—Francois Leclere, Boston, Mass.

I claim for the purpose specified, the described process of using thin pulp in high columns over pervious formers, substantially as set forth.

Also, the combination of the wheel, b, with cylinders, r, arranged to rise and fall over the formers, m, substantially as and for the purpose set forth.

Also, the combination of the wheel, b, and slides conveying the formers, m, with inclined to move the slides outward and inward, as the wheel revolves, substantially as and for the purpose set forth.

Also, the combination with the cylinders, r, and their conveyer, b, of the valves, o, and the incline, cl, operative thereon, substantially as and for the purpose set forth.

Also, the process of condensing the pulp on the former, and expelling the water therefrom against atmospheric pressure by covering the pulp-covered former with a close vessel, dl, and admitting therein air under pressure, substantially as and for the purpose set forth.

Also, the process of removing the paper from the pervious former, by covering the pulp on the former with a cap fitting thereon, and admitting an air-blast within the former, substantially as and for the purpose set forth.

Also, the process of removing the paper from the cap which received it from the former, and for transferring the paper to a receiving block, by covering the receiving block with the cap, and admitting an air blast into the cap, substantially as and for the purpose set forth.

84,836.—BOTTLE-FILLING APPARATUS.—John Matthews, Jr., New York city.

I claim, 1st, The combination of a sirup pump or charging device with the filling head or corking plunger of a bottling machine, in such manner that said pump or charging device is operated directly by the filling head or its corking plunger, to admit sirup or other flavoring mixture to the bottle, while the aerated water, or other liquid to be sweetened or flavored is separately supplied to said bottle as it remains under the filling head, substantially as specified.

2d, The arrangement, essentially as described, of the sirup pump or charging device made adjustable, to regulate its charge, as specified, with the filling head or corking plunger, for operation together, substantially as herein set forth.

84,837.—ROTARY HORSE BRUSH.—W. W. McKay, Ossian, Iowa.

I claim, 1st, The combination, in a frame of a rotary brush, and a slide arranged for communicating rotary motion to the brush, alternately in one direction and the other, as and for the purpose described.

2d, The brush, D, arranged in combination with the frame, A, so as to be readily attached to and detached therefrom, substantially as and for the purpose described.

3d, The combination with the brush, D, of the adjustable scraper, F, substantially as and for the purpose described.

4th, The arrangement of the brush, D, frame, A, pulleys, E, cords, D', and slide, C, substantially as and for the purpose described.

84,838.—BRIDLE.—John McKibben, Lima, Ohio. Antedated December 1, 1898.

I claim the reins, E, provided with the stops, h, in combination with the bit, having its side bars, a, provided with guides, ff, for the reins to pass through, and the tubes, e, at the rear edges of the blinders, through which the reins also pass, all arranged substantially as and for the purpose set forth.

84,839.—EXTENSION LADDER.—Warren Morehead, Parkersburg, W. Va.

I claim the arrangement of the sliding ladder, B, constructed as described, triangular ladder, A, with its guides, d, d, and the latch, D, and slide, E, all constructed and operating as shown and described.

84,840.—ENVELOPE.—Charles R. M. Pohle, Richmond, Va. Antedated November 30, 1898.

I claim the closing of the envelope by the action of the double seal, substantially as described.

84,841.—WATER ELEVATOR.—L. Raymond, Greene, Ohio.

I claim the combination of the swin or trapeze, F, the inclined guide, G, and the cords and pendants, D E, all substantially as and for the purpose set forth.

84,842.—FLOUR COOLER.—Joseph S. Reynolds, Wauconda, Ill.

I claim the arrangement herein described, of the shaft, B, and agitators, D D, with the cooling pans, A, provided with spouts, a' a', near their peripheries and screw conveyers, C, as and for the purpose set forth.

84,843.—BRIDLE BIT.—William S. Robbins, New Bedford, Mass.

I claim, 1st, The inner bit, B, attached to the outer concave bit, A, by means of the curved end springs, b, whereby the inner bit is adapted to be drawn out of the bit, A, its entire length, and parallel with said outer bit, as herein described for the purpose specified.

2d, Attaching the bridle to the outer bit, A, and the driving reins to the inner bit, B, as herein described for the purpose specified.

84,844.—HAND SUPPORTER FOR PIANOS, ETC.—Charles Sangalli, New York city.

I claim the apparatus hereinabove described, or its equivalent, suspending the hands or resting the wrists, without hindering the free movements of the fingers and playing thereby the hand or wrist, and in consequence thereof, the fingers upon the key board in the position desired, at the same time unimpeding all the motions required to be made to use the same, and to play upon an instrument, as above described.

84,845.—DIRS FOR MAKING CARRIAGE AXLES.—W. W. Simmons, Birmingham, Conn., assignor to himself, R. M. Bassett and T. S. Bassett.

I claim the dies, E, constructed as shown and described, for the purpose hereinbefore set forth.

84,846.—PUMP.—Oscar Snell, Williamsburg, Ohio.

I claim, in combination with the pump proper, A, the valve chest, F, constituting also an air chamber, the side valve, G, tube, K, and discharge pipe, L, when constructed and arranged to operate in the manner and for the purposes herein set forth.

84,847.—PLANING MACHINE.—Henry D. Stover, New York city.

I claim the frame of a planing machine, constructed in the manner described, so that the arm cutters, F, may operate simultaneously with the cylinder, D, substantially as and for the purpose set forth.

2d, The oscillating clamp, R, when constructed in the manner and for the purpose described.

3d, The adjustable brackets, N, in combination with the frame, E, for supporting the driving shaft, O, and tighteners, when constructed and arranged as described.

4th, The clamp, R, when provided with a single hook at each end, to take hold of plus inserted in the sides of the carriage, as described.

5th, The iron uprights, E, in combination with a bed, A, when such bed is used for the support of the vertical and horizontal cutters, D and FF, in the manner described add for the purpose set forth.

84,848.—HYDRANT.—Solomon Tice, Cincinnati, Ohio.

I claim the combination, substantially as described, of the open-ended and perforated cylinder, A, a chamber, B, inlet pipe, C, discharge pipe, D, collar, E, valve seat, F, packing G, stem, K, plunger, M, valve, F, and contracted passage, P, all substantially as described, and for the object explained.

84,849.—CLOTHES DRYER.—Jarvis B. White, Detroit, Mich.

I claim the clothes dryer, consisting of the standard, A, part, C, hinged near the foot of standard, A, and carrying the clothes rack, D E F, straps, G, and windlass, H, all arranged and operating substantially as and for the purpose set forth.

84,850.—APPARATUS FOR CLEANING RAGS.—George L. Witsell, St. Louis, Mo., assignor to himself and T. L. Bates, Philadelphia, Pa.

I claim an apparatus for the uses specified, consisting of the cisterns, pipes, stopcocks, and air pumps arranged for operation substantially as set forth.

REISSUES.

77,476.—MACHINE FOR MAKING NUTS.—Dated May 5, 1868; reissue 3,223.—Matthew H. Foster and Hubert C. Hart, Unionville, Conn.

We claim, 1st, The combination of the sliding bed, B, with the mechanism for cutting, the mechanism for forming, and the mechanism for punching and swaging, substantially as described.

2d, The arrangement of the formers, ff', the blocks, k' k3, the set, t, the die, x, and the punch, p, constructed and operated as herein described.

3d, The peculiar arrangement of the cams, a b c d e s s' F, by which the several parts of the machine are made to operate at the proper time, substantially as herein set forth.

4th, The improved nut machine, consisting of mechanism constructed, combined, and arranged substantially as herein set forth.

82,683.—CHILDREN'S CARRIAGE.—Dated Oct. 6, 1868; reissue 3,224.—Francis Boviston, New York city.

I claim, 1st, The combination and arrangement of the fixed axle, A, having two revolving wheels, and sills or supports, B B, when the same are attached to the front part of a children's carriage or perambulator, substantially in the manner herein shown and set forth.

2d, Attaching the fixed axle, A, to the supports, B B, by means of the brackets, C C, and secured by the screws, a, a, or their equivalents, the whole of the parts being made and combined with a children's carriage or perambulator substantially in the manner herein shown and described.

3d, The arrangement and arrangement of the fixed axle, A, having thereon two loose wheels, D D, brackets, C, C, and sills or supports, B B, the whole being made and combined, with respect to each other and to a children's carriage or perambulator, substantially as and in the manner herein shown and set forth.

45,302.—APPARATUS FOR CARBURETING AIR.—Dated Feb. 7, 1865; reissue 3,225.—Edmon L. Mix, Rochester, N. Y., and the Monumental Automatic Gas Machine Company, Baltimore, Md., assignees by mesne assignments of Hugh L. McAvoy.

We claim, 1st, An apparatus for carbureting air, and enriching other gas, in which the carbonaceous matter is enclosed within an air forcing apparatus, consisting of a gravitating air holder and water receptacle, substantially as described.

2d, Manufacturing air gas by the described mode of using a holder, C, to contain air, receive the carbonaceous matter as it rises from the oil in the form of vapor, and force the gas into a pipe, wherein it is conducted off, as explained.

3d, The plate, E2, employed in connection with the pan, E, to cause the air to pass to the pipe, B, in contact with the oil, and in a state of compression, substantially as described.

4th, The sealing device consisting of the cup, F, cylinders, G G', and a body of liquid between the latter, substantially as described.

5th, An apparatus for carbureting air, in which a vessel holding the hydrocarbon liquid is contained within the gasometer, in contact with the water in the cistern thereof, substantially as and for the purposes set forth.

25,978.—TACKLE BLOCK.—Dated Nov. 1, 1859; reissue 1,534, dated Sept. 8, 1863; reissue 1,932, dated April 11, 1865; reissue 3,226.—Isaac E. Palmer, Hackensack, N. J.

I claim the construction of a tackle lock and pulley, whereby the rope or cable, when desired, may be clamped between a portion of the pulley and a portion of or surface connected with the block, substantially as herein described, by simply leading it in a direction oblique or lateral to the plane of revolution of the pulley, without tying, or the use of dogs or movable stops, or any other means of fastening.

30,446.—MAGAZINE FIRE-ARM.—Dated Oct. 16, 1860; reissue 3,227.—Winchester Arms Company (assignees by mesne assignments of W. Tyler Henry), New Haven, Conn.

We claim, 1st, A combination with the hollow breech pin, the spring catch m, on the breech pin and the piston, arranged for central or rim fire, or both, substantially as and for the purpose set forth.

2d, In combination with the carrier block, E, and the spring catch, m, placed on top of the breech pin, the spring catch, n, on the side of the carrier block, near the rear end, as shown at 45, fig. 4, as to strike the cartridge forward of the center, and thus raising the forward end of the cartridge, while the rear end is held down by the spring catch, tripping it over and freeing it from the spring, and ejecting it from the gun, substantially as described.

DESIGNS.

3,277.—SNUFF BOX.—F. C. Heiser, Brooklyn, E. D., N. Y.

3,278 to 3,290.—CARPET PATTERN.—Elemer J. Ney (assignor to the Lowell Manufacturing Company), Lowell, Mass. Thirteen Patents.

EXTENSIONS.

MANUFACTURING LEATHER BANDING FOR MACHINERY.—George Miller, Providence, R. I. Letters Patent No. 11,902, dated Nov. 7, 1884.

I claim my improved manufacture of round banding, as made substantially as described, that is to say, by reducing a strip of leather or other suitable material, to the shape denoted in fig. 1, and subsequently rolling and cementing together the rear ends, as shown at 45, fig. 2, of the drawings hereinbefore mentioned.

BUCKLE.—Stephen E. Booth, Orange, Conn., administrator of S. S. Hartshorn, deceased.—Letters Patent No. 11,892, dated Nov. 7, 1884; reissue No. 2,955, dated May 26, 1888.

I claim, 1st, A buckle in which the tongues are formed from a single piece of metal, and constructed so as to clasp the divided side and turn freely thereon substantially in the manner herein set forth.

2d, The combination of the two parts or loops, one side of one of which is divided, and the two parts or loops, hinged together, as described, and the tongue and hinge, as herein shown and described, as set forth.

SHINGLE MACHINE.—Harry H. Everts, Chicago, Ill.—Letters Patent No. 11,858, dated Oct. 31, 1884.

I claim placing the blocks to be sawed into shingles in a rotating carriage, which is combined with inclined tables, p p (or a single table), and with saws o o (or a singlesaw), in such a manner that the blocks will be carried continuously forward and be automatically operated upon to convert them into shingles, substantially as herein set forth.

I also claim the arrangement of the weighted levers, H H, the fastening teeth, I, and the inclined planes, I, with each other and with the inclined tables, p p, and the other series of teeth in the ledge, r, substantially as herein set forth.

I also claim presenting the sides of the fibers of the wood to the action of the saws in the sawing of shingles, or equivalent articles, for the purpose of giving them smoother surfaces than can be produced by the usual mode of sawing, substantially as herein set forth.

DAGUERRETYPE CASE.—Eliza Mascher, Philadelphia, Pa., administratrix of John F. Mascher, deceased.—Letters Patent No. 9,611, dated March 8, 1853; additional improvement No. 134, dated Feb. 19, 1856.

I claim the arrangement of the camera, with an adjustable lens, or supplementary lid, C, said flap or lid, C, being within the case, and having two ordinary lenses, D D, placed in it, by which, upon adjusting the flap or lid as shown, a stereoscope is formed of the case, and the two daguerreotypes, E E, by binocular vision, are apparently formed into a like figure.

ADDITIONAL CLAIM.—The combination and arrangement of a series of leaves, of any suitable material, containing photographic or other pictorial representations of persons, objects, or printed leaves, with the supplementary lid or adjustable flap containing a lens or lenses as described, the same being united or bound together so as to form a book, substantially in the manner and for the purposes described.

LOOM FOR WEAVING FIGURED FABRICS.—George Crompton, of Worcester, Mass.—Letters Patent No. 11,933, dated November 14, 1854; reissue No. 639, dated December 28, 1858.

I claim combining with hook jacks which are connected with the harness, and with the mechanism for operating them to open the shed, substantially as described, a pattern chain, or shuttle, consisting of a series of links, with the terms, and operated so that either of the patterns can be made to act on the hook jacks to place them in the required position to be operated upon by the mechanism for opening the shed, substantially as described.

I also claim, in combination with a pattern chain, arranged with two or more patterns in the direction of its length, the mechanism, substantially as herein described, for changing the movements of the chain to effect the changing of one pattern, as described.

I also claim placing two or more patterns upon the rods of a pattern chain, side by side, and operating them in succession by vibrating the chain laterally, in the manner substantially as described.

I also claim pivoting the lifting and depressing rods, G P at one end, the other being made adjustable, in the manner and for the purpose set forth.

And I also claim, owing the rods or sticks, in contact with the rollers on the pattern chain before the chain is moved, by means of what are termed the vibrating fingers, or the equivalents thereof, substantially as described.

SEWING MACHINE.—Charles Parham, of Philadelphia, Pa. Letters Patent No. 11,971, dated November 21, 1854; reissue No. 1,562, dated November 8, 1863.

I claim, 1st, So forming and constructing the shuttle driver of a sewing machine that, while it performs the required duty of driving the shuttle, it serves to maintain the latter in the desired proximity to the plate, C, as set forth.

2d, The combination of the driver, A, shuttle, B, and stationary plate, C, the whole being formed and arranged substantially as described, so as to retain the shuttle during its flight in its proper position for the purpose specified.

PRESSER BAR FOR PLANING MACHINE.—Clara M. B. Snow, of Independence, Iowa, executrix of Harvey Snow, deceased.—Letters Patent No. 11,984, dated November 21, 1854.

I claim combining the pressure bar, H, with the rotary cutters, so as to secure the same relative position of the inner edge of the bar, and the path of the cutting edge in holding and cutting the surface of a board throughout its varying thickness, substantially as described.

ANCHOR.—Samuel H. Miller, Dedham, Mass.—Letters Patent No. 9,076, dated June 29, 1852.

The nature of my invention consists in having two separate shanks (marked, A and B, in fig. 1 of the enclosed drawings) and flukes to them, C and D, the shanks being confined together near the rings by the bolt, E, secured at one end by a large head, and at the other by a strong nut or key, F, and separated at their elbows or crowns the length of one of the flukes by a spur or brace projecting from the shank, A. In the other shank, B, there is a hole through which the end of the spur, G, passes, and is secured by a nut or key at H. The flukes are pointed in opposite directions, so disposed that, when the anchor is used for the purpose of holding, one of the flukes in the ground.

geared as in fig. 2 of the drawings, becoming in effect a double "mooring anchor," which sinks with certainty both flukes in the ground by attaching to the middle of the spar chain, I, which connects the two elbows, and is twice the length of one of the flukes, an empty beef barrel, small water cask, or anything of sufficient buoyancy to insure the turning of the flukes down by its resistance to the sinking of the anchor. To this chain the buoy rope is also made fast. In many ports ships are obliged to lie moored, and much inconvenience is experienced with the old form of anchor, by the fluke which stands up from the ground catching the cables of the ships as they sheer about with the wind or tide. In my anchor this difficulty is entirely obviated, for when the flukes are sunk in the mud, there is nothing above the ground which can catch a chain or hawser. In anchoring upon a lee shore, the anchor, being disposed as above, will take a double hold of the ground, thus rendering the anchorage more secure.

Specification 4.—If one of the flukes or shanks should be broken near the elbow or crown, (the place where they usually break), this anchor can yet be made available by lashing a spar of the length of the shank and one fluke, across the remaining shank, to the spur or brace, G, as in fig. 3. It then becomes the same as the common one fluked mooring-anchor, and can be used in the same manner, or as the double anchor described in the third specification, by securing to the ends of the spar a temporary stock, a rope or twice its length, and from the middle or height of that extend another to the ring at the elbow, then at the bight, or where the ropes are united, secure a buoy or small cask, and let go the anchor, the fluke will strike the point into the ground. Or it can be lowered down by a rope made fast to the elbow or crown, as is the mode with the mooring anchor now in use. In the old form of anchor, if the shank is broken, both flukes are lost, and the anchor is useless.

Specification 5.—It is frequently necessary to carry out anchors in boats; which service, if in the night time, or in a heavy sea, is always attended with great peril, because of the anchor stock lying athwart the boat's gunwales, embarrassing the men in rowing, and its liability to turn, and the stock catching in the boat's quarter, when about to be let go. In carrying out this anchor of my invention, there is no such danger. There being no stock, it lies along the middle of the boat, with flukes over the stern, and when the hawser is run out, the anchor follows, without the possibility of fouling or catching in the boat.

Specification 6.—By the mode in which this anchor is made, greater strength is insured than can be obtained in the old one with the same weight, each shank and fluke being in shaft forged into shape, and then heated at the proper place, and bent into the form requisite, without the necessity of welding any part but the spur or brace of the stock. In the old anchor there must be a weld (and commonly there are two) at the crown; and there they most frequently break.

Specification 7.—While making a passage, this anchor can be readily stowed by withdrawing the key, H, and lifting the shank, B, from the spur, G, and laying it upon the shank, A. The anchor, thus closed, occupies but little space. This can be done while the anchor hangs at the cat-head, and with great ease than when on the deck, by taking out the key, drawing off the shank, B, and allowing it to drop to its fellow. Then, by the tackle hooked to the spur chain, it is taken over the ship's side.

Specification 8.—In case of extremity this anchor can be separated and used as two, by lashing across the shank, A, at G, a spar for a temporary stock, and driving through the hole in the shank, B, at H, a handspike, and lashing thereto a spar, as on the shank, A; then rig them with buoys, as described in specification 4, and illustrated in fig. 3. Thus arranged, the anchor being provided with two rings, can be shackled to two chains or cables, thereby securing greater safety to the ship than if moored with but one.

What I claim as my invention, and desire to secure by Letters Patent, is the above described anchor for holding ships.

Mrs. A. St. John, of Rochester, says that, during the past ten years, she has made more than three thousand five hundred vests with her Wheeler & Wilson machine, besides doing her family sewing, and that she has made over twelve hundred vests with the needle now in use.

MANUFACTURING, MINING, AND RAILROAD ITEMS.

The Bennington and Rutland Railroad Company are to extend their road to the marble quarries at West Rutland.

A single rubber manufactory in Providence, R. I., employs five hundred hands.

The lumbermen at Burlington, Vt., have adopted the ten hour system.

Mile posts are now being erected on the line of the Concord Railroad.

The earnings of the Central Pacific Railroad for October exceeded \$800,000.

Business and Personal.

The charge for insertion under this head is one dollar a line. If the Notices exceed four lines, an extra charge will be made.

A rare chance for business investment is offered in the sale of a foundry and machine shops at New Haven, Conn. The oldest in the State. Reputation established. See advertisement, back page.

Extension table—self-acting. All the leaves and means of operating them, contained in the frame of the table. Rights for sale. Send for circular, to Chas. F. Pease, Boston, Mass.

Send \$1 to Milton Bradley & Co., Springfield, Mass, for series No. 6, Zoetrope Pictures.

Peck's patent drop press. Milo Peck & Co., New Haven, Ct.

Wanted to purchase a set of pulley patterns, either in the rough or finished state, ranging from 6-in. to 40-in. diameter, with 8-in. facers. Any person having the same for sale will please address W. P. S., No. 31 Reed st., Pittsburgh, Pa.

Manufacturers and machinists wishing to purchase planing or shaping machines, drills, lathes, or steam engines, will find it for their interests to consult the advertising columns, back page, of this paper.

Wanted—A new or 2d-hand machine for finishing and putting up merinos and other piece goods. Send price and description to Teasdale Bros., Cincinnati, Ohio.

Look out for orders, manufacturers and machinists. See manufacturing news of the United States in Boston Bulletin, which will post you where to solicit them. The Commercial Bulletin, Boston, \$1 a year. Advertisements 17c a line.

Millstone-dressing machine, simple and durable. Also, Glaziers' diamonds, and a large assortment of "Carbon" of all sizes and shapes, for all mechanical purposes, always on hand. Send stamp for circular. John Dickinson, 64 Nassau st., New York.

Wanted—A good man, thoroughly posted in the working of spoke and wheel-making machinery, as foreman in a wheel factory at Marietta, Ohio. A good salary will be paid to one who can come well recommended. Address F. W. Minshall, Sec., Postoffice box 204, Marietta, Ohio.

See A. S. & J. Gear & Co.'s advertisement elsewhere. Keep posted.

For descriptive circular of the best gear bar in use, address Hutchinson & Laurence, No. 8 Dey st., New York.

For Hackle Pins, etc., address J. W. Bartlett, 569 B'dway, N.Y.

For solid wrought-iron beams, etc., see advertisement. Address Union Iron Mills, Pittsburgh, Pa., for Lithograph, etc.

Portable pumping machinery to rent, of any capacity desired, and pass sand and gravel without injury. Wm. D. Andrews & Brother, 414 Water st., New York.

N. C. Stiles' pat. punching and drop presses, Middletown, Ct.

Prang's American chromos for sale at all respectable art stores. Catalogues mailed free by L. Prang & Co., Boston.

The paper that meets the eye of all the leading manufacturers throughout the United States—The Boston Bulletin.

Winans' Boiler Powder, N. Y., removes and prevents incrustations, without injury for foaming; 12 years in use. Beware of imitations.

**Improved Lathe for Dentists, Model Makers, etc.**

Dentists, amateurs, and others who use the foot lathe, experience more or less annoyance from their inability to stop the head spindle suddenly, the momentum of the fly wheel being difficult to overcome. This entails a great loss of time, particularly if the work is to be examined frequently. The lathe herewith represented is intended to obviate these objections.

The driving shaft, carrying the cone pulleys and a small fly wheel, is mounted in a frame, A, under the head stock of the lathe, and is pivoted on stands secured to the rear bar of the lathe, so that the frame, with shaft and wheels, may be raised or lowered to a certain extent.

The wheel shaft projects beyond the end of the lathe, and carries a fixed ratchet wheel at the extreme end. Between the ratchet and the box of the shaft is a flanged pulley, turning loosely on the shaft, sufficiently wide to receive two narrow belts side by side. One of these is attached to the long arm of a pendulum lever, B, the shaft, C, being its fulcrum. To the other, or short arm of the lever, is pivoted the rod that connects with the treadle at D. Another narrow belt, which the flanged pulley receives, is fastened at one end to a guide bar or bow, E, pivoted to the long or lower arm of the lever, B. The other end of both these belts is secured to the face of the loose-flanged pulley, in such a manner that when one is wound on the pulley the other is unwound, as when the foot of the lever is furthest from the shaft the strap secured to B is run out, while that secured to E is wound up. A spring, G, balances the weight of the treadle and its appurtenances. A pawl and light spring on the outer head of the flanged pulley serves to make connection between the loose pulley and shaft by means of the ratchet. A bell-crank lever at H connects by a rod with the pivoted frame, A, by which the frame can be raised to slacken the belt, or lowered to tighten it. When raised, the driving belt will be slackened, so that the spindle may be instantly stopped. The treadle stops as soon as the foot is removed, and always at the highest point, while the driving shaft continues to revolve. It is evident that a very high speed may be obtained by this contrivance, while the stroke of the operator's foot may be of any limit required.

E. P. Rider, 220 Center street, New York city, manufactures these lathes largely to order for model makers, mathematical instrument makers, watchmakers, etc.


**Improvement in Oiling Shaft Bearings and Loose Pulleys.**

Some months ago we took occasion to speak, through our columns, on the enormous waste of lubricating oil in shops and manufactories, referring not only to oil used for tapping, cutting bolts, turning, and polishing, but to the waste in lubricating journals and bearings. The ordinary way of filling the cup on the top of a box, eccentric, or strap of a connecting rod, must of necessity entail a large percentage of waste. Centrifugal force throws the oil from the shaft, and it escapes from the box of a shaft at the ends and drops to the floor or is received into drippers. If contained in a cup on an eccentric, or strap embracing a wrist pin, the oil is thrown, in the same way, from the shaft rather than toward it. Loose pulleys, especially, waste the oil intended for their lubrication. At every revolution the oil is thrown out through the holes made for its reception.

If cotton waste or other porous material is used to retain the oil and conduct it to the frictional surface, it soon becomes foul and needs to be frequently changed and fresh oil introduced. All the usual methods of oiling introduce the oil to the surface of the shaft from the outside; but the plan represented in Fig. 1 of the engravings is entirely different; the oil is placed in the center of the shaft and is fed or thrown outward to the surface. The engraving represents the ordinary counter shaft for a screw-cutting engine lathe, part of it in section and part in perspective. The shaft is hollow, plugged at the end by a screw. At the points where the journals come, a series of small holes are drilled from the outside to the central cavity; so, also, where the loose pulleys run and the clutch works.



These holes may be drilled in line or on a spiral, as may be considered most advisable. The internal cavity of the shaft

is filled with oil through a hole in the side, that is stopped with a screw having a leather or rubber washer under its head. The apertures for the escape of the oil to the outside of the shaft are closed by little disks or plugs of leather to prevent undue leakage. Leather is found to permit the oil to pass freely through, sufficient for the purposes of lubrication, while the machinery is in motion, but, still, to prevent leakage when the shaft is at rest. Mr. Olmsted says that a countershaft for a lathe swinging fourteen inches, having two loose pulleys and two bearings, although in constant use, was run for eighteen months without re-oiling, the oil being contained in the shaft the space of which was that of a tube thirty inches long

**FOOT LATHE WITH IMPROVED DRIVING ATTACHMENT.**

and half an inch in diameter. Other statements of a similar nature, by those who have made satisfactory tests of this method during the past four years, and are still using it, might be repeated. It is applicable to nearly all bearings and loose pulleys, and is in use on engines to oil crank pins, eccentrics, crossheads, etc. It is especially valuable on wood-working machinery which requires a rapid motion. The oil, being preserved from the air, does not oxidize or thicken, but remains pure and limpid.

There are some bearings in machinery where a hollow shaft is inconvenient or impossible. In such a case the inventor proposes a cup oiler as shown in Fig. 2. The globe is preferably of glass to exhibit the state of the oil. A stem of metal is inserted into the lower part of the globe, fitting by means of a gland of cork, the other end passing through the cap of a box, or the strap of a connecting bar or pitman, and reach-

**OLMSTED'S PATENT SELF-OILER.**

ing the surface of the shaft, or wrist pin. To hold the stem in the requisite position a moveable friction ring on the stem rests on the outside of the box, and the bottom of the stem or tube is plugged with a leather disk resting on an internal collar, as seen in the engraving.


These oilers have stood a long and severe test, and been found to operate satisfactorily. The rotation of the shaft wipes the oil that exudes through the leather on to the shaft; but when the shaft is at rest the oil will cease to pass through and none will be wasted. There is nothing to get out of order, no screws to adjust, and no continual watching necessary.

Patented January 21, 1868, by L. H. Olmsted, manufacturer of fine machinists' tools, whom address at Stamford, Conn., or No. 1, Centre street, New York City.

**BROWN'S VEGETABLE MASHER.**

The pulping of vegetables preparatory to cooking or serving on the table is somewhat laborious, and the necessity of removing the rind or skin before this can be done, demands considerable time. To save this time and avoid much of the labor, the implement seen in the engraving has been contrived. By it potato, turnip, squash, stewed apple, and other vegetables and fruits, may be mashed or reduced to pulp without removing the skin, which is rejected and passed to one side.

It is a simple frame consisting of two uprights, or inclines, connected at top and bottom by cross bars, and adapted, as seen, to fit on a table or bench. The upper portion of the main frame has a series of parallel rods or wires, the interstices of which are



small enough to prevent the passage through of parings or skin. Directly over this is another similar frame with wires running transversely to those of the main frame, so that the two combined form a sieve. A crusher, consisting of a block fitting the sieve, and a handle, has pivots or projections on its lower end traversing in slots in the sides, by which it may be moved up and down or to and from the sieve.

The operation is perfectly simple. In mashing potatoes, for instance, the potato is fed in with one hand while the masher is worked by the other; the pulp passing through the sieve, and the peel dropping down from the front of the sieve into a pan or other receptacle. The implement may be used in any position—horizontal, inclined, or vertical. Its parts may be easily separated for cleansing.

Patented through the Scientific American Patent Agency, May 19, 1868, by E. Brown. For further particulars address E. Brown, or Geo. D. Wright, at Burlington, Vt.

**Excitement and Short Life.**

The following, by an unknown writer, accords with our observation: The deadliest foe to a man's longevity is an unnatural and unreasonable excitement. Every man is born with a certain stock of vitality, which cannot be increased, but which may be husbanded or expended rapidly, as he deems best. Within certain limits he has his choice, to live fast or slow, to live abstemiously or intensely, to draw his little amount of life over a large space, or condense it into a narrow one; but when his stock is exhausted he has no more. He who lives abstemiously, who avoids all stimulants, takes light exercise, never overtasks himself, indulges no exhausting passions, feeds his mind and heart on no exciting material, has no debilitating pleasures, lets nothing ruffle his temper, keeps his "accounts with God and man duly squared up," is sure, barring accidents, to spin out his life to the longest limit which it is possible to attain; while he who lives intensely, who feeds on high seasoned food, whether material or mental, fatigues his body or brain by hard labor, exposes himself to inflammatory disease, seeks continual excitement, gives loose reign to his passion, frets at every trouble, and enjoys little repose, is burning the candle at both ends, and is sure to shorten his days.

MR. A. L. HOLLEY, Engineer of the Pennsylvania Steel Works, at Harrisburg, has also been appointed engineer of the Bessemer Steel Works of Messrs John A. Griswold & Co., Troy. These works, originally built by Mr. Holley, and consisting of a two tun converter and a pair of five tun converters and plant, were partially destroyed by fire in October. The small converter is already in operation and the works will be immediately rebuilt and considerably extended.

Scientific American.

MUNN & COMPANY, Editors and Proprietors.

PUBLISHED WEEKLY AT  
NO. 37 PARK ROW (PARK BUILDING), NEW YORK.

O. D. MUNN, S. H. WALES, A. E. BEACH.

Agents: "The American News Company," Agents, 121 Nassau street, New York.  
"The New York News Company," 8 Spruce street.  
A. Asher & Co., 20 Unter den Linden, Berlin, are Agents for the German States.  
Trimmer & Co., 60 Paternoster Row London, are also Agents to receive subscriptions.  
Messrs. Sampson, Low, Son & Marston, Booksellers, Crown Building 156 Fleet street, London, are the Agents to receive European subscriptions of advertisements for the SCIENTIFIC AMERICAN. Orders sent to them will be promptly attended to.

VOL. XIX., No. 26. [NEW SERIES.]... Twenty-third Year.

NEW YORK, WEDNESDAY, DECEMBER 23, 1868.

Contents:

(Illustrated articles are marked with an asterisk.)

*Hydrostatics Applied to Revolving Iron Forts.....	401	Continuation of the Patent Office.....	407
Is the Age of Invention at a Stand Still?.....	402	The Velocipede Mania.....	407
Burning of Powder in Fire Arms.....	402	Horse and Foot.....	407
Patent Claims.....	403, 404, 405	Cleanliness in Shops.....	407
Manufacturing, Mining, and Railroad Items.....	405	The Journal vs. The Fourneyron Water Wheel.....	408
*Improved Lathe for Dentists, Model Makers, etc.....	406	The Telescope—A Lecture Delivered Before the American Institute by Prof. Alexander.....	408
*Improvement in Oiling Shaft Bearings and Loose Pulleys.....	406	The Manufacture of Iron—a New Process.....	408
*Brown's Vegetable Masher.....	406	The Siemens Furnace.....	408
To City Subscribers.....	407	Chemical Action of Light.....	408
Permanent Ways vs. Light Trains.....	407	Index.....	409

TO CITY SUBSCRIBERS.

The SCIENTIFIC AMERICAN will hereafter be served to our city subscribers either at their residences or places of business, at \$3.50 a year.

Theodore Pasch, a very energetic and reliable young man, and for many years employed in this office, is authorized to deliver the paper, and to collect subscriptions and receive orders for advertisements.

We propose during the coming year to devote more attention to the illustration and description of leading branches of manufacturing. We are prepared to send our artists, and competent writers to points within reasonable limits to take the necessary sketches, and prepare the descriptions. The advantage of such illustrated articles in a journal so widely circulated as the SCIENTIFIC AMERICAN, must be apparent to every enterprising manufacturer.

ONE of our associate editors has recently visited Pittsburgh, and we are now preparing illustrations of the largest iron works in that city, to be published soon, with an account of the operations and processes carried on at the works.

THE present number closes the volume. We are aiming at a subscription list of at least fifty thousand. This can only be accomplished by the co-operation of our present patrons, who have always generously responded to our appeals. We urge them now to speak a good word for the SCIENTIFIC AMERICAN. By so doing they can induce some of their neighbors to join in making up a club. If ten or more names are sent, the subscription is \$2.50 a year. Any one who will send us twenty names and \$50, can add his own name to the list.

AGENTS who receive their weekly supply of the SCIENTIFIC AMERICAN through news companies, are urged to canvass their localities. By a little effort among intelligent mechanics and manufacturers, they can add largely to their lists. We will send specimen numbers, when desired, for that purpose.

WHAT more valuable present can be made to young mechanics than a year's subscription to the SCIENTIFIC AMERICAN? Employers will be doing their employes a great service by acting on this hint, and we feel sure that at the end of the year they will consider the investment a good one.

SUBSCRIBERS who wish to have their volumes bound, can send them to this office. The charge for binding is \$1.50 per volume. The amount should be remitted in advance, and the volumes will be sent as soon as they are bound.

THE Index, the Patent Claims, and Advertisements occupy so much of the present issue, that we are obliged to defer the publication of several interesting letters and contributions until our next number.

SUBSCRIBERS who forward their subscriptions, may consider the receipt of the paper as evidence of payment, as we cannot undertake to acknowledge such payments by mail.

PERMANENT WAYS versus LIGHT TRAINS.

When houses are properly built the foundation is the first and most important consideration. If the "hard pan" is not reached piles are driven to give a proper foundation. So with all structures built by men and growing out of the earth, the foundation is the first and main object of concern. To secure this foundation, in any particular locality, is possible even un-

der very adverse circumstances; but, although it is intended mainly to support a constant weight, not subject to frequent or extensive variations in amount, it is, not seldom, very costly. Where the imposed weight is liable to sudden and frequent change, either of increase or diminution, it has been found that a rigid structure is not so lasting as one possessing more or less elasticity. Such are bridges, especially those of a large span, and we always hear of the amount of deflection caused by a stationary or a passing load when a bridge is described.

Unyielding sub-structure for the rails of a road, would be very costly. To prevent displacement by atmospheric agencies—frost, heat, snow and rain—the bed or foundation would have to be settled and located below the reach of these disturbances. That this would be hardly possible, at whatever expense, is evident when the nature of the beds of our railroads are considered. They are cut through hills and dense forests, carried through swamps, and over causeways, the material being rock, loose stones, gravel, loam, soil, sand, and even decaying vegetation. Such materials, under such circumstances, cannot make a permanent way. A foundation of gravel, stone, mortar, and cement would be altogether too costly, and make railroads an impossible luxury. Substituting stone for wooden sleepers has been tried and failed. A portion, at least, of the Boston and Lowell railroad was laid with granite sleepers. Each sleeper became an anvil and the jar of the successive blows of the wheels was immensely injurious to the rolling stock, while the stone sleepers were broken by the frost or the percussion of the trains. "Shims" or cushions of wood were introduced between the rails and the stone sleepers and thus the difficulty was partially remedied. If a permanent or rigid way is to be attempted it is evident that either the support of the rails must be continuous, or the rails must be made much heavier, or higher, giving a longer vertical section than those at present used.

As at present constructed and used, railroads are costly enough; they are anything but permanent ways, and as making them so would seem to be financially difficult if not physically impossible, we must look to the reduction of the weight the rails are compelled to bear. Between the supports (sleepers) the rail is a stringer like that of a bridge, and subject, like that, to deflection, as anyone may see who notices the movement of a train, a locomotive, or a heavily loaded car. Why not reduce the weight of the locomotive and of trains, running trains of ten or twelve together? Is there any insuperable obstacle to this, and would it not be cheaper than to make a long road, passing over and through all sorts of soils and all descriptions of country, a permanent way? It seems to us that altogether too much attention has been devoted to the introduction of steel rails, steel tires, and improvements in the permanent way, and too little to the proper utilization of our roads as they now exist, or as they may be cheaply made to be. Let the road be properly ballasted, placing the sleepers two instead of three feet apart, and then replace the enormous thirty, forty, and fifty ton locomotives by those better adapted to the road, of course reducing the weight of the trains (and if necessary, of the cars), and we should hear less about accidents from broken and worn out rails, broken axles, and defective sleepers.

CONDITION OF THE PATENT OFFICE.

The Secretary of the Interior, in his annual report to Congress, states that during the year ending September 30, 1868, there were 20,112 applications for patents; 14,153 patents (including reissues and designs) were issued; 1,692 applications allowed on which patents did not issue owing to the non-payment of the final fee; 3,789 caveats filed; 180 applications for the extension of patents received, of which 153 were granted. The receipts were \$696,786, being \$171 less than the expenditures. The Secretary also renews his former suggestion in favor of repealing so much of the law as allows an appeal from the decisions of the Commissioner on applications for letters patent and in interference cases, and respectfully refers to the views on the subject presented in his former reports.

The Commissioner of Patents reports to the President of the Senate as follows:

By an act of Congress passed July 20, 1868, all the receipts of the Patent Office were directed to be paid into the Treasury, and the sum of \$250,000 was appropriated to pay its expenses.

In pursuance of said act, I transmit herewith to Congress a detailed account of the receipts and expenditures of the Patent Office during the period from the passage of said act up to the commencement of the present month.

The payments of salaries and wages at the Patent Office are usually made at the end of each month. Those, therefore, that were paid after the 20th of July were for the services of the whole of that month.

The accounts of expenditures include about \$35,000 paid for debts that had accrued before the commencement of the term. Other portions of such past indebtedness, amounting to about \$27,000, still remain due and unpaid.

The Agricultural Department, during the past summer, has been removed from the Patent Office building. The fitting up of the rooms thus vacated, and furnishing them for the uses of the Patent Office have involved considerable expenditures beyond the ordinary expenses of the office.

Of the \$250,000 appropriated by the act of July 20th, \$43,490 remain unexpended. This sum, it is estimated, will about meet the expenditures of the present month.

The receipts of the Patent Office, since the 1st of July last, that have been collected and paid into the Treasury, exceed all its expenditures during the same period, ordinary and extraordinary, by the sum of \$29,494 85.

THE VELOCIPEDE MANIA.

The excitement on the subject of velocipedes is on the increase, and improvements are being made every day. But inventors are not confining their genius to velocipedes to be used on land; a number of plans and models have been submitted to us for aquatic use, some of which possess much novelty.

A riding school for giving instruction in the art of riding and driving the two-wheeled velocipede has been opened in the large hall, 932 Broadway, where large numbers of gentlemen congregate every evening to receive instructions.

The sport of velocipede riding is very fascinating, and is becoming quite fashionable. It is likely to take the place of skating to a great extent. Persons may be seen practicing on our streets and avenues every afternoon. One gentleman in the country who does business in the city is said to have sold his horse and wagon and substituted the velocipede, on which he rides back and forth from the railroad station to his house every day. He claims that he goes quicker and without fatigue. He enjoys the exhilarating ride, and is delighted with the change. His oats are for sale and stable to rent. No more harnessing, shoeing, or horse feed required by this gentleman. Other incidents of interest on the new mania are deferred for lack of space this week.

HORSE AND FOOT.

From the above heading it might be inferred that we intend to write a military essay, but such is not the case. Our desire is simply to call attention to a nuisance, and to suggest a remedy. The nuisance to which we refer is this: In all our overcrowded cities, New York, for instance, all streets are free to vehicles of whatever character, and are also pedestrian thoroughfares. It is true the sidewalks are the exclusive prerogative of the pedestrians, but, as they are forced to cross other streets to get from block to block, the nuisance remains, to the peril of life and the utter despoilment of broadcloth and patent leather.

Nine tenths of all the accidents from collisions occur at crossings. This city employs a large number of policemen to assist ladies in fording rivers of filth and preventing them from being run down by reckless drivers. It is no uncommon sight, in the midst of sludge which winter always brings us, to see some shipwrecked daughter of Eve stranded upon some island of frozen filth in the middle of the street holding frantically to her soiled crinoline, her pretty gaiters filled with an ice-cold solution of high fertilizing value, and looking appealingly around to find somebody whose bravery and boots are sufficient for an attempt to rescue her. Meanwhile along come the omnibuses and express wagons, carts and trucks, whose drivers seem to take a malicious pleasure in bespattering her velvet cloak and her snow-white feathers, regardless of the feelings which wring her heart-strings, or the damage which wrings her husband's purse strings.

Now there is but one remedy for this uncivilized state of affairs. The horse must be separated from the foot. In order to effect such a separation we advocate first, the erection of a screen along the edge of the sidewalk next the street, the screen to consist of an iron frame, with a curtain of canvas that can be raised or lowered, to suit circumstances. In fair weather it would of course be unnecessary to keep it up, but in sloppy weather it would add greatly to the comfort of all who are compelled to pass through our principal thoroughfares. Second, the crossings should be tunneled. The experiment of the Fulton Street Bridge has proved that bridges are not the thing wanted. They require to be too high to accommodate the loaded vehicles and omnibuses, and for various other reasons are not tolerated. Tunnels at crossings, on the contrary, need not to be deep, and the steps leading into them can be made of easy grade. They can be lighted day and night with gas, for one-fourth the expense of keeping policemen to guard the principal crossings, and on the score of cleanliness are preferable to bridges. Their expense need not be much greater than bridges, but if it were five times as much we should still advocate them as the only feasible method of correcting the nuisance we have described.

CLEANLINESS IN SHOPS.

In our visits to different manufacturing establishments we are often shocked at the confusion and want of order which seems to prevail. Cleanliness, the virtue which has been said to rank next to godliness, seems to be entirely disregarded in many otherwise well conducted establishments. Now we regard order in the arrangement of tools, the avoidance of confusion attendant upon misplacement, and the frequent and thorough removal of the litter upon floors, as more important in an economical point of view, than with reference to the comfort and health of workmen, although the latter consideration is important enough.

The want of attention to this point is costing many a shop in this country more than is imagined. In one shop we visited lately we saw a workman search for a mislaid tool longer than it took him to use it after he found it. The incident did not seem an unusual one but one of ordinary occurrence, as we inferred from some remarks of the foreman, who saw the whole matter and even suggested some places where the missing tool might probably be found.

The floor of this shop was covered with a mass of useless lumber. The removal of any bulky object from one end of the shop to the other, would have necessitated a previous removal of rubbish to clear a way that would have consumed a considerable time. Such a slovenly state of things must inevitably breed carelessness on the part of employes, and greatly facilitate accidental misplacement of tools, nuts, and other small objects liable to be dropped. The reflexive effect upon hands, of strictly enforced order in the replacing of tools and cleanliness in a shop, is always in the highest degree beneficial and should never be overlooked by an intelligent foreman.

Nothing is more refreshing than to pass from one of these ill-regulated slovenly shops into one where order and cleanliness prevail. Even the workmen seem to be more cleanly in their person and tidy in their attire, and to feel the elevating tendency of the discipline which prevails. Everything moves on quietly, rapidly, and surely to its accomplishment. No time or material is wasted. Everything is in its place when wanted and ready for use. A comparison of two such shops is a demonstration that there is no such thing as perfect manu-

facturing economy when order and cleanliness are overlooked.

#### THE JONVAL VS. THE FOURNEYRON WATER-WHEEL.

It has long been a mooted question with both engineers and manufacturers whether the Jonval or the Fourneyron water wheel utilized the greater amount of power from a given quantity of water and fall. This problem seems to have been at last solved in a very satisfactory manner in favor of the Jonval turbine, as the accompanying letter from a disinterested party, prepared agreeable to contract, will show.

The wheels in question are from 125 to 150-horse power, and were expressly constructed to test the respective merits of the principle of which each is a type. The builders of the different wheels are well known to be eminent in the construction of the wheels they produce; and the builders of the beaten wheel—the Fourneyron—it is reasonable to suppose, used all their skill in the construction of the wheel upon which so much depended, hence the result must be attributed not to a faulty adaptation of, but to the principle itself.

We deem this a very important result; and as it is evidently no accidental or forced result, but a matter of deliberate contract and agreement between all the parties interested, the builders, as well as the users of the wheels, we take pleasure in calling the attention of engineers and manufacturers to it.

WILLIMANTIC, CONN., Oct. 31, 1868.

MUNN & Co: Gents—When our new thread mill was being constructed, we made a contract with Mr. J. P. Collins, of the Troy Turbine and Machine Works, to build one of his improved Jonval Turbine Water Wheels, to be tested with a Fourneyron or "Boyden" Turbine, as built by Messrs. Kilburn, Lincoln & Co., of Fall River, Mass.

The test was to be a comparative one, *i. e.*, each wheel to drive the same machinery, and the relative amount of water measured which each should require to do it.

About one year since, the builders of both wheels met here and, assisted by ourselves, conducted the test. Messrs. Kilburn, Lincoln & Co. were much dissatisfied with the result, and claimed that their wheel was badly injured by some sticks or stones getting into it. Upon this ground they claimed the privilege of putting in a new wheel, preparatory to another test. This request was granted them, and the final test was made on the 15th inst., both builders again being present.

The Fall River wheel drove 12 1/2 per cent more machinery than the Collins wheel, but in doing so required 38 99-100 per cent more water, thus leaving a result of over 23 per cent in favor of the Collins wheel (being about the same comparative difference as in former test). In the last test the water used by each wheel was measured over the same weir, the same depth being retained by contracting the ends. The gates were fully open in each test, and the Collins wheel was not changed after the first test.

Our contract with Mr. Collins was that we should give a certificate of the result, no matter which wheel should prove the best, for publication in your useful journal, and we now hereby comply with the same.

Yours, very truly,

WILLIMANTIC LINEN CO.  
A. B. BURLESON, Agent.

#### THE TELESCOPE.—A LECTURE DELIVERED BEFORE THE AMERICAN INSTITUTE BY PROF. ALEXANDER.

Reported for the Scientific American.

The second lecture of the regular course of scientific lectures before the American Institute, was delivered on the evening of the 4th December, by Prof. Alexander of Princeton College.

The lecture was opened by an allusion to the figure in Bunyan's Pilgrim's Progress, in which the senses are considered as gates to the soul. The speaker dwelt in the most eloquent manner upon the beauty of the mechanism of the "eye gate," and the mysterious agent by which impressions of remote objects are conveyed to the mind.

He next proceeded to explain the mechanism of the telescope, that "artificial eye" bestowed upon man by optical science, illustrating this part of the subject with numerous diagrams. It is quite impossible to reproduce in a report of this kind this part of the lecture. One part, however, can be made clear to our readers. People often imagine the magnifying power of a telescope depends upon the size of its object glass. This is a mistake. An instrument with a small object glass may magnify as much as a larger one, the magnifying power depending upon the eye-pieces. The limit of the power of the eye-pieces which telescopes can carry, and give a distinct image, depends upon the object glass which determines the illuminating power. In other words, we behold objects clearly only when their size and illumination are together sufficient to produce a distinct impression upon the retina. The larger the object glass of a telescope is, the more light it will collect from objects towards which it is directed, and hence the advantage of large lenses.

The lecturer next dwelt briefly upon the early history of the telescope. Roger Bacon, in the thirteenth century, made use of such language with reference to what "may be performed by refracted vision," as to render it somewhat probable that he was at least acquainted with the theory of a refracting telescope, though there is no sufficient proof that he constructed one; and Baptista Porta is said by Wolfius to have made a telescope, but the description of the instrument given by the inventor is very defective, and the instrument, whatever it was, does not seem to have been used in any celestial observation. Indeed, we have no distinct evidence that such an instrument was used before the beginning of the seventeenth century. Descartes ascribes the invention of the telescope to James Metius (Jacob Adriansy) of Alkmaar in Holland; but Huygens, as well as Borellus, to John Lippersheim, or Lippersy (Hans Zans, or Jansen), a maker of spectacles, of Middleburgh. Prof. Moll, after an examination of official papers preserved in the archives of the Hague, comes to the conclusion that on the 17th of October, 1608, Jacob Adriansy was in possession of the art of making telescopes, but from some un-

explained cause concealed it; and that on the 21st of the same month, Hans Zans, or Jansen, was actually in possession of the invention; but there is little reason to believe that it was devised by either him or his son Zacharias, though one of them invented a compound microscope about the year 1590.

One of the earliest of the telescopes made by the Jansens was presented to Prince Maurice, to be used in his wars. It was in April or May, 1609, that Galileo first heard of this, and the instrument was then described to him as one which had the property of making distant objects appear as though they were near. Galileo thereupon devised how that might be effected, and the next day, according to Delambre, was in possession of a telescope magnifying three times. Galileo's second telescope magnified about 18, and his third about 33 times.

The remainder of the lecture was an elegant and graphic description of some of the wonders of the heavens revealed to us by the telescope, and it was closed by a strong argument in favor of natural and revealed religion based upon the evidences of an intelligent Creator to be found in the study of the material universe.

#### THE MANUFACTURE OF IRON.—A NEW PROCESS.

A new process for manufacturing iron, which seems to give considerable promise, is now on its trial at one of the iron mills of Pittsburgh. The process obviates the necessity of puddling. The pigs of crude iron are melted, and, while in a fused state, a quantity of crushed ore is intermixed. The oxygen of the ore combines with the carbon of the crude iron. The mixed mass is called a pig bloom. Upon re-heating these pigs and squeezing them in the usual manner, and rolling, iron of a very good quality is obtained. More rolling is required than in the ordinary process, but notwithstanding this fact, the iron is produced, so it is claimed, at a saving of six dollars per ton over the old method.

Some specimens which we have seen tried, indicate that the iron is slightly red-short, but not so much so as to seriously impair its quality. When cold it is remarkably tough, enduring very severe tests of bending, twisting, and so forth. We have not obtained analyses of the ores used in the process and cannot therefore give any further details. We shall, however, watch the progress of this method, and hope at a future time to give a minute description of it.

#### The Siemens Furnace.

During a recent visit to Pittsburgh, our attention was called to the operation of one of the Siemens regenerative gas furnace, and we are satisfied that among the many modern advances in the manufacture of iron and steel, this deserves to rank among the most valuable. The furnace alluded to was applied to the melting of steel in pots, and we were told that the saving in fuel effected by it was enormous. It would be difficult to conceive how a more intense heat on so large a scale could be reached, than in one of these furnaces. The *American Railway Times* contains the following interesting facts in regard to this furnace, and its applications:

One of these furnaces used in Bolton, England, since November, 1867, in puddling iron, shows some remarkable results in competition with the ordinary puddling furnace, which may be summed up briefly as follows: an increase of from thirty-five to fifty per cent. in the amount of work done; greatly improved quality of the iron produced; great saving in the waste metal; and a saving of from twenty-four to fifty per cent. in the amount of fuel used. When these facts are added that the Siemens furnace will last much longer than the ordinary furnace, and that it occupies much less room, it makes out a pretty strong case in favor of its general adoption for puddling iron. The Siemens Furnace is now being rapidly introduced into the United States, for melting steel in pots, being used for this purpose at Nathan Washburn's works at Worcester, Mass., and at the works of Messrs. Anderson & Wood's, and Singer, Nimick & Co., of Pittsburgh, Pa., while several other furnaces are being built at other places for like purposes. In melting steel in pots it is found that one half ton of slack coal of poor quality, will melt one ton of steel in three hours, while the pots will last two melts more than by the old process. In Great Britain the manufacturers are now successfully using clay pots at the cost of about fifty cents each, while the lead crucibles commonly used, cost about three dollars each. These pots are now being introduced into Nathan Washburn's works, and in other steel works, and this item of economy is of no mean importance in favor of the Siemens furnace. It is found at the Lenox Plate Glass Works, at Lenox, Mass., that this furnace will melt the same mixture in nine hours, that in the old furnace it takes thirteen hours to melt. For heating iron and steel, the Siemens furnace is now used at the Nausha Iron Works, and the Renssaler Iron Works; and it is found that four hundred pounds of poor coal are found sufficient to heat one ton of iron. These furnaces are likewise now being erected for heating, melting, and puddling purposes, by the Washburn & Moen Manufacturing Company, by Messrs. Burden & Sons, by the Trenton Iron Works, by Messrs. James Wood & Sons, of Pittsburgh, the American Silver Steel Company, and by several other parties in different sections of the country.

#### Chemical Action of Light.

The interesting researches of Professor Tyndall as to the action of light on certain vapors and liquids may have no immediate effect upon the practice of photography, but it is impossible to say at what point in his discoveries a practical application may become obvious. Let us illustrate by a speculation upon the possibilities attending his recent discoveries. In his paper before the Royal Society he states that actinic light decomposes the vapor of nitrite and nitrate of amyl. Amyl is a radical analogous to ethyl and methyl, the hydrated oxide of amyl being known as fusel oil, as the hydrated oxide of ethyl is known as ethylic, or common alcohol, and the hydrated oxide of methyl is known as methylic alcohol. Fusel oil is known to be a common impurity in ordinary alcohol, and its presence in collodion has long been regarded as injurious, and conducive to fog, without any knowledge of the reason why it should produce mischief. Professor Tyndall's experiments suggest a series of possibilities. When fusel oil is in collodion, and comes in contact with nitric acid, either free in the bath or liberated by action of free iodine in the collodion, a trace of nitrate of amyl may be formed, and this body, being present in the film when exposed to the action of light, and possibly de-

composed, would, under some circumstances, yield, as a product of decomposition, valerianic acid, a substance answering to acetic acid, as the product of the oxidation of common alcohol, or formic acid in methylic alcohol. Or, possibly, in the decomposition, intermediate bodies, analogous to acetone or aldehyde, might be formed, with a well-known tendency to produce fog when present in a collodion film. Such a series of possibilities exist, and might furnish a clue to the fogging action of fusel oil when present in collodion, which, arguing from ordinary analogies, ought not to be more inimical to success than the ordinary alcohol employed in the manufacture of collodion.—*Photographic News.*

## PATENT OFFICES, American and European,

OF

MUNN & CO.,

No. 37 PARK ROW, NEW YORK.

For a period of nearly twenty-five years MUNN & Co. have occupied the position of leading Solicitors of American and European Patents, and during this extended experience of nearly a quarter of a century, they have examined not less than fifty thousand alleged new inventions, and have prosecuted upwards of thirty thousand applications for patents, and, in addition to this, they have made at the Patent Office over twenty thousand preliminary examinations into the novelty of inventions, with a careful report on the same.

This wide experience has not been confined to any single class of inventions, but has embraced the whole range of classification, such as Steam and Air Engines, Sewing Machines, Looms and Spinning Machinery, Textile Manufactures, Agriculture and Agricultural Implements, Builders' Hardware, Caloritics, Carriages, Chemical Processes, Civil Engineering, Brick Making, Compositions, Felting and Hat Making, Fine Arts, Fire Arms, Glass Manufacture, Grinding Mills, Harvesters, Household Furniture, Hydraulics and Pneumatics, Illumination, Leather Manufactures, Mechanical Engineering, Metallurgy, Metal Working, Navigation, Paper Making, Philosophical Instruments, Presses, Printing and Stationery, Railroads and Cars, Sports, Games, and Toys, Stone Working, Surgical Apparatus, Wearing Apparel, Wood Working.

MUNN & Co. deem it safe to say, that nearly one-third of the whole number of applications made for patents during the past fifteen years, has passed through their Agency.

The important advantages of MUNN & Co.'s Agency are that their practice has been ten-fold greater than any other Agency in existence, with the additional advantage of having the assistance of the best professional skill in every department, and a Branch Office at Washington which watches and supervises all their cases as they pass through official examination. If a case is rejected for any cause, or objections made to a claim, the reasons are inquired into and communicated to the applicant with sketches and explanations of the references, and should it appear that the reasons given are insufficient, the claims are prosecuted immediately and the rejection set aside and usually with

#### NO EXTRA CHARGE TO THE APPLICANT.

MUNN & Co. are determined to place within the reach of those who confide to them their business the highest professional skill and experience.

Those who have made inventions and desire to consult with us are cordially invited to do so. We shall be happy to see them in person, at our office or to advise them by letter. In all cases they may expect from us an *honest opinion*. For such consultations, opinion, and advice, we make *no charge*. A pen-and-ink sketch, and a description of the invention should be sent. Write plainly, do not use pencil or pale ink.

**To Apply for a Patent**, a model must be furnished, not over a foot in any dimensions. Send model to Munn & Co., 37 Park Row, New York, by express, charges paid, also a description of the improvement, and remit \$16 to cover first Government fee, revenue and postage stamps.

The model should be neatly made of any suitable materials, strongly fastened, without glue, and neatly painted. The name of the inventor should be engraved or painted upon it. When the invention consists of an improvement upon some other machine, a full working model of the whole machine will not be necessary. But the model must be sufficiently perfect to show with clearness, the nature and operation of the improvement.

**Preliminary Examination**.—Is made into the novelty of an invention by personal search at the Patent Office which embraces all patented inventions. For this special search and report in writing a fee of \$5 is charged.

**Caveats** are desirable if an inventor is not fully prepared to apply for Patent. A Caveat affords protection for one year against the issue of a patent to another for the same invention. Caveat papers should be carefully prepared.

**Reissues**.—A patent when discovered to be defective, may be reissued by the surrender of the original patent, and the filing of amended papers. This proceeding should be taken with great care.

**Designs, Trade Marks, and Compositions** can be patented for a term of years, also new medicines or medical compounds, and useful mixtures of all kinds.

When the invention consists of a medicine or compound, or a new article of manufacture, or a new composition, samples of the article must be furnished, neatly put up. Also, send us a full statement of the ingredients, proportions, mode of preparation, uses, and merits.

**Patents can be Extended**.—All patents issued prior to 1861, and now in force, may be extended for a period of seven years upon the presentation of proper testimony. The extended term of a patent is frequently of much greater value than the first term, but an application for an extension to be successful, must be carefully prepared. MUNN & Co. have had a large experience in obtaining extensions and are prepared to give reliable advice.

**Interferences** between pending applications before the Commissioners are managed and testimony taken, also Assignments, Agreements and Licenses prepared, in fact there is no branch of the Patent Business which MUNN & Co. are not fully prepared to undertake and manage with fidelity and dispatch.

#### EUROPEAN PATENTS.

American inventors should bear in mind that, as a general rule, any invention that is valuable to the patentee in this country is worth equally as much in England and some other foreign countries. Five Patents—American, English, French, Belgian, and Prussian—will secure an inventor exclusive monopoly to his discovery among ONE HUNDRED AND THIRTY MILLIONS of the most intelligent people in the world. The facilities of business and steam communication are such that patents can be obtained abroad by our citizens almost as easily as at home. MUNN & Co. have prepared and taken a larger number of European Patents than other American Agency. They have Agents of great experience in London, Paris, Berlin and other cities.

For instructions concerning Foreign Patents, Reissues, Interferences, Hints on Selling Patents, Rules and Proceedings at the Patent Office, the Patent Laws, etc., see our Instruction Book. Sent free by mail on application. Those who receive more than one copy thereof will oblige by presenting them to their friends.

Address all communications to

MUNN & CO.,

No. 37 Park Row, New York city

Office in Washington, corner of F and 7th streets.

Patents are granted for Seventeen Years, the following being a schedule of fees:

On filing each Caveat.....	\$10
On filing each application for a Patent, except for a design.....	\$15
On issuing original Patent.....	\$20
On appeal to Commissioner of Patents.....	\$20
On application for Reissue.....	\$20
On application for Extension of Patent.....	\$50
On granting the Extension.....	\$50
On filing a Disclaimer.....	\$10
On filing application for Design (three and a half years).....	\$10
On filing application for Design (seven years).....	\$15
On filing application for Design (fourteen years).....	\$20
In addition to which there are some small revenue-stamp taxes. Residents of Canada and Nova Scotia pay \$500 on application.	

THE BEST IN THE WORLD.

New Volume January 1st.

THE Scientific American For 1869.

The SCIENTIFIC AMERICAN is the largest, the best, the cheapest, and most Popular Journal in the world...

With the New Year the Publishers intend to increase its value far beyond what it has been in the past...

choice information which they afford. In addition to contributions from able and popular writers, popular Lectures on Science will also be published...

The SCIENTIFIC AMERICAN is not the organ of any sect or party, and its columns are therefore kept free from mere partisan questions...

STEAM ENGINEERING, TEXTILE MANUFACTURES, LOOMS SPINNING AND SEWING MACHINERY, AGRICULTURE AND AGRICULTURAL IMPLEMENTS...

TURE, HYDRAULICS AND PNEUMATICS, MILLS AND MILLWRIGHTING, MINING AND METAL WORKING IN ALL ITS BRANCHES...

Superb Illustrations by our own artists will not only be given of all the best inventions of the day...

Inventors and Patentees

will find in each number an official List of Patents, together with descriptions of the more important Inventions...

THE NEW VOLUME


commences JANUARY FIRST; therefore, now is the time to organize clubs and to forward subscriptions...

TERMS OF SUBSCRIPTION:—\$3.00 a year, \$1.50 for six months. \$1 for four months.

To clubs of ten and upward, the subscription is only \$2.50 per annum each.

MUNN & CO., Publishers.

37 Park Row, New York.



ILLUSTRATIONS.

Table listing various illustrations such as Artificial leg, Barometer, Carriage axle box, etc., with corresponding page numbers.

Table listing various technical articles such as Sawing machine, Boiler explosions, Electric clock, etc., with corresponding page numbers.

Table listing various scientific and general articles such as Illinois Industrial University, Labor not dishonorable, etc., with corresponding page numbers.

Table listing various obituaries and general news items such as Obituary of Mr. E. A. Stevens, Pacific mills, etc., with corresponding page numbers.

MISCELLANY.

Figures preceded by a Star (\*) refer to illustrated articles.

Table listing various miscellaneous items such as Adhesion, Alcohol, Artificial diamonds, etc., with corresponding page numbers.

Table listing various miscellaneous items such as Cleanliness in shops, Coal, Coasts, etc., with corresponding page numbers.

Table listing various miscellaneous items such as Galvanic current, Galvanic exciting liquid, Gas explosion, etc., with corresponding page numbers.

Table listing various miscellaneous items such as Machine manufacturing, Machinery, Magnetics, etc., with corresponding page numbers.

Sea sickness ..... 340  
 Seasonable hints ..... 73  
 Self-education ..... 313  
 Senses, speed of the ..... 38  
 Sensible plant, movements of ..... 132  
 Sewing machines, right to use ..... 363  
 Shafts connected by pitmans \*30, 69  
 Sharpening saws ..... 356  
 Sheep protected from dogs ..... 359  
 Sheffield of Russia ..... 373  
 Shellac and watchmakers' lathes ..... 324  
 Ship canal, the Darien ..... 323  
 Ships, resistance and immersion of ..... 314  
 Shoeburyness experiments ..... 114  
 Silemen's furnace ..... 408  
 Significant fact ..... 353  
 Silk and its culture ..... 336  
 Silk manufacture, American ..... 282  
 Size estimation comparative ..... 373  
 Size versus numbers ..... 371  
 Skull, a wonderful ..... 1  
 Sleep—amount necessary ..... 278  
 Small potatoes ..... 174  
 Smoke and its culture ..... 373  
 Smoke wreaths ..... 373  
 Snow sheds, 40 miles of ..... 214  
 Social Science Congress ..... 378  
 Soda lakes of Mexico ..... 196  
 Solar eclipse, results of observing ..... 179  
 Solar heat ..... 292  
 Something worth consideration ..... 297  
 Spain, travel reminiscences of ..... 378, 394  
 Spectroscopy and motion of stars ..... 275, 276  
 Spiritualism, mechanics of ..... 309  
 Stamp cranes, \$30,000 for ..... 258  
 Standard for bolts and nuts ..... 216  
 Steam boiler explosions, cause of ..... 41  
 Steam boiler fireproof covering ..... 40  
 Steam boilers and steam ..... 261  
 Steam boilers, explosive gases in ..... 118  
 Steam engine crank, apparent ..... 350  
 riation of ..... 350  
 Steam engine indicator ..... 252  
 Steam engines, modes of testing ..... 371  
 Steam navigation improvements ..... 371  
 Steam returned to the boiler ..... 229  
 Steam valves, pressure on ..... 226  
 Steamers for common roads ..... 226  
 Steamers above Omaha ..... 284  
 Steamship Company, Transatlan-  
 tic ..... 153  
 Steel made from the ore ..... 344  
 Steel, manufacturing cast ..... 226  
 Steel, new treatise on ..... 257  
 Steel used in St. Louis bridge ..... 276  
 Steering apparatus, sennepore ..... 298  
 Straw board, manufacturing ..... 298  
 Street dust laid by chemicals ..... 217  
 Strike at Troy iron works ..... 214  
 Styptic paper ..... 183  
 Submarine engineering ..... 213  
 Submarine exploration ..... 105, 132  
 Submarine perambulation ..... 132  
 Subscribers, our ..... 393  
 Suez canal ..... 49, 68  
 Sugar business, desiccated ..... 331  
 Sugar consumption of ..... 304  
 Sugars, bleaching and granulating ..... 104  
 Sulphur in the arts ..... 392  
 Sunac ..... 315  
 Sun power, etc. .... 212  
 Sun, protuberances on the ..... 392  
 Sun rays—are they healthy ..... 202  
 Sunlight and moonlight ..... 82  
 Sunstroke, chemistry of ..... 104  
 Supersaturation, phenomena of ..... 323  
 Suspension bridge, proposed East  
 River ..... 90  
 Sweet potatoes, desiccated ..... 243  
 Sweetwaters, green color for ..... 145  
 Swindling patent agents ..... 73

**T**  
 Tact, what is ..... 249  
 Taste and smell utilized ..... 122  
 Tea dry plates, photography ..... 357  
 Tea trade in New York ..... 163  
 Teaching by machinery ..... 145  
 Teets in gears, to find number of ..... 163  
 Telegraph, Cook's ..... 292  
 Telegraph in Philadelphia ..... 194  
 Telegraph, learning to ..... 216  
 Telegraphs, and telephony ..... 276  
 Telegraphic communication, rapid ..... 216  
 Telegraphing without wires ..... 181  
 Telegraphy, modern ..... 25  
 Telegraphy, submarine ..... 278  
 Telescope, lecture on the ..... 408  
 Thermometry, and telephony ..... 276  
 Things a mechanic should know ..... 137  
 Things easy and difficult ..... 217  
 Thought and expression ..... 89  
 Tin for coating metals, reducing ..... 149  
 Tires, vulcanized rubber ..... 236  
 One of moving bodies ..... 117  
 Toledo, trade in ..... 335  
 Toy, a scientific ..... 56  
 Toy for young and old ..... 387  
 Toy, new mechanical ..... 393  
 Trades unions, injustice of ..... 57  
 Triples graded by mice, saving ..... 394  
 Trip hammer, old fashioned ..... 38  
 Tunnel, the Suro ..... 26  
 Types—what marching can do ..... 246

**U**  
 Underground Railway, Central ..... 120  
 Union Pacific Railroad Co. .... 133, 138  
 Useful hints ..... 118  
 Useful official ..... 33

**V**  
 Vandals, more ..... 211  
 Vegetable coloring matter ..... 197  
 Velociped improvement wanted ..... 212  
 Velociped mania ..... 212, 404  
 Velociped, philosophy of ..... 194  
 Velociped, to practice with ..... 372  
 Velocipedes, trial of ..... 389  
 Ventilation ..... 152, 239  
 Ventricles, and telephony ..... 276  
 Vine growing town ..... 1  
 Vinegar, adulterations in ..... 299  
 Viscera and vitality vs. steel, etc. .... 41  
 Vision, curiosities of ..... 355  
 Voltaic combination, a new ..... 326  
 Vote-recording machine ..... 177

**W**  
 Wampago, engines of the ..... 394  
 Washington correspondence ..... 378  
 Watch manufacturing ..... 371  
 Watches, variation of ..... 10  
 Watchmakers' lathes for ..... 373  
 Water, ascertaining impurities in ..... 36  
 Water blown through engine cyl-  
 inders ..... 24  
 Water meters ..... 152  
 Water power of Maine ..... 290, 308  
 Water sealing—diving rod ..... 373  
 Water solidifying by pressure ..... 277, 339  
 Water test for boilers ..... 100  
 Water wheels for Siam ..... 50  
 Water wheels, improvement in ..... 186  
 Water wheel, the Jonval, etc. .... 408  
 Water wheels running faster in  
 night than day ..... 76  
 Watering streets and sidewalks ..... 162  
 Wealth and its source ..... 298  
 Weather prophesying ..... 283  
 Welding, nature and means of ..... 265  
 West Bank hospital buildings ..... 31  
 Western water and wind power ..... 373  
 White lead, manufacture of ..... 298  
 White lead—new processes ..... 355  
 Wine, will the coming man drink ..... 130, 146  
 Wood gas ..... 328, 378  
 Wood, preservation of ..... 213, 250  
 Woods for cabinet making ..... 234  
 Working classes, progress of ..... 116  
 Workingmen as students ..... 296  
 Workingmen's combinations ..... 297  
 Written languages of savages ..... 164

**Y**  
 Young men, what breaks down ..... 486

**PATENT CLAIMS.**

**A**  
 Abdominal supporter, 12, 173, 205, 267  
 Adapter and ..... 205  
 Adding instrument, etc. .... 20  
 Advertising device ..... 11, 186, 403  
 Aerial car ..... 297

**B**  
 Baby jumper ..... 46, 284  
 Baby walker ..... 235  
 Back-band hook ..... 108  
 Bag holder ..... 220  
 Bag tie ..... 44, 301, 318  
 Barge check ..... 381  
 Ball machine ..... 172  
 Ball pen ..... 306  
 Balance, calculating ..... 78  
 Bale fastening ..... 171  
 Baling press ..... 187, 188, 285  
 Ball alley ..... 187  
 Ballast, a vessel ..... 316  
 Balls, repairing ..... 49  
 Band, anti-interfering ..... 205  
 Band for bank notes ..... 171  
 Band puller ..... 94  
 Band, vessel-tightening ..... 190  
 Bandage, compressing ..... 379  
 Barbers' chair ..... 123, 207  
 Barrel, for ..... 110, 335  
 Barrel head ..... 76, 123, 139  
 Barrel head rounder ..... 385  
 Barrel hoop cutter ..... 92, 253  
 Barrel machine ..... 186  
 Barrel stave jointer, etc. .... 110(2)  
 Barrel, repairing ..... 49  
 Bars, cutting metallic ..... 209  
 Base ball, rubber ..... 61  
 Base ball tally board ..... 186  
 Basin faucet ..... 29  
 Basket ..... 138  
 Basket form block ..... 139  
 Bath room rack ..... 110, 335  
 Bath, steam ..... 12  
 Bath-tub lining ..... 109  
 Bayonet scabbard ..... 397  
 Beam and girder ..... 300  
 Beam fagot ..... 251  
 Bed, for ..... 141  
 Bed bottom, 11, 12, 30, 61, 75, 93, 107,  
 138, 140, 155, 171, 172, 204, 205, 221,  
 252, 266, 268(2), 284(2), 315, 317,  
 394, 363, 364, 380, 396  
 Bed lounge ..... 203, 318  
 Bed spring, etc. .... 42, 138, 384, 404  
 Bedstead, 12, 59, 93, 124, 204, 238, 316,  
 318, 380  
 Bedstead fastening ..... 125, 235  
 Bed case ..... 301  
 Bed propagating trellis ..... 157  
 Bedstead, 11, 29, 45(2), 61, 62(2), 70,  
 123, 125, 156, 189, 205, 220, 235,  
 236(2), 253(2), 267, 269, 301, 302,  
 317(3), 318, 347, 349(2), 363, 366,  
 379, 381, 404(5)  
 Beehive protector ..... 189, 316  
 Beer cooler, 77, 258, 286, 316, 338, 349,  
 385, 388  
 Beer, etc., composition ..... 11  
 Beer, etc., preserving ..... 237  
 Beer, hopping ..... 43  
 Beer racking cock ..... 126  
 Beer, small ..... 237  
 Beet sugar ..... 239  
 Bell, call ..... 317  
 Bell, molding ..... 220  
 Bell pull ..... 331(3)  
 Bells and yokes ..... 109  
 Belt, endless ..... 253  
 Belt fastening, 28, 29, 54, 139, 171(2),  
 173, 221  
 Belt hook ..... 93  
 Belt knife ..... 139  
 Belt mender ..... 125  
 Belt punch ..... 125, 128  
 Belt shipper ..... 45  
 Belt tightener ..... 158  
 Belts, ladies' dress ..... 216  
 Belting ..... 190, 315  
 Bevel and gage ..... 13  
 Bevel square ..... 27(2)  
 Bill file ..... 248  
 Billiard chalk holder ..... 173, 204  
 Billiard cue ..... 316, 359  
 Billiard register ..... 349  
 Billiard table ..... 299, 333  
 Bin for sugars, etc. .... 205  
 Binder, temporary ..... 59  
 Bird cage ..... 123  
 Bird trap ..... 300  
 Bird, for ..... 349  
 Bit stock, 75, 141, 157, 206(2), 221,  
 232, 301, 316, 395  
 Bit, wood-boring ..... 154, 284  
 Bitters ..... 173  
 Blackboard ..... 219  
 Blacking brush ..... 173  
 Blacking brush scraper ..... 300  
 Blasting powder ..... 187  
 Bleaching apparatus ..... 77  
 Bleaching soap ..... 190  
 Blind-slat cutter ..... 189, 204, 237, 268  
 Blind-slat operator ..... 316, 396  
 Blind-stamping ..... 108, 268(2)  
 Block machine, concrete ..... 283  
 Blower ..... 141, 267, 347, 381  
 Board-slitting tool ..... 187  
 Boat ..... 44  
 Boat detacher ..... 252, 299  
 Boat, etc. .... 60, 332, 404  
 Boiler, agricultural ..... 60  
 Boiler bottom ..... 12  
 Boiler corrosion preventer ..... 295  
 Boiler feeder, 123, 188, 236, 251, 284,  
 357  
 Boiler float ..... 373  
 Boiler flue cleaner ..... 171, 331, 363,  
 407  
 Boiler fire plug ..... 107  
 Boiler head furnace ..... 44  
 Boiler heater, etc. .... 253  
 Boiler incrustation, prevent-  
 ing ..... 409  
 Boiler, keystone lamp ..... 310  
 Boiler tube scraper ..... 29  
 Bolster plates ..... 29  
 Bolt ..... 76, 107, 157  
 Bolt cutter ..... 108, 183, 317  
 Bolt head ..... 349, 380  
 Bolt header ..... 93, 315  
 Bolt, for ..... 141  
 Bolt machine ..... 110, 407, 404  
 Bolt threader ..... 61, 222  
 Bone crusher ..... 204(2)  
 Book binding ..... 28, 30, 349, 396  
 Book cover protector ..... 381  
 Bookcase bedstead ..... 188  
 Bookcase, iron ..... 78  
 Boom out-haul ..... 220  
 Booms, shearing ..... 124  
 Boot and shoe ..... 108, 172, 237, 366

**C**  
 Cabinet wood and paper ..... 46  
 Cake mixer ..... 285  
 Calendar roll starter, etc. .... 27  
 Caliper ..... 59, 252  
 Cam and telescope ..... 284  
 Camp stool ..... 284  
 Campaign badge ..... 317  
 Can ..... 157, 285, 332  
 Can nozzle ..... 259  
 Can opener ..... 108, 364  
 Can-soldering device ..... 173  
 Cans, for ..... 46  
 Canceling postage stamps ..... 140  
 Candle cap ..... 364  
 Candlestick ..... 205  
 Candy-molding machine ..... 236  
 Candy toy machine ..... 187  
 Canister, for ..... 216  
 Cane, compartment ..... 234  
 Cane juice acid gas ..... 221  
 Cane juice, defecating ..... 266  
 Cane seat ..... 107  
 Cane stripper ..... 390  
 Can head ..... 154, 349  
 Cap and track ..... 397  
 Capstan, operating ..... 188  
 Car and track ..... 365  
 Car awning ..... 58, 155, 299, 349, 379  
 Car axle ..... 58, 155, 299, 349, 379  
 Car axle box packing ..... 109  
 Car brake, 29, 29, 44, 55, 107, 109(2),  
 124, 140, 156, 172, 173, 206(2),  
 285, 302, 310(3), 317, 332(2), 333, 395  
 Car bumper ..... 284  
 Car coupling, 29(2), 30, 45, 60(2),  
 77, 78, 92, 107, 109, 110(2), 125,  
 125(3), 154, 171(2), 174, 188(2),  
 197, 207, 267(2), 268, 284, 285, 299,  
 301(2), 315, 317(2), 331, 332, 333,  
 (2), 347, 348(2), 349, 363(2), 395,  
 397, 403(3)  
 Car, dumping ..... 45, 108  
 Car heater, 12, 45, 110, 155, 157, 170,  
 171, 203, 221, 268, 269, 285, 299(2),  
 317, 403(2)  
 Car indicator ..... 45  
 Car journal bearing ..... 380  
 Car mover ..... 349, 404  
 Car, oil-tank ..... 59  
 Car platform bridge ..... 60, 204, 404  
 Car register ..... 393  
 Car replacer ..... 43, 93  
 Car safety attachment ..... 221  
 Car seat bolt ..... 395  
 Car seat, 75, 78, 125(2), 188, 251, 252,  
 269, 403  
 Car slat matting ..... 296  
 Car slipping birth ..... 393  
 Car spring ..... 173, 205, 235, 347, 379, 403  
 Car standard ..... 43  
 Car starter ..... 46, 125, 140, 254  
 Car stop ..... 156, 404  
 Car stove, 76, 108, 110, 140, 230, 330  
 Car truck ..... 27, 29, 339  
 Car unloader ..... 107, 284  
 Car ventilator, 45, 58, 109, 157, 158,  
 349, 380  
 Car wheel, 13, 59, 61, 75, 108(2), 155,  
 156, 188, 203, 235, 350, 390  
 Cars, illuminating ..... 385, 404  
 Cars, wagons, etc. .... 347  
 Carbon and gas retorts ..... 109  
 Carbonate of soda ..... 140, 379  
 Carbonyl oxide and metals ..... 365  
 Carburizer, etc., 37, 30, 107, 139, 157,  
 188, 279  
 Card and brush ..... 50  
 Card clothing ..... 30  
 Card cylinder ..... 307

**D**  
 Card grinder ..... 157  
 Card rack ..... 29, 109  
 Cards, shuffling and dealing ..... 318  
 Carriage engine waste cover ..... 173  
 Carriage engine winding frame ..... 173  
 Carriage machine alarm ..... 155  
 Carpenters' gage ..... 27, 60  
 Carpenters' plane ..... 237  
 Carpenters' vice ..... 59  
 Carriage ring turner ..... 236  
 Carpet bag frame bender ..... 347  
 Carpet lining ..... 139, 221  
 Carpet stretcher, etc., 29, 110, 139,  
 333, 403  
 Carriage axle ..... 108, 157, 348  
 Carriage bow iron ..... 204, 351  
 Carriage brace ..... 269  
 Carriage brake ..... 28, 300  
 Carriage clip ..... 108  
 Carriage coupling ..... 155, 187  
 Carriage chain fastening, 124, 235, 318  
 Carriage fitter ..... 44  
 Carriage headblock ..... 307  
 Carriage h b, rubber in ..... 301, 381  
 Carriage jack ..... 334, 397  
 Carriage loop ..... 404  
 Carriage, for ..... 301, 404  
 Carriage, for joint ..... 138, 230  
 Carriage seat lock ..... 301  
 Carriage shackle ..... 45, 189, 237  
 Carriage shaft, attaching ..... 269  
 Carriage spring, 219, 252, 267(2), 300,  
 (2), 334, 380, 391, 392  
 Carriage step ..... 32  
 Carriage stump joint ..... 93, 356  
 Carriage top ..... 93, 124, 155, 221, 396  
 Carriage wheel, 45, 59, 156(2), 174,  
 189, 190, 203, 252, 296  
 Cart, self-loading ..... 94  
 Cartridge ..... 253, 316  
 Cartridge, for ..... 392  
 Cartridge shells ..... 173  
 Cartridges, priming metallic ..... 12, 141  
 Carving machine ..... 220, 237  
 Caster, furniture ..... 59, 140, 141, 268, 354  
 Casting hollow ware ..... 333  
 Cast-iron, for ..... 301, 404  
 Cattle food compound ..... 353  
 Cement ..... 238, 397  
 Center board wench ..... 319  
 Centering device ..... 220  
 Centering square ..... 2-3  
 Centrifugal machine ..... 125, 206, 235  
 Ceramic articulating ..... 77  
 Chain link bender, etc. .... 108  
 Chains, making ..... 174, 230, 380  
 Chair, barber and dental ..... 332  
 Chair, easy ..... 158, 237, 267, 332, 364  
 Chair, exercising ..... 301, 404  
 Chair, folding ..... 124, 257(2), 258, 267,  
 285(2), (2), 268, 285, 333(2), 380  
 Chair leg tip ..... 348  
 Chair, operating ..... 252  
 Chair, reclining ..... 38, 138, 139, 284  
 Chair seat ..... 219, 301, 318, 383  
 Chair, for ..... 396  
 Chamber closet ..... 220  
 Chamber commode ..... 220  
 Check book ..... 331, 363  
 Check hook fastening ..... 29, 239  
 Check rein ..... 77  
 Cheese, boxing ..... 209  
 Cheese curd rack ..... 58, 268, 306  
 Cheese cutter, etc. .... 58, 268, 306  
 Cheese hoop ..... 28  
 Cheese-preserving compound ..... 316  
 Cheese press ..... 30, 92, 173, 187, 221  
 Cheese safe, gage, etc. .... 58  
 Cheese, for ..... 108  
 Chennille pipe ..... 39  
 Cherry stoner ..... 29, 61  
 Children's carriage ..... 266, 330  
 Chills in casting, supporting ..... 108  
 Chimney ..... 230, 301, 396  
 Chimney cowl, 45, 75, 121, 187, 251,  
 339, 300, 300  
 Chimney scraper ..... 300  
 Chronometer ..... 91  
 Chuck, warping ..... 12  
 Churn, 11, 13(3), 27, 28, 29(2), 43, 44,  
 58, 61(2), 62, 75, 78, 93, 110, 124(3),  
 130, 141, 171, 172, 173, 189(2), 197,  
 198, 204, 221, 236, 237, 238,  
 285(2), 331, 332, 333, 334(2), 347,  
 404  
 Churn dasher, 45, 124, 139, 171(3), 187,  
 186, 221, 269, 284, 285  
 Churn motion ..... 77  
 Churn, for ..... 380  
 Churning apparatus ..... 237  
 Cider mill ..... 62, 94, 232, 347  
 Cigar ..... 107(2)  
 Cigar holder ..... 110  
 Cigar machine ..... 12, 44, 93, 301  
 Cigar pipe ..... 187, 267  
 Cigar, for ..... 76  
 Circular saw feed roller ..... 301  
 Clamp ..... 139, 158(2), 284  
 Clamp nut ..... 141  
 Clasp ..... 43, 138, 253  
 Clay bar ..... 91  
 Clay mill ..... 78, 124, 138, 315  
 Clay, for ..... 45, 188, 296  
 Clock ..... 13, 46, 22(2), 268, 334, 395, 403  
 Clog ..... 379  
 Cloth dryer ..... 332, 405  
 Cloth finisher ..... 156, 395  
 Cloth measurer ..... 204, 379, 380  
 Clothes dryer, 11, 45, 49, 125, 157,  
 229, 235, 237, 253  
 Clothes hook ..... 158  
 Clothes pin ..... 45, 204, 220, 253  
 Clothes pouder ..... 60  
 Clothes press ..... 236  
 Clothes rack ..... 236, 266, 403  
 Clothes sprinkler ..... 46  
 Clothes wringer, 12, 13, 27, 108, 123,  
 126(2), 232, 317  
 Clothes line adjuster ..... 270  
 Clothes line holder ..... 59, 158(2)  
 Clover harvester ..... 381  
 Coal chute ..... 403  
 Coal cutter ..... 287, 403  
 Coal dust for fuel ..... 156  
 Coal hod ..... 59, 60, 93, 141, 301  
 Coal loader ..... 204  
 Coal mining ..... 189(2), 237  
 Coal sifter ..... 44, 365  
 Coal, for ..... 29, 395  
 Coal separator, etc. .... 300  
 Cocker separator, etc. .... 300  
 Cocoa, desiccated ..... 62, 366  
 Coffee huller ..... 331  
 Coffee mill ..... 107, 203  
 Coffee pot, 12, 77, 123, 156, 284, 332,  
 349(2), 382, 404  
 Coffee pot handle ..... 45, 108, 237, 348, 365  
 Coffee roaster ..... 76, 138, 203, 236, 349, 364  
 Collar fastener ..... 269, 302  
 Collar machine ..... 334  
 Collar, for ..... 349  
 Collar, solidified ..... 301  
 Column, wrought iron, 253, 254, 300, 316  
 Comb ..... 59, 61, 138, 252  
 Comb-sawing machine ..... 138  
 Compositions for designs ..... 220  
 Compression, molded article ..... 62  
 Compressor, etc. .... 92  
 Compress table ..... 92  
 Condenser ..... 285, 301, 316, 395, 404  
 Conductors' punch ..... 403  
 Confection ..... 171  
 Connecting rod ..... 13, 236  
 Connecting apparatus ..... 252  
 Cooking apparatus ..... 115, 333  
 Cooking stove hearth ..... 347  
 Cooking stove oven ..... 11  
 Cooking stove reservoir, 75, 189,  
 316, 334, 380  
 Cooking stove ventilator ..... 221  
 Copper ..... 138  
 Coopers' croze ..... 385  
 Copal varnish, rectifying ..... 285  
 Copying press dampener ..... 186, 190, 395  
 Cord coverer ..... 124  
 Core bar ..... 124  
 Core machine ..... 60  
 Core, venting metallic ..... 347  
 Cork cutter ..... 29, 158, 188, 236  
 Corn and cob mill ..... 94  
 Corn coverer ..... 124, 348  
 Corn cutter, green ..... 235, 237  
 Corn, for ..... 220, 232, 334, 347  
 Corn husker, 11, 13, 28, 61, 127, 336,  
 252, 283, 285, 381  
 Corn planter, 13(2), 28, 29, 59(2), 75,  
 77, 91, 125(2), 139, 154, 156, 173,  
 186, 204, 220(3), 237, 239(3), 299,  
 333, 336, 301, 302(2), 317, 318, 335,  
 343, 349, 363, 365, 379, 381, 385,  
 396(3), 397(2)  
 Corn plow ..... 187, 318, 349, 364, 382, 404

**E**  
 Ear for pails ..... 108, 171  
 Earth borer ..... 93  
 Eavestrough ..... 190, 219  
 Eavestroughs, hanging ..... 110, 393  
 Edge tools ..... 387  
 Egg beater ..... 109  
 Egg-boiling apparatus ..... 301  
 Egg carrier ..... 156, 186  
 Egg holder ..... 301  
 Egg-preserving compound ..... 153  
 Elastic rolls and tubes ..... 30  
 Electric fuse ..... 30  
 Electric machine ..... 75  
 Electrical bath ..... 77  
 Electro-magnetic alarm ..... 139  
 Electro-magnetic engine ..... 109  
 Electro-plating ..... 44, 109, 289, 301  
 Elevator, 28(2), 60, 92, 139, 157, 157,  
 252, 301, 302, 315, 316, 334, 379, 381,  
 332, 404  
 Elevator bucket ..... 123  
 Embalming compound ..... 189  
 Embossing press ..... 238  
 Embroidering machine ..... 78  
 Engine, hot air ..... 387  
 Engravers' cloth pigments, etc. .... 181  
 Engravers' plate ..... 172  
 Engravers' vise ..... 253  
 Engraving machine ..... 383  
 Entrails cleaner ..... 280  
 Exhaust nozzle, 69, 205(2), 395, 403  
 Eraser ..... 347  
 Escapement, 13, 93, 189, 204, 334(2), 363  
 Etching relief plates ..... 365  
 Evaporator, 92, 108, 157, 189, 236,  
 304(2), 379  
 Excavator ..... 93, 125, 139, 171,  
 237, 238, 254, 269, 285, 300, 318,  
 319, 323, 347(2), 348, 385, 402  
 Explosive compound ..... 267  
 Express signal ..... 303  
 Extracts and decoctions ..... 397  
 Extracts and essences ..... 348  
 Extracts, concentrating ..... 187  
 Eye caps, making ..... 75  
 Eye cup ..... 317  
 Eye former, pot ball ..... 317

**F**  
 Eye water ..... 141  
 Eyeglass ..... 44, 190, 388  
 Eyelid ..... 253  
 Eyelid machine ..... 27, 45, 402

**F**  
 Fan ..... 173, 379  
 Fanning attachment, chair ..... 12  
 Fanning mill, 171, 204(2), 205,  
 285, 301  
 Fatty acids, solid ..... 203  
 Faucet 11, 107, 138(2), 158, 204(2),  
 221, 269  
 Faucet filter ..... 109  
 Feather renovator ..... 76, 77, 78, 124,  
 158, 171, 190, 221, 404  
 Feathers, bleaching, etc. .... 219  
 Feed bag ..... 219  
 Feed cutter ..... 318, 349  
 Feed rack ..... 76, 123  
 Feed water heater, 44, 46, 110, 155(2),  
 190, 205, 300, 315, 318, 381  
 Felly dresser ..... 78  
 Felon compound ..... 156  
 Felted fabric ..... 94, 270, 380  
 Felting machine ..... 123, 157(2)  
 Fence, 28, 61, 91, 92, 124(2), 173, 190,  
 221, 267, 285, 300, 347, 363  
 Fence, iron ..... 380  
 Fence, portable 12, 60, 76, 91, 124,  
 269, 348  
 Fence post driver ..... 108, 140, 189  
 Fence post, iron ..... 349  
 Fence raiser ..... 364  
 Fence, river ..... 111, 222, 337, 385  
 Fence, wire and picket ..... 75, 395, 401  
 Fence wire stretcher ..... 171  
 Fences, foundation for ..... 107  
 Ferry bridge ..... 98, 139  
 Fertilizer ..... 38, 90  
 Fever and ague remedy ..... 29, 156  
 Fiber and gum fabric ..... 29, 188  
 Field marker ..... 18, 235, 331, 348  
 Fifth wheel bender ..... 60, 204  
 File cutter ..... 76, 124  
 File fastener ..... 140  
 File handle ..... 61, 396  
 Files and rasps ..... 109  
 Filter ..... 111, 222, 337, 385  
 Filtering press ..... 92  
 Finger ring ..... 252  
 Fire alarm ..... 45, 77  
 Fire engine ..... 61, 123, 268, 397  
 Fire escape ..... 172, 221, 236(2),  
 237, 317  
 Fire extinguisher 13, 125(2), 281,  
 282  
 Fire kindler ..... 28, 76, 109, 351, 349  
 Fire plug ..... 77  
 Fire-proof compound ..... 361  
 Fire-proof structure ..... 75  
 Firearms ..... 396  
 Firearm, breech-loading, 30, 78, 180,  
 141, 155, 158(2), 381, 382, 396  
 Firearm, double barreled ..... 390  
 Firearm, magazine ..... 268, 396, 407  
 Firearm piston, etc. .... 395  
 Firearm, revolving ..... 232  
 Firearm's ladder ..... 382  
 Fireplace ..... 109, 125, 171, 284, 382  
 Fish and potato, desiccated ..... 347  
 Fish bait, desiccated ..... 285  
 Fish, conveying live ..... 123  
 Fish, desiccating ..... 205, 401  
 Fish, etc., preserving ..... 318  
 Fishhook ..... 387  
 Fishing tackle, 92, 236, 331, 317, 332, 333  
 Fistula instrument ..... 401  
 Flask or bottle ..... 140  
 Fleecing cradle ..... 353  
 Flood gate ..... 157, 339  
 Flood clamp ..... 91, 173, 364  
 Floor covering ..... 120, 318  
 Flour bolt ..... 43, 155, 190  
 Flour cooler ..... 40

Table listing various mechanical and scientific items with their corresponding page numbers. Includes categories like Gear, Horse, Leather, Metal, and various tools and machinery.

Shuttle box..... 141	Stove door..... 46	Tube puncher..... 283	Window sash..... 124, 173	Leather, rubber coated..... 206	Medallion scarf ring..... 46(2)
Shuttle box cam..... 153	Stove door oven..... 314	Tubing welder..... 349	Window sash balance..... 29	Leather splitter, etc..... 262	Mortising machine base..... 190
Shuttle spindle..... 333	Stove drum..... 29, 267	Tumbler brush..... 198	Window sash fastener, 13, 107, 155, 156, 190, 203, 237, 253, 268, 269, 286, 301, 316, 332, 347, 349, 364(3), 396	Lighting street gas lamps..... 366	O
Sickle serrator..... 253	Stove flues, hot air..... 75	Tumbler stand..... 252	Window sash holder, 75, 156, 252, 301, 350, 352, 353	Lock, alarm..... 222	Oilcloth pattern, 46(6), 78, 174(3), 334(2)
Sieboard, etc..... 236	Stove foot rest..... 140	Turbine wheel gate..... 174	Window sash pulley..... 301, 350, 352, 353	Lounge, convertible..... 270	P
Sieve..... 59, 140	Stove leg..... 125	Turning irregular forms..... 318(2)	Window sash supporter, 46, 156, 252, 332(2), 364	Lubricator..... 270	Parlor stove..... 78
Signal device..... 77	Stove magazine..... 360, 364	Turpentine still..... 222	Window screen..... 206, 220	Mash and malt, fermenting..... 94	Patent trade mark..... 334
Signal flag for vessels..... 258	Stove oven..... 59, 125	Twee..... 317, 363	Window scrubber..... 108	Material for various structures, 158(8)	Perambulator body..... 142
Signal, pyrotechnic..... 30	Stove oven rack, slip..... 13	Twine box..... 221	Window shade enamel..... 219	Meats, etc., preserving..... 252	Picture frame..... 94(3)
Signals, transmitting..... 203	Stove patterns..... 94, 882	Type casting machine..... 247	Window shutter..... 107, 205, 283, 363, 364	Medical vacuum chamber..... 224	Printers' type..... 14, 174, 366(4), 398(4)
Silk-winding machine..... 251	Stove polish..... 46	Type machine..... 189	Window shutter fastener..... 13, 284, 350	Melodeon..... 350(2)	R
Silverware cleaner..... 316	Stovepipe..... 77, 403	Type writer..... 379	Window shutter hinge..... 27	Molding cutter..... 38	Range plates..... 190
Singeing machine..... 316	Stovepipe damper..... 13, 61, 75(2)	Typographer, mechanical..... 141	Window shutter operator, 27, 62, 78, 109, 138, 301, 349	Mop head..... 350(2), 382	Scale dish..... 366
Singletree brace..... 11	Stovepipe drum..... 138, 139, 252, 269, 299	U	Window spring..... 269	Moving machine..... 13, 30(2), 78(2)	Scarf ring..... 126
Sirup pan elevator..... 120	Stovepipe elbow..... 237, 316	Umbrella..... 11, 62, 126, 157, 382	Window strip attachment..... 270	Moving machine grinder..... 190, 286	School desk standards..... 366
Size for paper making..... 10	Stovepipe shelf..... 28, 98	Umbrella runner stop..... 318	Wine cooler..... 190	N	Screen..... 46
Sizing composition..... 10	Stovepipe suspender..... 92	Uterine supporter..... 92, 347	Wire cloth..... 285	Nut machine..... 94, 405	Sewing machine frame..... 142
Skate, 43, 157, 221, 252, 284(2), 302, 332(2), 365	Stovepipe thimble..... 204, 332	V	Wire cloth painter..... 395(2)	Nutmeg grater..... 238	Shirt collar..... 94, 110
Skate fastening..... 93, 383	Strainer..... 126	Vacuum apparatus..... 173	Wire screen machine..... 28	O	Shirt cuff..... 110
Skein holder..... 173	Strap holder..... 267	Vagina injector..... 157	Wire teeth and cards..... 123	Ore separator..... 334	Shovel and tongs stand..... 334
Skin stretcher, etc..... 78	Strap roller..... 258	Vagina arrangement..... 46, 315, 324	Womb supporter..... 364	P	Show case frame..... 46
Skirt measurer..... 396	Straw cutter..... 28, 46, 93, 110, 266, 301, 332, 380	Valve..... 125	Wood borer..... 60	Paint..... 110	Sleigh bell..... 142
Skirt supporter..... 140, 268, 270, 299	Strawberry beds, mulching..... 91	Valve arrangement..... 46, 315, 324	Wood-carving machine..... 11, 188	Paper collars, etc..... 238	Snuff box..... 403
Slate cutter..... 100, 385	Strawberry culture..... 78	Valve check..... 125	Wood-grain printing..... 382	Pavement, wooden..... 280	Soda water fountain..... 14
Slate frame..... 100, 385	Strawberry ripener mold..... 60	Valve coupling..... 95	Wood polisher..... 189	Petroleum, refining..... 370	Spirit level..... 238
Slate grinder..... 124, 268	Submarine exploring..... 110	Valve cut-off..... 110	Wood-sawing machine..... 316	Petroleum still..... 302(2)	Spoon handle..... 238
Slate polisher..... 62, 124, 268	Submarine lantern..... 157	Valve gear..... 44, 78, 221(2), 236, 252, 307, 404	Wood spirits, purifying..... 45	Piano and melodeon..... 350	Stair oilcloth..... 334
Slate trimmer..... 155	Sugar cutler..... 349	Valve gear, steam hammer..... 397, 404	Wood splitter..... 94	Pianoforte..... 350	Statuary, group of..... 174
Slate, writing..... 267, 332	Sugar from sorghum juice..... 138	Valve globe..... 60, 92, 203, 221, 269, 348	Wooden box machine..... 76	Picture card frame..... 238	Steam boiler pump..... 396
Sleeve, knitted garment..... 205	Sugar from sugar cane..... 108	Valve, influx and vent..... 11, 402	Wooden handle polisher..... 123	Picture chuck..... 222	Stocking machine..... 288(3)
Sleigh..... 12, 30, 188, 267, 295	Sugar, manufacturing..... 45, 349	Valve motion, steam engine..... 285	Wooden rod connection..... 157	Planing machine..... 190	Stocking fabric pattern..... 288(3)
Sleigh brake..... 62, 94, 349, 381, 396	Sugar packer..... 154	Valve piston..... 12, 283, 383	Wood roller..... 349	Platform scale..... 78	Stove..... 110, 288(4), 334
Sleigh knee..... 236	Sugar pan derrick..... 268, 315	Valve, safety..... 171, 203(2), 205, 235, 299, 301, 302, 353	Wool borer..... 60	Platform scale..... 126, 142, 174(2), 334	Stove base..... 174
Sleigh runner..... 347	Sugar refinery..... 290	Valve seat..... 75	Wool picker..... 306	Plow, gang..... 13, 206	Stove ornaments..... 334, 350
Sleigh shoe mold..... 174, 236	Sulphate of barytes..... 220	Valve, slide..... 29, 124, 125, 252, 302, 353, 363, 379	Wool presser, etc..... 220	Plow, subsoil..... 142	Sun dial, pocket..... 174
Sleigh stack..... 124, 205, 290	Sulphur separator..... 124	Valve, steam engine..... 110, 125, 267, 269, 316, 348, 363, 365(2)	Woolen cloths, dyeing..... 296	Printers' galley..... 126	T
Smoke house..... 190	Sulphuric ether..... 338	Valve, tube end..... 347	Work table appliance..... 285	Propeller..... 206	Table fork..... 238
Smoke pipe..... 120	Suppository machine..... 75	Valve, water closet..... 141	Wrench, 10, 27, 99, 42, 60, 205(2), 319, 252, 284(2), 331, 332, 364(2), 397	Pump..... 62, 350	Tobacco pipe..... 334
Smoke stack..... 124, 205, 290	Surgical splint..... 251	Vane..... 156	Wringing roller..... 317	R	Toy, gyroscopic..... 94
Soap..... 174	Suspender, cloak and coat..... 59	Vapor burner..... 44, 45, 140, 222, 300, 347(2)	Wrist pin lifter..... 13	Railway rail, etc..... 232	Toy..... 110
Soap and detergent..... 109	Suspending clamp..... 363	Varnish..... 187, 204, 302	Writing table, etc..... 253	Rubber fabric..... 174	Trade mark, 14, 46, 78, 94(2), 110, 142, 174, 238(2), 334, 350(2), 366(6), 382, 268
Soap cup..... 27, 44, 156, 284	Swing machine..... 124	Vegetable cutter..... 347	Y	Rubber molder..... 366	Twine holder..... 110
Soap making..... 48, 253, 49	Swivel, gag..... 300	Vegetable server..... 58	Yarn, printing..... 139, 269, 386, 300	S	Vapor burner..... 350
Sock, tool handle..... 125	Swivel, reel..... 28, 44, 205, 384, 300	Vegetables, preserving..... 253	Yarn, washing and bleaching..... 267	Saw..... 110, 238	Vise, cast iron..... 62
Soda fountain..... 332, 302	Sword, hanging..... 61	Vehicle, self-propelling..... 83	Yellow wash for burns..... 124	Saw grinder..... 254, 270	Vise, iron..... 110
Sofa bedstead, 126, 154, 187, 188, 304, 385	Syringe..... 61	Venser..... 332, 365	Yoke..... 124	Sawmill, circular..... 174	Vise, wood..... 110
Soll pulverizer..... 171, 268(2), 301(2)	T	Venser, for..... 349	Z	Sawyer..... 382	V
Soldering galvanized iron..... 332	Table..... 92, 222, 236(2), 302, 349, 397	Ventilating and desiccating..... 154	Zinc oxide from ores..... 332	Seeder..... 305	Vapor burner..... 350
Soldering iron furnace..... 286	Table-cloth protector..... 286	Ventilating sash-adjuster..... 188	Zincking bath..... 512	Sewing machine..... 142	Vapor burner..... 350
Soldering vessel..... 236	Table, desk, etc..... 139	Ventilator..... 11, 44, 125, 155, 156, 204, 267, 397	Zincking iron..... 29	Sewing machine truck creaser..... 396	W
Sole and heel composition..... 332	Tables, benches, etc..... 107	Vessel core..... 299	W	Sheet metal bender..... 182	Watch top plate..... 174(2)
Sole cutter..... 267	Tack holder..... 403	Vine and trellis..... 305	Wagon..... 11, 28, 110, 236, 238, 348	Sirup filter..... 270	Well curb..... 350(2)
Sole-lineing fastener..... 62	Tail and fastening..... 30, 110, 313	Vine cutter..... 316	Wagon axle..... 187, 219, 238	Skate..... 350	Window blind hinge..... 350
Sole molder, rounder, etc..... 300	Tailors' measure..... 140	Vinegar, manufacturing..... 187, 267, 316	Wagon bolster..... 13	Skate fastener..... 46	X
Sole-sewing machine..... 236	Tailors' press board..... 204	Vise..... 59(2), 125, 188, 205, 219, 220, 253, 285, 395	Wagon box..... 29, 45, 91, 183, 404	Skates, making..... 174	Y
Sorghum skinner..... 236	Tan, desiccating leached..... 367	Voltaic battery..... 284	Wagon brake..... 75, 93, 124, 140, 157, 171, 188, 189, 203, 237, 253, 285, 286, 334, 347, 348, 395, 397	Sleeping car..... 286	Yarn, sizing..... 267
Sower, broadcast..... 42	Tan, dye-fermenting..... 207	Vulcanizing flasks, closing..... 75	Wagon chaff roller..... 269	Sleeper..... 238	Yarn, washing and bleaching..... 267
Spade..... 285, 404	Tanners' book..... 108	W	Wagon coupling..... 157, 396	Skate..... 350	Yellow wash for burns..... 124
Spading machine..... 316, 332	Tanning liquid, decolorizing..... 186	Wagon..... 11, 28, 110, 236, 238, 348	Wagon hub..... 155, 253(2), 397	Skate fastener..... 46	Y
Spark arrester..... 93, 124, 186, 332	Tanning compound..... 157, 252, 285, 403	Wagon axle..... 187, 219, 238	Wagon jack..... 75, 93, 124, 140, 157, 171, 188, 189, 203, 237, 253, 285, 286, 334, 347, 348, 395, 397	Skates, making..... 174	Y
Spavin compound..... 380	Tape and die..... 156	Wagon bolter..... 13	Wagon lead hay binder..... 189	Skate..... 350	Y
Speaking trumpet..... 76, 283	Tape box..... 141	Wagon boiler..... 13	Wagon pole, etc..... 59, 402	Skate..... 350	Y
Speckles..... 123	Tape measure..... 174	Wagon box..... 29, 45, 91, 183, 404	Wagon reach..... 317	Skate..... 350	Y
Speed changer, machinery..... 284	Tassel fastening..... 123	Wagon chaff roller..... 269	Wagon running gear..... 157	Skate..... 350	Y
Spherical trigonometry, illustrating..... 316	Tassel mold coverer..... 156	Wagon coupling..... 157, 396	Wagon seat..... 76, 123, 138, 236, 397	Skate..... 350	Y
Spice box..... 38, 205	Tagging..... 136	Wagon hub..... 155, 253(2), 397	Wagon skat..... 126	Skate..... 350	Y
Spider..... 323	Tagging shuttle..... 136	Wagon jack..... 75, 93, 124, 140, 157, 171, 188, 189, 203, 237, 253, 285, 286, 334, 347, 348, 395, 397	Wagon stake..... 331	Skate..... 350	Y
Spindle..... 270, 59	Tagging machine..... 11	Wagon chaff roller..... 269	Wagon top bow..... 59, 263, 304, 301, 349	Skate..... 350	Y
Spindle machine..... 45, 110, 174, 238	Teapot..... 61	Wagon coupling..... 157, 396	Wagon wheel..... 59, 263, 304, 301, 349	Skate..... 350	Y
Spindle steps..... 156, 158	Tea tray..... 269	Wagon hub..... 155, 253(2), 397	Wagon wheel coating, building..... 396	Skate..... 350	Y
Spinning drawing head, etc..... 12	Tea kettle..... 76, 123, 316	Wagon jack..... 75, 93, 124, 140, 157, 171, 188, 189, 203, 237, 253, 285, 286, 334, 347, 348, 395, 397	Wagon wall paper trimmer..... 333	Skate..... 350	Y
Spinning frame, ring..... 188	Teatop..... 11	Wagon chaff roller..... 269	Wagon wheel..... 59, 263, 304, 301, 349	Skate..... 350	Y
Spinning jack..... 365	Tea-planting machine..... 59	Wagon coupling..... 157, 396	Wagon wheel..... 59, 263, 304, 301, 349	Skate..... 350	Y
Spinning machine..... 42, 63, 123, 139, 140, 154, 186, 302, 315, 349	Tea-planting machine..... 59	Wagon hub..... 155, 253(2), 397	Wagon wheel..... 59, 263, 304, 301, 349	Skate..... 350	Y
Spinning machine ring..... 316	Tea-planting machine..... 59	Wagon jack..... 75, 93, 124, 140, 157, 171, 188, 189, 203, 237, 253, 285, 286, 334, 347, 348, 395, 397	Wagon wheel..... 59, 263, 304, 301, 349	Skate..... 350	Y
Spinning wheel..... 379	Tea-planting machine..... 59	Wagon chaff roller..... 269	Wagon wheel..... 59, 263, 304, 301, 349	Skate..... 350	Y
Spirit level..... 30, 43, 268	Tea-planting machine..... 59	Wagon coupling..... 157, 396	Wagon wheel..... 59, 263, 304, 301, 349	Skate..... 350	Y
Spirit meter..... 125, 186, 187, 252	Tea-planting machine..... 59	Wagon hub..... 155, 253(2), 397	Wagon wheel..... 59, 263, 304, 301, 349	Skate..... 350	Y
Spirits, distilling..... 59, 109, 124, 203	Tea-planting machine..... 59	Wagon jack..... 75, 93, 124, 140, 157, 171, 188, 189, 203, 237, 253, 285, 286, 334, 347, 348, 395, 397	Wagon wheel..... 59, 263, 304, 301, 349	Skate..... 350	Y
Spirits, refining..... 59, 109, 124, 203	Tea-planting machine..... 59	Wagon chaff roller..... 269	Wagon wheel..... 59, 263, 304, 301, 349	Skate..... 350	Y
Splint knife..... 299	Tea-planting machine..... 59	Wagon coupling..... 157, 396	Wagon wheel..... 59, 263, 304, 301, 349	Skate..... 350	Y
Spoke and felly..... 46	Tea-planting machine..... 59	Wagon hub..... 155, 253(2), 397	Wagon wheel..... 59, 263, 304, 301, 349	Skate..... 350	Y
Spoke, extension..... 365	Tea-planting machine..... 59	Wagon jack..... 75, 93, 124, 140, 157, 171, 188, 189, 203, 237, 253, 285, 286, 334, 347, 348, 395, 397	Wagon wheel..... 59, 263, 304, 301, 349	Skate..... 350	Y
Spoke tenon..... 124	Tea-planting machine..... 59	Wagon chaff roller..... 269	Wagon wheel..... 59, 263, 304, 301, 349	Skate..... 350	Y
Spoke-tenoning machine..... 173	Tea-planting machine..... 59	Wagon coupling..... 157, 396	Wagon wheel..... 59, 263, 304, 301, 349	Skate..... 350	Y
Spool holder..... 301	Tea-planting machine..... 59	Wagon hub..... 155, 253(2), 397	Wagon wheel..... 59, 263, 304, 301, 349	Skate..... 350	Y
Spoons, manufacturing..... 301	Tea-planting machine..... 59	Wagon jack..... 75, 93, 124, 140, 157, 171, 188, 189, 203, 237, 253, 285, 286, 334, 347, 348, 395, 397	Wagon wheel..... 59, 263, 304, 301, 349	Skate..... 350	Y
Spring..... 59, 62, 124, 172, 173, 285, 315, 397	Tea-planting machine..... 59	Wagon chaff roller..... 269	Wagon wheel..... 59, 263, 304, 301, 349	Skate..... 350	Y
Spring adjuster..... 302	Tea-planting machine..... 59	Wagon coupling..... 157, 396	Wagon wheel..... 59, 263, 304, 301, 349	Skate..... 350	Y
Springs, bending elliptic..... 302	Tea-planting machine..... 59	Wagon hub..... 155, 253(2), 397	Wagon wheel..... 59, 263, 304, 301, 349	Skate..... 350	Y
Springs, securing bed..... 205	Tea-planting machine..... 59	Wagon jack..... 75, 93, 124, 140, 157, 171, 188, 189, 203, 237, 253, 285, 286, 334, 347, 348, 395, 397	Wagon wheel..... 59, 263, 304, 301, 349	Skate..... 350	Y
Spur..... 204	Tea-planting machine..... 59	Wagon chaff roller..... 269	Wagon wheel..... 59, 263, 304, 301, 349	Skate..... 350	Y
Spur and eye piece..... 204	Tea-planting machine..... 59	Wagon coupling..... 157, 396	Wagon wheel..... 59, 263, 304, 301, 349	Skate..... 350	Y
Spur wheel..... 206	Tea-planting machine..... 59	Wagon hub..... 155, 253(2), 397	Wagon wheel..... 59, 263, 304, 301, 349	Skate..... 350	Y
Square and bevel..... 283	Tea-planting machine..... 59	Wagon jack..... 75, 93, 124, 140, 157, 171, 188, 189, 203, 237, 253, 285, 286, 334, 347, 348, 395, 397	Wagon wheel..... 59, 263, 304, 301, 349	Skate..... 350	Y
Square and miter..... 28	Tea-planting machine..... 59	Wagon chaff roller..... 269	Wagon wheel..... 59, 263, 304, 301, 349	Skate..... 350	Y
Staging..... 75, 81	Tea-planting machine..... 59	Wagon coupling..... 157, 396	Wagon wheel..... 59, 263, 304, 301, 349	Skate..... 350	Y
Stair rods..... 75, 81	Tea-planting machine..... 59	Wagon hub..... 155, 253(2), 397	Wagon wheel..... 59, 263, 304, 301, 349	Skate..... 350	Y
Stair spiral..... 269	Tea-planting machine..... 59	Wagon jack..... 75, 93, 124, 140, 157, 171, 188, 189, 203, 237, 253, 285, 286, 334, 347, 348, 395, 397	Wagon wheel..... 59, 263, 304, 301, 349	Skate..... 350	Y
Stall horse..... 365	Tea-planting machine..... 59	Wagon chaff roller..... 269	Wagon wheel..... 59, 263, 304, 301, 349	Skate..... 350	Y
Stamp affixer..... 365	Tea-planting machine..... 59	Wagon coupling..... 157, 396	Wagon wheel..... 59, 263, 304, 301, 349	Skate..... 350	Y
Stamp, hand..... 172, 301, 333	Tea-planting machine..... 59	Wagon hub..... 155, 253(2), 397	Wagon wheel..... 59, 263, 304		

Advertisements.

The value of the SCIENTIFIC AMERICAN as an advertising medium cannot be over-estimated. Its circulation is ten times greater than that of any similar journal now published.

RATES OF ADVERTISING. Back Page.....\$1.00 a line. Inside Page.....75 cents a line.

PATENT RIGHTS SOLD ON COMMISSION BY STREET, WEBSTER & CO., Atwater Building, Cleveland, O.

FOR SALE TO First Applicant—A Complete set of Patent Office Reports, since 1844, in 38 vols., for \$50.

FIRST-CLASS Machinists' Tools, Steam Engines, Heavy Machinery, Shafting, Pulleys, etc., made by T. WISS, PRATT, & HAYES, New Haven, Ct.

WANTED—Salesmen to Travel for a Manufacturing Co., and sell by sample. Good wages are guaranteed.

TO FOUNDRYMEN.—No. 4, Mackenzie Blower for sale, but little used. Price \$275. Also one 21-inch Coil Heater, new \$800.

1ST PREMIUM PORTABLE STEAM ENGINES—6 to 15-Horse Power. Send for circular. JOS. CHAMPION & CO. Factory 2 and 4 Sussex st., Jersey City.

GUARANTEED.—5000 feet of Inch Boards ripped by one man and boy, in ten hours, with Talpey's patent Self-feeding Hand Saw Mills.

M. J. D. THOMPSON, LATE PRESIDENT of the Central National Bank, of Cincinnati, Ohio, becomes a member of our firm from this date.—Dec. 10, 1898.

NEW AND IMPROVED BOLT CUTTER—Schlenker's Patent.—The Best in use. Cutting Square, Cog and V-Thread by once passing over the iron.

THE GREATEST INVENTION OF THE AGE.—Butter made in from 3 to 5 minutes by the use of our Infalible Butter Powder, at a cost of 20 cents a pound—simple in operation, harmless in use.

Excelsior Lubricator. PATENTED AUG. 25th, 1868.—For Cylinders of Engines. A very Superior and Durable article manufactured by B. E. LEHMAN.

Agents Wanted. \$75 TO \$200 PER MONTH!!! Or a Commission from which twice that amount can be made by selling the latest improved Common Sense Family Sewing Machine.

IRIDIOSCOPE. A New Optical Instrument which shows the inside of the eye. It detects foreign substances & locates diseases.

BOYS' FUN—7000 Sold.—Hunting and Trapping.—THE HUNTERS' GUIDE AND TRAPERS' COMPANION, a Book for Farmers, Hunters, Trappers, and Boys.

THE NOVELTY IRON WORKS, Foot East 12th Street. BRANCH OFFICE, No. 77 and 83 Liberty Street, New York.

U. S. PATENT OFFICE. Washington, D. C., Dec. 5, 1898. J. J. Anderson, of Rochester, Beaver county, Pa., having petitioned for the extension of the patent granted him on the 6th day of March, 1855, for an improvement in "Cook Stoves."

WOODWORTH PLANERS A SPECIALTY—From new patterns of the most approved style and workmanship. Wood-working Machinery generally.

STATE AND COUNTY RIGHTS FOR sale, for J. H. H. Wiseheart's Improved Grain Screen. Over \$1,000 worth of territory and machines sold in one week.

Radial Drills AND Machinists' Tools. For Cut and description of Drill see Scientific American, Vol. XIX, No. 25.

\$10 A Day for all. Stencil tool, samples free. Address A. J. FULLAM, Springfield, Vt.

BURNERS FOR KEROSENE LAMPS. The American Institute have instituted an investigation to endeavor to ascertain the best and safest Lamp Burner for using the products of Petroleum, and also to investigate the merits of all other apparatus for using the products of Petroleum for illuminating purposes.

Tool Chests FOR HOLIDAY PRESENTS. All sizes, for MEN, YOUTH, and BOYS, from \$2 to \$50 each. Circulars sent on application to A. J. WILKINSON & CO., Boston.

WATCHES.—\$50. I Will Cheerfully Give the above amount to any one who can surpass my imitation of Gold Watches. Description of metal and goods sent free on demand.

VAN NOSTRAND'S ECLECTIC ENGINEERING MAGAZINE.

96 Pages, Large 8vo Monthly. FIRST NUMBER TO BE ISSUED JANUARY 1, 1869. Price \$5 a year, in advance; single copies 50c.

VAN NOSTRAND'S MAGAZINE will consist of Articles Selected and Matter Condensed from all the Engineering Serial Publications of Europe and America.

This will be done under the direction of Mr. A. L. HOLLEY, the well-known Author and Constructor in various branches of Engineering.

The object of this Magazine is to present, within limits of space and cost that all can afford, the cream of not less than fifty engineering, mechanical, chemical, and metallurgical publications.

Publisher and Importer, 192 Broadway, New York. Our New Catalogue of American and Foreign Scientific Books 56 pages, 8vo, sent to any address on receipt of six cents in stamps.

Star Spangled Banner ENLARGED AND IMPROVED. EIGHT large pages and forty long columns, all for 75c. a year, and a splendid 19x24 inch engraving, mounted on roller, free to every subscriber.

TO OWNERS OF STEAM BOILERS—Palge's Lock-Up Safety Valve, approved by inspectors and equal to any in market. Call and examine.

Leather Belting, Card Clothing, & Hose Factory. J. H. Haskell, Baltimore, Md.

BENT, GOODNOW & CO., Boston, Mass., Agents for the sale of Patents. FOR SALE—A variety of very valuable "Rights." Send stamp for THE PATENT STAR.

OIL! OIL!! OIL!!! FIRST PREMIUM.....PARIS, 1867 Grand Silver Medal and Diploma!

PEASE'S IMPROVED OILS! Engine, Signal, Lard, and Premium Petroleum is the Best Made for Railroads, Steamers, and for Machinery and Burning.

WANTED—An Agent in each town to take the agency for the sale of Bradstreet's Rubber Molding and Weather Strips, applied to the sides, bottom, top, and center of doors and windows.

IMPORTANT.

THE MOST VALUABLE MACHINE For planing irregular and straight work, in all branches of wood working, is the Combination, Molding and Planing Machine.

The Variety Machine sold by the Gear's, is a direct infringement on the Grosvenor and other Patents owned solely by us, and the public will please notice the deeds given by Mr. Gear cover only the Gear Patent, being no protection to the purchaser against the rights of our Patents, infringements on which we are now prosecuting.

Attention is called to cuts of our Variety Machine (in the issue of this journal of December 9th, 1868), of which we are the sole, lawful makers, and other parties building, or vending like machines, are doing so without the slightest legal authority, subjecting the public to impositions to heavy damages, the collection of which we are determined to prosecute to the fullest extent of the law.

MORE IMPORTANT. DON'T BE DECEIVED IN BUYING VARIETY MOLDING AND UPRIGHT SHAPING MACHINES, THE FOUNDATION, SOUL, AND BODY OF WHICH IS THE GEAR PATENT.

Insist upon having a deed of right to use the Gear Patent part of their machines. They never built one of their machines without using the Gear Patent as a foundation.

KEEP OUT OF TROUBLE. In the description of engravings of the C. M. & P. M. Co's. Machine in this paper, Dec. 9th, the manner of holding the cutters or knives and how the patterns are guided (which the combined talent of the world during the last fifteen years have failed to surpass or equal), which are two of the essential features of the "GEAR PATENT" are omitted.

ROBERT MCALVEY, Manufacturer of HOISTING MACHINES AND DUMB WAITERS.

R. BALL & CO., Worcester, Mass., Manufacturers of the latest improved patent Daniels', Woodworth's, and Gray & Wood's Planers, Sash Molding, Tenoning, Power and Foot Mortising, Upright and Vertical Shaping and Boring Machines, Scroll Saws, Double Ice-Sawing, and a variety of other machines for working wood.

Bridesburg Manf'g Co., Office No. 65 North Front Street, PHILADELPHIA, PA.

WROUGHT IRON Beams and Girders. THE Union Iron Mills, Pittsburgh, Pa. The attention of Engineers and Architects is called to our improved Wrought Iron Beams and Girders (patented), in which the compound welds between the stem and flanges, which have proved so objectionable in the old mode of manufacturing, are entirely avoided.

Lucius W. Pond, IRON and Wood working Machinery, Machinists' Tools and supplies, Shafting, Mill Gearing, and Jobbing. A. O. Sole Manufacturer of TAFT'S CELEBRATED PUNCHES & SHEARS.

Sheet and Roll Brass, BRASS AND COPPER WIRE, German Silver, etc., Manufactured by the THOMAS MANUFACTURING CO., Thomaston, Conn.

AZURENE CONCENTRATED INDIGO. For the Laundry.—Free from Oxalic Acid.—See Chemists' Certificate. A Patent Pocket Pincushion or Emery Bag in EACH TWENTY CENT BOX.

HICKS' Improved CUT-OFF ENGINE, AND Non-Explosive Circulating Boiler. Cannot be equalled for correctness of principle, economy in operation, perfection of workmanship, and cheapness of price.

WOODWORTH PLANERS—IRON Frames 18 to 24 inches wide, \$125 to \$150. 2 t f b

A BOOK THAT EVERYBODY SHOULD HAVE.

WELLS' EVERY MAN HIS OWN LAWYER AND BUSINESS FORM BOOK. Is a complete and reliable guide in all matters of law and business transactions for EVERY STATE IN THE UNION.

THE ENTIRE LEADING PRESS OF THE COUNTRY unqualifiedly indorse the work. We make a few short extracts from the press: "As a legal adviser, always at hand to instruct the reader how to proceed in suits and business transactions of every and all kinds; as a form book to enable the least learned to draw up deeds, mortgages, agreements, leases, orders, wills, etc.; as a guide with regard to the laws of the various States concerning exemptions, liens, limitation of actions, collection of debts, usury, and so on, this volume is certainly invaluable to men of business, and it is not surprising that a hundred thousand copies have so soon found their way into the homes and country houses of the multitude.

"This work is one of the most valuable issues of the press of this country. It contains so much that every man in business should know, but which none have the time to acquire from voluminous works, that it is truly indispensable."—New York Dispatch.

"You can purchase in this book what may be worth hundreds of dollars to you."—St. Louis Dispatch. "It contains just the kind of information every business man stands most in need of."—Sunday Mercury.

"This work is worthy of the popularity it has acquired as a complete and reliable manual."—N. Y. Herald. "The work is published in 12mo size, 650 pages. Price in full leather binding \$2.50, in half library \$2. Sent post paid on receipt of price.

Good reliable agents wanted everywhere. They will find this the best selling book published. Liberal inducements given. Address JOHN G. WELLS, Publisher, 42 Broome street, New York.

Leroux on Worsteds AND CARDED YARNS.

JUST PUBLISHED.—A Practical Treatise on the Manufacture of Worsteds and Carded Yarns; comprising practical mechanics, with rules and calculations applied to spinning; sorting, cleaning, and scouring wools; the English and French methods of Combing, drawing, and spinning worsteds and manufacturing carded yarns.

The subscriber takes great pleasure in announcing the publication of this thorough, systematic, and valuable work on the Manufacture of Worsteds and Carded Yarns. His experience as a publisher of Industrial Books during a period of nineteen years, has given him abundant proof that such a book is among the greatest and most pressing wants of American industry; and he is well convinced that the rapid sale of the edition now printed will fully justify him in that conviction.

THE Art of Dyeing, Cleaning, Scouring, and Finishing on the most approved English and French Methods; being Practical Instructions for Dyeing Silks, Woolsens, and Cottons, Feathers, Chips, Straw, etc.

THE above or any of my Practical and Scientific Books sent by mail free of postage. Cotton, Woolen, and Worsted Manufacturers and Dyers, are particularly invited to send for my New Special Circulars of Books on these subjects just ready.

RUST'S Boiler-Plate Hand Punches, price reduced. S. C. HILLS, 12 Platt st., New York.

THE Best Small Lathe Dog in the world. Carries from 1/4 to 1 inch. Price \$1. Address AMERICAN TWIST DRILL CO., Woonsocket, R. I.

Machine-made Watches TREMONT WATCH COMPANY, BOSTON, MASS. The Cheapest Reliable Watch. Their Watches are dust proof, and all have their best Chronometer Balance. For sale by all respectable dealers.

MERRICK & SONS, Southwark Foundry, No. 430 Washington Avenue, Philadelphia. William Wright's Patent VARIABLE CUT-OFF STEAM ENGINE, Regulated by the Governor.

Merrick's SAFETY HOISTING MACHINE Patented June, 1868. DAVID JOY'S PATENT VALVELESS STEAM HAMMER. D. M. Weston's Patent Self-Centering, Self-Balancing Centrifugal Sugar-Draining Machine.

HYDRO EXTRACTOR For Cotton and Woolen Manufacturers. 10 cwt tf New York Office, 63 Broadway.

WOODWORTH PLANERS—IRON Frames 18 to 24 inches wide, \$125 to \$150. 2 t f b

Advertisements.

Advertisements will be admitted on this page at the rate of \$1 per line. Engravings may head advertisements at the same rate per line, by measurement, as the letter press.

**PATTERN LETTERS** to put on Patterns for Castings, etc. **KNIGHT BROS.**, Seneca Falls, N. Y. 150\*

**THE PEW HAT RACK**—For Circular, address **E. S. BLAKE**, Pittsburgh, Pa. 26 4\*os

**FOR SALE**—Weyman & Meyer's Stove Foundry, Tell City, Ind. Address **WEYMAN & MEYER**. 108\*

**TWO-SET KNITTING MILL FOR SALE**, situated in the Eastern part of the State of New York, a good location, with never-failing supply of water. Power ample for four sets. Mill and Machinery nearly new, all in good order, and now in successful operation. Eighteen acres of land, fine residence, with out-buildings, tenements, etc. This opportunity will be sold at a bargain and on the most accommodating terms. Possession immediately. For full particulars address **26 4os MANUFACTURER**, Box 117 Albany, N. Y.

**100 MECHANICS WANTED TO SELL HOW TO MAKE THE FARM PAY.** Work wanted by every Farmer, Stock Raiser, Horse Owner, Fruit Cultivator, and Gardener, and by every Family in the land. Mechanics, Farmers, and others are offered permanent employment, or employment for the winter only, as may be desired. Commissions \$100 to \$250 per month, according to ability and energy. Send for Circulars giving full description. Address, **ZEIGLER, McCURDY & CO.**, Philadelphia Pa., Cincinnati, O., Chicago, Ill., St. Louis, Mo. 26 4os

**The New American CORNET AND BAND INSTRUMENTS.**

**LOUIS SCHREIBER'S** Patent, with Water valves. The sweetest toned, most powerful, easiest blown, the very best. They are novel in their action, and in the make of the valves. Wherever tried they are pronounced the most Perfect Instruments ever made. We allow musicians to make the most severe tests before accepting the instruments, and in NO CASE has a set of instruments so tested been returned. We have sets to Canada, to all the Western States and Territories, this side of the Rocky Mountains, and in EVERY INSTANCE we are cheered by the highest Commendation. For price lists, etc., address **M. J. PAILLARD & CO.**, 21 Maiden lane, N. Y. 26 os

**KIDDER'S PASTILLES**—A Sure Relief for Asthma. **STOWELL & CO.**, Charlestown, Mass. 21 8os\*

**INCREASE TWIST DRILLS, FLUTED HAND REAMERS**, exact to Whitworth's size, and Beach's Patent Self-Centering Chuck, manufactured by Morse Twist Drill and Machine Co., New Bedford, Mass. 9 ost

**CARVALHO'S IMPROVED STEAM SUPERHEATER**—Saves Fuel, supplies Dry Steam, invaluable for Boiling, Heating, Drying, etc., or for Power. Safe, Durable, and Easily Attached. Address, **HENRY W. BULKLEY**, Engineer, 70 Broadway, New York. 25 8os

**FREE**. Our New Catalogue of Improved Stencil Dies. More than \$200 A MONTH is being made with them. **S. M. SPENCER & CO.**, Rutland, Vt. 11

**WIRE ROPE.** Manufactured by **JOHN A. ROEBLING**, Trenton, N. J.

**FOR** Inclined Planes, Standing Ship Rigging, Bridges, Ferriss, Stays or Guys on Derricks and Cranes, Tiller Ropes, Sash Cords of Copper and Iron, Lightning Conductors of Copper. Special attention given to hoisting rope of all kinds for Mines and Elevators. Apply for circular, giving price and other information. 14 13\* os 11

**PATENT SOLID EMERY WHEELS** specially adapted to grinding saws, mills, and edge tools. Solid Wheels for Brass Work, warranted not to glaze. Also, Patent Emery Oil and Slip Stones, the best article in use for planer knives, Carpenter's tools, and for finishing down iron work. **NORTHAMPTON EMERY WHEEL CO**, Leeds, Mass. 21 tf os

**DO YOU WANT GAS**

**WE** can afford to pipe your house, or pay for your fixtures, or both and leave them as your property if we cannot put up a Machine that shall be perfectly satisfactory under any and every condition. Circulars and information. **UNION GAS CO.**, 14 Dev st., New York. 1 os 11

**London, 48 Cannon street.** **H. KOHNSTAMM**, Manufacturer of **ULTRAMARINE**, And Importer of English, French, and German Colors, Paints, and Artists' materials, Bronzes and Metals, No. 3 Tryon Row, New York, opposite City Hall. 19 18os\*

**FOR Shafting, Hangers, and PULLEYS**, apply to **STURGES WHITLOCK**, Birmingham, Conn. Self-Adjusting Hangers, with self-oiling boxes. 24 4\*os eow 11

**WATER WHEELS.** **THE Duplex Turbine,** Not Equaled by any wheel in existence. Great economy of water. The only wheel suitable to variable streams. Manufactured by **J. E. STEVENSON**, 22 os 4eow 88 Liberty st., New York.

**LE COUNT'S PAT-** tent Hollow Lathe Dogs and Clamps.—A set of 8 dogs from 1/2 to 2-in., inclusive, \$8. A set of 12 from 3/4 to 4-in., \$17 30. Five sizes Machinists' Clamps, from 2 to 6-in., inclusive, \$11. Send for Circular. **C. W. LECOUNT**, South Norwalk, Conn. 18 11 eow

**IRON PLANERS, ENGINE LATHES,** Drills, and other Machinists' Tools, of Superior Quality, on hand and finishing. For Sale Low. For Description and Price, address **NEW HAVEN MANUFACTURING CO.**, New Haven 15 11 os

**Foundry, Machine, Boiler and, BLACKSMITH SHOP FOR SALE.**

**THE** Oldest Established Foundry and Machine Shop in the State, centrally located in New Haven, with a very large assortment of valuable patterns. Foundry 140 ft. by 40 ft., with addition 35x35, brick sand house; No. 3 and No 5, McKenzie Cupolas, and No. 4 McKenzie Blower. One three-story brick Machine Shop, with attic, 100x80. One three-story brick Machine Shop, with attic, 70x30. Boiler Shop 80 ft. square. Blacksmith Shop 50x20. Engine House contains a 40 Horse Power Engine and 60-Horse Power Boiler. A good yard, well drained, brick barn, and convenient sheds make up the premises. The shops are all running full time, with a good run of work, employing about 150 men. The Tools and Machinery will be sold with the Real Estate, or separately, as desired. Price low, terms easy. Further particulars and satisfactory reasons for selling given by addressing **BIGELOW MANUFACTURING CO.**, New Haven, Conn.

**Valuable Machinery For Sale.**

- 2 18-foot Planers.
- 1 9-foot do.
- 3 8-foot do.
- 1 7-foot do.
- 3 6-foot do.
- 2 5-foot do.
- 2 4-foot do.
- 2 3-foot do.
- 1 Shaping Machine.
- 1 Pull-y Lathe, 7-foot swing.
- 3 16-foot Lathes, 50-inch swing.
- 1 20-foot Shaping Lathe, 24-in. swing.
- 1 18-foot Lathe, 24-in. swing.
- 1 12-foot do, 24-inch d
- 11 Upright Drills.
- 1 No. 2 Fowler Press.
- 2 Slotting Machines.
- 8 Fan Blowers.
- 2 12-H. P. Steam Engines (new.)
- 1 40 do do do do.
- 1 50 do do do do.
- 1 25 do do do do (2d hand.)
- 1 10 do do do do.
- 1 10 do do do do (new.)
- 1 4 do do do do.
- 1 No. 5 Mackenzie Cupola.
- 2 200-lb. Peck Drops and Lifters.
- 1 75-lb. Peck Lifter.

The above-described machinery must be sold, and will be sold cheap, in lots to suit purchasers. Address, **BIGELOW MANUFACTURING CO.**, New Haven, Conn.

**SUPERIOR RASP**—For Clover Mills—At less than manfrs' cost. **J. B. WEST**, Geneseo, N. Y. 25 3os\*

**EAGLE ANVILS and PARALLEL CHAIN VISES.** Manufactured ONLY by **FISHER & NORRIS**, Trenton, N. J. 15 26os\*1

**B.F. STURTEVANT'S NEW PATENT IMPROVED FAN PRESSURE BLOWERS** MANUFACTORY & SALES ROOM 72 SUDBURY ST. BOSTON.

**OF ALL SIZES**, for purposes where a Diast is required. Send for particulars and circulars. 16 11 os

**WOODWARD'S COUNTRY HOMES.** 150 Designs, \$1 50, postpaid, **Geo. E. Woodward, Architect**, 191 Broadway, N. Y. Send stamp for catalogue of all new books on Architecture. 21 os 11

**EMERSON'S PATENT CIRCULAR SAWS** SUPERIOR TO ALL OTHERS FOR CUTTING ALL KINDS OF AMERICAN SAW TIMBER. **EMERSON'S PATENT TOOTHED CIRCULAR SAWS** SUPERIOR TO ALL OTHERS FOR CUTTING ALL KINDS OF AMERICAN SAW TIMBER. **EMERSON'S PATENT TOOTHED CIRCULAR SAWS** SUPERIOR TO ALL OTHERS FOR CUTTING ALL KINDS OF AMERICAN SAW TIMBER. Factory, Trenton, N. J. Office, No. 2, Jacob st., N. Y. Branch Office for Pacific Coast, No. 606 Front st., San Francisco, Cal. 20 11

**Reynolds' TURBINE WATER WHEELS** No Complex, Duplex, or Triplex complications. All such are costly, perishable, easily clogged, inaccessible. Mill Gearing, Shafting, and Pulleys. Send for Illustrated Pamphlet. **GEORGE TALLCOT**, 96 Liberty st., New York. 15 os 13\*

**THE Eclipse Steam Pump** Overcomes the disadvantages of all others. It has the only balance valve made; can be moved as easily at 150 as 5 lbs; is simple, cheap, easily packed, and kept in order, and is unequalled for mining and other purposes. 20 13 **PHILLIPS & CULLEYS**, Pittsburgh, Pa.

**For Sale.** **THE United States Military Rolling Mill at Chattanooga, Tenn.** For particulars apply at No. 17 Burling Slip, New York. **ABRAM S. HEWITT**, Treasurer. 25 2

**FOR SALE.**—One Improved Ore and Quartz Breaker; One Planer for edges of Boat and Boiler Plates. Will be offered very low. Also, Stationary Engines, Boilers, and Mill Machinery constantly Making and For Sale by **DENMEAD & SON**, Baltimore, Md. 25 4

**\$60** Per month and large commissions paid to sell Wonder of the World & three other discoveries. Address **J. C. Tilton**, Pittsburgh, Pa. 25 4

**MANGANESE AND Wolfram Ore,** For Steel Manufacturers. For Sale by **L. & J. W. FEUCHTWANGER**, 25 4 55 Cedar st., New York.

**FOOT LATHES AND TOOL CHESTS.** **ILLUSTRATED** Circulars free to any address. **GOODNOW & WIGHTMAN**, 23 Cornhill, Boston. 25 4

**VINEGAR FABRICATION.**—Prof. H. Dussange, Chemist, is ready to furnish the most recent methods to manufacture vinegar by the slow and quick processes. Address, New Lebanon, N. Y. 25 2\*

**\$500** Will Purchase the Exclusive Right of a valuable Patent. All information given by addressing **E. L. BERGFRESS**, Patentee, Hurlersburg, Center Co. Pa. 25 2

**WOODBURY'S PATENT Planing and Matching** and Molding Machines, Gray & Woods Planers, Self-oiling Saw Arbors, and other wood-working machinery. **S. A. WOODS**, 88 Liberty street, N. Y.; Send for Circulars 67 Sudbury street, Boston. 25 13

Philadelphia Advertisements.

Philadelphia Advertising Patrons, who prefer it, can have their orders forwarded through T. V. Carpenter resident Agent, 624 South Washington Square.

**The Harrison Boiler.**

**THIS IS THE ONLY REALLY SAFE** BOILER in the market, and can now be furnished at a **GREATLY REDUCED COST**. Boilers of any size ready for delivery. For circulars, plans, etc., apply to **HARRISON BOILER WORKS**, Philadelphia, Pa.; J. B. Hyde, Agent, 119 Broadway New York; or, to John A. Coleman, Agent, 53 Kilby st., Boston, Mass. 19 11 os

**CATALOGUES SENT FREE.** **MATHEMATICAL INSTRUMENTS**, 112 pages. **OPTICAL INSTRUMENTS**, 72 pages. **MAGIC LANTERNS and STEREOSCOPICONS**, 100 pp. **PHILOSOPHICAL INSTRUMENTS**, 84 pages. **JAMES W. QUEEN & CO.**, 25 4os\* 924 Chestnut st., Philadelphia, Pa.

**DRAWING INSTRUMENTS** OF EVERY DESCRIPTION—Swiss, German Silver and Brass—separate and in cases. Presentation Cases made to order. Transfers, Levels, Surveyors' Compasses, T-Squares, Protractors, Winsor & Newton's, and Osborne's Water Colors, Drawing Paper, Drawing Boards, etc., etc. A Priced and Illustrated Catalogue sent free on application. **WM. Y. McALLISTER**, 728 Chestnut st., Philadelphia, Pa. 21 12os

**FOR FIRST-CLASS MACHINERY FOR** the Manufacturing of Spokes, Hubs, etc., address the manufacturer, **J. LEASON**, 1080 Germantown avenue, Philadelphia, Pa., U. S. A. 19 12os\*

**WM. F. McNAMARA**, Counsellor at Law and Advocate in Patent Causes, 37 Park Row, N. Y.

**LATHE CHUCKS—HORTON'S PATENT**—from 4 to 36 inches. Also for car wheels Address, **E. HORTON & SON**, Windsor Locks, Conn. 19 11

**STEAM HAMMERS, TURN-TABLES,** and Foundry Cranes. Address **GREENLEAF & CO.**, Indianapolis, Ind. 14 11

**POWER LOOMS**, Improved Drop Box, Spooling, Winding, Beaming, Dyeing, and Sizing Machines, Self-Acting Wool Scouring Machines, Hydra Extractors. Also, Shafting, Pulleys, and Self-Oiling Adjustable Hangers, manu'd by **THOS. WOOD**, 206 Wood st., Phila., Pa. 24 13

**CAMDEN Tool and Tube Works,** CAMDEN, N. J. Manufacturers of Wrought Iron Tube, Brass Work and Fittings, and all the most Improved TOOLS for Screwing, Cutting, and Fitting Pipe. Screw Machine for Pipe, of five different sizes. Pipe Tongs, Common and Adjustable; Pipe cutters, Pipe Vises, Taps, Reamers, Drills, Screwing Stocks, and Sand Dies. Peace's Patent Screwing Stocks, with dies. No. 1 Screws 1/4, 3/8, 1/2, 3/4, 1. Price complete, \$10. No. 2 Screws 1/4, 3/8, 1/2, 3/4, 1. Price complete, \$10. No. 3 both screws and cuts off, 2 3/4, 3 3/4, 4, 5, 6, 8, 10. 24 13\*

**"RENEW!" "RENEW!"**—The SCIENTIFIC AMERICAN, \$3, and the PICTORIAL PHRENOLOGICAL JOURNAL, \$3, sent a year for \$5. Address **S. R. WELLS**, 389 Broadway, New York. 23 8

**A REAL BARGAIN**—Wood & Mann Portable Engine, capacity 12-h. H.P., by 14-in. stroke, 25-h. P., complete and fully as good as new. Dimensions of Boiler, etc., given on application to **HAMPTON & COPELAND**, 89 Liberty st., New York. 23 11

**WOOD WORKING MACHINES.** Smith's Improved Woodworth Planer and Mather's Sash and Door, Molding, Mortising, and Tenoning Machines, Scroll Saws, Saw Mills, etc., at reduced prices. Address **CHAS. H. SMITH**, 135 North 3d st., Philadelphia, Pa. 23 13

**HUTCHINSON & LAURENCE**, 8 Dey st., Dealers in all Descriptions of Iron and Wood-working Machinery, Engines, Boilers, and Supplies. 23 4

**THE SCHWETZER PATENT BOLT CO.**, Greenpoint, L. I., make the best Screw Bolts and Forged Nuts sold in this market. Prices extremely low. Send orders to **T. S. YOUNG**, Treasurer, 120 Chambers st., New York. **ES** Bolt Cutters for sale which will save 50 per cent of power and labor. 23 4

**Union Vise** CO., 61 Water st., Boston, Mass. Heavy and Pipe Vises warranted for Heavy Work Wood and Covered Screw 40 sizes. Milling Machines, simple, great capacity, weighing 2300, 1600, and 950 lbs. **G. H. NOTT**, President. **A. H. BRAUNARD**, Sup't 23 6\* 11

**BUERK'S WATCHMAN'S TIME DETECTOR**—Important for all large Corporations and Manufacturing concerns—capable of controlling with the utmost accuracy the motion of a watchman or patrolman, as the same reaches different stations of his beat. Send for a Circular. **J. E. BUERK**, P. O. Box 107, Boston, Mass. **N. B.**—This detector is covered by two U. S. patents. Parties using or selling these instruments without authority from me will be dealt with according to law. 15 12\*

**Knap F't Pitt Foundry,** PITTSBURGH, Pa. **ORDNANCE ENGINES,** Rolling-mill Machinery, Hydraulic Presses, and Castings generally. 20 13\*

**R. A. BELDEN & CO.** Manufacturers of Machinists' Tools, Iron Planers, or improved patterns and designs, Crank Planers and Shaping Machines, Engine Lathes, Screw Machines, Milling Machines, and Gun Machinery. Also, Special Machinery, improved Nut and Bolt Machinery, Trip Hammer Models, Dies, etc., etc. 208 Orange st., New Haven, Conn. 22 11

**SILICATES OF SODA AND POTASH.** Very useful application for Railroad Sleepers, Shingle Roofs, Plaster Paris, Cisterns, Cement Makers, Calico Printers, etc., etc. Fire, Water, and Mildew-proof. For sale by the sole manufacturers, **L. & J. W. FEUCHTWANGER**, 55 Cedar st., N. Y. **Manganese, Fluorspar, Fluoric Acid, Ground F-lspar, and Flint, Rare Metals, and Metallic Oxides and all Crude Minerals** used by Manufacturers. 22 4

**PAGE'S GREAT WATER FLAME** Coal, Patented Lime Kilm will burn No. 1 finishing lime with any coal or wood, mixed or separate, in same kilm. Rights for sale by **C. D. PAGE**, Rochester, N. Y. 24 26\*

**BOILER FELTING SAVES TWENTY-** five per cent of Fuel. **JOHN ASHCROFT**, 50 John st., New York 16 13