A WEEKLY JOURNAL OF PRACTICAL INFORMATION, ART, SCIENCE, MECHANICS, CHEMISTRY, AND MANUFACTURES.

Vol. LXXIII.—No. 15. ESTABLISHED 1845.

NEW YORK, OCTOBER 12, 1895

PASTEUR.

If the measure of human greatness is to be found in the amount of blessedness that a man's life and work bring to his fellowmen, there has lately passed from our midst one of the greatest of all great men. The moral philosophers tell us that the pursuit of pleasure and the avoidance of pain are chief among the natural instincts of man. If this be so, Pasteur has done more to ameliorate the condition of the race than any one man, living or dead. And it was all done so quietly. There was no ostentation: no preliminary flourish of trumpets; none of that striving for dramatic effect which is popularly, and we think all unjustly, supposed to characterize the people among whom he lived, worked, and died.

A man of firm convictions, unwearying patience, in- and it is reasonable to expect that before another de- in case of fire, rings the door bell, cooks the food, and

domitable courage, and with unlimited capacity for work, he lived in the laboratory. In its quiet seclusion he wrestled with and conquered problems that had baffled the most learned savants of his own and all previous

Born at Dole, France, on December 27, 1822, he early showed a love for the study of chemistry. He entered the Ecole Normale at Paris, where he followed up his researches in his chosen line, and afterward at Sorbonne he further prepared himself under the tuition of M. Dumas, whom he was to succeed in later years at the Academie Francaise.

Pasteur's first great work was accomplished in the years 1865-66, when he was called upon to investigate the silkworm plague, which was destroying one of the great industries of France. He at once stated that the plague was due to a parasite, and that it could be stopped by destroying all worms and eggs that were affected. This statement was met with ridicule. He was told that the pest would still be propagated by spontaneous generation. Pasteur denied that there was such a thing as spontaneous generation. He proved the truth of his theories, his advice was followed, and the plague was checked.

He then turned his attention to the phenomenon of fermentation, alleging that it was caused by animalcules. He claimed that if all germs could be excluded, fermentation would be impossible. Again he was met with ridicule, and with the old cry of "spontaneous generation." To prove his point he carried out experiments in pure mountain air; and he showed conclusively that at that altitude where the air was free from germs no fermentation did or could occur; and that, therefore, "spontaneous generation" was, as he had all along contended, a myth.

It was a natural sequence to these successful experiments, that Pasteur mals.

He had already proved that the deadly silkworm plague was due to the action of living organisms; he now argued that the contagious and infectious diseases of men and animals were probably caused and sustained in the same way. His investigations proved the theory correct; and he soon had brought a large number of the deadly diseases within control.

The investigations of his later life were directed more particularly to the cure of that horrible malady hydrophobia. For a while public opinion, both lay and professional, was divided as to the merits of his cure. Today, however, there is a wide and increasing belief in its efficacy. From all parts of the world victims of the hydrophobic bite are flocking to the famous institute for treatment. It is a fact that no patient who goes there sufficiently soon after being bitten to give the treatment time to grapple with the poison is ever known to die in the hospital.

Louis Pasteur is the father of the "germ theory" of crease.

diseases. Previous to his discoveries the practice of medicine in treatment of diseases was largely "guesswork." Necessarily so; for how shall a man treat correctly a disease the essential nature of which is a mystery to him?

Physicians were groping in the dark; wrestling blindly with a foe that they could not see, and that was manifest to them only by its fatal effects. Pasteur has thrown the clear light of science upon this foe, and has shown to the medical world its origin, its method of growth, and the extent of its powers; and, best of all, he has put into the hands of the physician a sure means for its extermination.

Diphtheria, cholera, and hydrophobia have been stripped of their terrors; consumption soon will be;



PASTEUR.

cade has gone by there will not be a single disease that ration than it is now performed. The dance beis not fully under the control of the physician.

his healing touch will be felt to the end of time. If ever fame can render a man "immortal," it will be to Louis Pasteur that the generations to come will give the title with grateful reverence.

The Cost of Pauperism.

A British blue-book has just been issued containing the poor rate return for the year ended Lady Day, 1894. The principal items of expenditure were: Inmaintenance, £2,198,312; out-relief, £2,460,503; maintenance of lunatics in asylums or licensed houses, £1,466,185; workhouse or other loans repaid, and interest thereon, £677,082; salaries and rations of officers and superannuation allowances, £1,629,061; other expenses, £1,242,362; total, £9.673,505, or \$48,367,525. In comparing the expenditure of 1893 with that of 1894. under every item in the latter year there was an in-

What Electricity is Doing

The Mining and Scientific Press thus sums up the uses to which electricity is applied. It enters into the preparation of what we eat, drink and wear, and there are many articles of utility now produced by its aid. The residents of many cities in the United States have their houses protected, lighted and heated by electricity. They go to their places of business in cars run by electricity, the elevator by which they reach their office in high buildings, or the machinery in their factory, is run by electricity. The bell which summons them to church is rung by electricity and the church organ is played by electricity. Electricity brings the news to them from all parts of the earth; stamps their letters, automatically sounds the alarm

> fans them while eating it. When they go to the dentist their teeth are drilled and filled by electricity, and miniature electric lamps are now constructed for the use of doctors in diagnozing diseases. The patient swallows a lighted lamp, which illuminates his person so as to enable the physician to make a correct diagnosis. The barber cuts or singes the hair by means of electricity, the streets are lighted and the farm cultivated by it. By means of it we can talk with our friends 500 or 1,000 miles away and hear their voices as distinctly as though they were in the same room. The telephone is perhaps in more general use in this country than electric lighting. Even in small towns telephones form a part of the furniture of many private houses, and are used to transmit orders to the butcher, baker, etc. There are now some 85 electric railways in the United States and 9,000 miles of track employing 23,000 cars. With the aid of electricity natural forces which have heretofore run to waste are being turned to the service of mankind. The American River has already been made to furnish motor power by which Sacramento is lighted, and by which its street cars and factories are run, and new projects are in progress all over the State.

The Inventor of the Polka,

"The origin of the polka is not generally known, the inventor of the dance having been a young Bohemian girl named Haniczka Selezka. She was a blooming young peasant maiden, and the best dancer in the village of Costelec, on the River Elbe, and used to perform solo dances of her own invention at the various village festivities. It was in the year 1830, at a farmhouse, that the assembled guests asked her to dance a solo, and she said, 'I will show you something quite new,' and to the music of her own singing she danced the polka step, though with more elabo-

came so popular that it was later made a national Such was the life-work of Pasteur. He is dead; but dance, and Haniczka named it Pulku, as she said it was danced in short steps; from Pulku came Polku, and finally Polka, the dance three years later, in 1830, becoming popular in Prague, and in 1839 it was already danced at the Vienna balls, and one year later became the most popular dance in Paris. Haniczka Selezka is still alive, surrounded by numerous grandchildren and great-grandchildren sprung from her own six sons and daughters."—The Etude.

> ASTHMA.—At the moment of the attack spray rapidly the back of the patient with chloride of methyl, from above downward and from below upward. The attack will cease in a few moments; if not, spray lightly the upper part of the chest. If the skin be delicate, as in women, cover the parts with a bit of fine gauze and make the strength of the spray proportionate to the strength of the patient and the violence of the attack -Tsakiris, Medical Record.

Scientific American.

ESTABLISHED 1845.

MUNN & CO.. Editors and Proprietors. PUBLISHED WEEKLY AT

No. 361 BROADWAY, NEW YORK.

O. D. MUNN.

A. E. BEACH.

TERMS FOR THE SCIENTIFIC AMERICAN.

MUNN & CO., 361 Broadway, corner of Franklin Street, New York.

The Scientific American Supplement

The Scientific American Supplement is a distinct paper from the Scientific American. The Supplement is issued weekly. Every number contains 16 octavo pages, uniform in size with SCIENTIFIC AMERICAN. Terms of subscription for Supplement, \$5.00 a year, for the U.S., Canada or Mexico. \$6.00 a year to foreign courtries belonging to the Postal Union. Single copies 10 cents. Sold by all newsdealers throughout the country. See prospectus, last page. Combined Kintes.—The SCIENTIFIC AMERICAN and Supplement will be sent for one year, to one address in U.S., Ca ada or Mexico, on receipt of seven dollars. To foreign countries within Postal Union eight dollars and fifty cents a year.

Building Edition of Scientific American

Building Edition of Scientific American.

THE BUILD NG EDITION OF THE SCIENTIFIC AMERICAN is a large and splendid illustrated periodical, issued monthly, containing floor p ans and perspective views pertaining on modern architecture. Each number is illustrated with beautiful plates, showing desirable dwellings, public buildings and architectural vork in great variety. To builders and ali who contemplate building this work is invaluable. Has the largest circulation of any architectural publication in the world.

Single copies 25 cents. By mail, to any part of the United States, Canada or Mexico, \$2.50 a year. To foreign Postal Union countries, \$3.00 a year. Combined rate for Building Edition, Scientific American and Surpelement, \$9.00 a year. To foreign Postal Union countries, \$6.50 a year. Combined rate for Building Edition, Scientific American and Surpelement, \$9.00 a year. To foreign Postal Union countries, \$1.00 a year.

Export Edition of the Scientific American.

Export Edition of the Scientific American, with which is incorporated "LA AMERICA CIENT IFICA EINDUSTRIAL," or Spanish edition of the Scientific American published monthly, uniform in size and typography with the Scientific American. Every number contains about 50 pages, profusely illustrated It is the finest scientific, in lustrial export paper published. It circulates throughout Cuba, the West Indies, Mexico, Central and South America, Spain and Spanish possessions—wherever the Spanish language is spoken The Scientific American places throughout the world. \$3.00 a year, post paid to any part of the world. \$1 single copies 25 cents.

187 Manufacturers and others who desire to secure foreign trade, may have large and handsomely displayed ann ouncements published in this edition at a very moderate cost.

MUNN & CO., Publishers, 361 Broadway, New York.

The safest way to remit is by postal order, express money order, raft or bank check. Make all remittances payable to order of MUNN Readers are specially requested to notify the publishers in case of any failure, delay, or irregularity in receipt of papers.

NEW YORK, SATURDAY, OCTOBER 12, 1895.

Contents.

(Illustrated articles are marked with an asterisk.)

Alcohol, verifying quality of 227	Machine, mortising, double
Ants, intelligence of 235	Machine, mortising, double chisel*23
Asthma	Mark Twain's singularity 236
Beef, iron, and wine (6630) 237	Mice, waltzing 234
Berry culture 234	Microscope, an improved* 228
Bicycle notes 227	Nitrogen and phosphorescence. 227
Birds - Brazilian motmot and	Notes and queries 237
Narina trogon* 235	Paris green 230
Books and publications, new 237	Parrot, New Zealand, the 236
Brooklyn, armored cruiser, the*, 233	Pasteur 225
Brooklyn, cruiser, launch* 232	Patents granted, weekly record. 237
Contoner Con	Pauperism, the cost of 225
Centenarians in France	Peary, Lieut. return of
Disconsists when the delice 206	Piles - 400 - serve old
Electricity, what it is doing 225 Exposition. Cotton States,	Pike, a 400 years old
Official Photographic Co. of 226	Plum, the Japanese
	Poller immander of the
Fish eye structure 235	Polka, inventor of the 225
Galvanic cell, novel 227	Railways as patent infringers 236
Gases as germicides 231	Rogers, Prof. Elliott A 227
Gilded fabrics	Seeds and germination 235
Greek, living 228	Shells, some uses of 231
Gun blast, pressure of a 234	Steam pipe and boiler coverings* 228
Gun, Maxim, the new steel 226	Steam pipe, a new 227
Gutta percha leaves 228	Steel, welding and forging* 229
Hair stain. walnut (6629) 237	Strawberry, oriole
Hammer blow, force of (6632) 237	Tannin plant, a new 227
Hinge, Spencer's detachable* 228	Tears safety valve 232
Horse hair, color 235	Telegraph, invention of the 231
Insect, a swimming 235	Telescope, another large 230
Inventions, recently patented 236	Thermal springs, life in 23
Inventors, young 230	Thermometers, ancient 227
Kerosene oil spray, the 227	Trees and insects, Central
Lead, soldering	_ America 230
Light, a new standard of 227	Trees, some remarkable 23
Luminescence, lighting by 227	Tricycle, a petroleum*
numinescence, likiting by 221	Titoforo, a perioreum

TABLE OF CONTENTS OF

SCIENTIFIC AMERICAN SUPPLEMENT

No. 1032.

For the Week Ending October 12, 1895.

Price 10 cents. For sale by all newsdealers.

- I. ASTRONOMY.—Some Indian Ideas Concerning Astronomy and Meteorological Phenomena.—By W. R. GERARD.—An interesting study in folk lore on the sun and moon, planets and fixed stars, the constellations, milky way, meteors, and comers, the aurora borealis, the rainbow, thunder, lightning and rain.....
- illustrations
 III. CIVIL ENGINEERING.—Splice for Reinforcing Large Sticks of Timber. Working drawings showing how the splice was made.—3 illustrations . ELECTRICITY.—The Velvo-Carbon Primary Battery.—Descrip-tion of a new battery which is being introduced in England.—2
- liustrations
 Historical Burger The Nickel Plating of Bicycles.—This article gives practical directions for cleaning and polishing bicycle 16492
- V. HYGIENE. Care and Treatment of Old People.—By SAMUEL G.
 DORR, M.D. An interesting paper giving important advice as to
 the treatment of the aged
- the treatment of the aged

 VI. MECHANICAL ENGINEERING.—Nickel Steel and its Advantages Over Ordinary Steel.—By HENRY A. WIGGIN, Birmingham.—An important paper on the use of nickel steel and its advantages over ordinary steel as a structural material for buildings, boilers, vessels, etc.
- pumice stone industry in the Lipsri Islands.—Details of the method of mining Coal Mining in the Transvaal, South Africa.—An account of mines near Johannesburg, South Africa. The Northeastern Coal Field of Illinois—Mines at Gardner, Braceville, and Clarke City—Geological Phases—New Machinery —The Miners.
- Braceville, and Clarke City-Geological Phases-New Machinery
 -The Miners.

 VIII. MISCELLA NEOUS.—The Art and Mystery of Tattooing.—By
 Tight Hopkins.—A curlous article on the habit of tattooing; and
 countries.—Descriptions of the ancient and modern methods of
 tattooing, professional tattooing, and the coloring matter used in
 the operation, tattooing of women, tattoo as a costume, and the
 pathology and hygiene of the art.—I illustration.

 The Sea Serpent of the Newspapers.—An interesting article,
 giving the popular idea of the sea serpent from the time of Olaus
 Magnus to the present time.—Many curious illustrations of sea
 serpents seen by various people.—16 illustrations.

 IX. NATURAL HISTORY.—The Southward Movement of the

THE RETURN OF LIEUTENANT PEARY.

In the month of July, 1893, Lieutenant Peary set out on the second of his famous expeditions to the Arctic On Saturday, September 21, the steam regions. whaler Kite, which started on July 10 previous, with a relief party, steamed into the port of St. Johns, N. F., with the intrepid explorer on board. This was the second time that the Kite had performed this good service for the explorers. Lieutenant Peary's first journey was begun in June, 1891, and he was brought back by the Kite on September 11, 1892.

In the earlier expedition the Lieutenant had discovered and named Independence Bay, on the northeastern coast of Greenland. He proved by this discovery that Greenland was an island. His intention on his second expedition was to cross over the inland ice to Independence Bay, 650 miles distant, taking a route midway between his former outward and homeward tracks.

The bitter cold proved too much for the party; and after their return all of the members of the expedidition except Peary, Lee, and Henson, Peary's servant, returned on the Falcon to America. in August, 1894. On March 22 of this year the intrepid party of three again started for Independence Bay: which point they reached with difficulty in June. Here he failed to find a food supply that had been left by the previous exploring party, and reluctantly his project of pushing on from this point to the far north had to be abandoned. The return trip was full of suffering and want. They had to shoot the forty-nine sleigh dogs, one by one, to maintain the strength of those that remained. They put themselves on reduced rations of one meal of pemmican a day. Too weak to drag the sledges, they threw away their instruments, rifles, and extra clothing. On July 25, "after having eaten every morsel of food, three starving men and one dog stag gered into Anniversary Lodge after a journey of 650 miles, not having tasted a morsel of food for the thirtysix hours before arriving." It is considered by the scientific and geographical societies that the results of Lieutenant Peary's indomitable labors in these two expeditions are well worth the money and hardship that they have cost.

Although the second attempt at exploration added little to our store of geographical knowledge, it was rich in scientific results. The party that returned home in 1894 brought with them a large number of specimens that will add greatly to our knowledge in the fields of natural science.

THE NEW MAXIM GUN OF SOLID STEEL.

Mr. Maxim, whose versatile genius is just now displaying its power in the two widely different fields of aeronautics and heavy rifled ordnance, has lately produced a 5 7 inch 45 pounder gun that promises to revolutionize the art of gun manufacture. He proposes to manufacture guns from one solid integral forging, and thereby supersede the present expensive and tedious system of "building up." It is well known that the present "built-up" gun consists of an inner core or tube, which extends the full length of the gun, over which are shrunk successively a series of concentric "jackets" or outer tubes. This is done in order that the whole mass of metal in the thickness of the gun may be thrown into a state of tension, and may be ready to receive and resist instantaneously the bursting strain that is set up at the moment of firing. Were it not for this initial tension the bursting effect of the charge would all be thrown upon the layer of metal that was next the bore, which would be ruptured before the next outlying mass of metal could assist in resisting the strain. In the built-up gun, as a result of the initial tension, every particle of metal from the center to the circumference is firmly gripping the bore; and the shock of discharge is felt and resisted instantaneously by the whole mass of the

In the built-up gun, the work of carefully boring out and shrinking on the jackets is tedious and costly. Mr. Maxim saves this large item of expense. In his smooth bored, and rifled. It is next mounted vertically in a special furnace and rotated slowly, and a current of coal gas is forced through the bore. The temporaries in the future. carbon in the gas combines with the steel of the bore, hardening it and improving the quality of the steel. "When the gun was red hot," says Mr. Maxim, "the coal gas was shut off and a very large stream of cold oil, under high pressure, was forced through the bore." This cooled the bore and the inside shrank to its finished dimensions. The outside body of the gun now gradually shrank upon the cooled interior portion, and was thus thrown into a state of high tension. It was found that the metal of the bore was compressed 0.02 of an inch.

In the firing tests a 45 pound projectile was fired with a muzzle velocity of 2,200 feet and a pressure of 15 tons to the square inch. In the later proof charges a pressure of 22½ tons to the inch was reached. The the suggestion, would stay away. It is evident that guns stood the test excellently. One of them was the revenue derived from such visitors would far ex-0.002 of an inch smaller after firing than before, show-'ceed the paltry sum which this vexatious and ill-

ing that the enormous outside tension of the gun, assisted by the concussion of the discharge, actually compressed the bore to a smaller diameter. If such guns can be made without any undetected flaws in the metal, it is evident that heavy ordnance can henceforth be manufactured in half the time and at half the expense of the present built-up system.

THE OFFICIAL PHOTOGRAPHIC COMPANY OF THE COTTON STATES EXPOSITION.

We are the well wishers of the Cotton States Exposition; and, as such, we feel called upon publicly to express our surprise and regret that the management of this enterprise should have put a vexatious stumbling block in the way of publications such as the Sci-ENTIFIC AMERICAN, in the matter of illustrating the various buildings and exhibits of the Exposition.

It had been our intention to illustrate very fully the progress of the South as shown at Atlanta, and for this purpose we had sent our special artist to the grounds with instructions to illustrate freely the most interesting features of the Fair. We find, however, that our intention is confronted point blank with a cast iron agreement that must be made with a certain Official Photographic Company before a photograph or a sketch can be made in the grounds. It would seem from the wording of the blank "agreement" that the Department of Publicity and Promotion has leased the privileges of photography and illustration to what is styled an Official Photographic Company, "having certain exclusive photographic privileges on the grounds of said Exposition Company."

Before the illustrated press can make even so much as a sketch on the grounds, it has to make application to this photographic company, agreeing as follows: "That all pictures taken shall be submitted to the Official Photographic Company, which shall decide if it is the desire of said company to copyright such picture, which said company may do; that should we" (the press) "desire to purchase from said official company any" of our own "copyrighted photographs, we will preserve the same from any other use than that for which they are bought, to wit for illustrating said Exposition in the columns of said publication only: that after any negatives bought from said company have served the purpose of illustrating, all such negatives shall be destroyed; that we will not permit any such negatives to be used in any other publication whatsoever."

Now we had hoped that the blunder which the directors of the Chicago Exhibition made in this matter (and which they had the good sense later on to modify) would be avoided at Atlanta.

The lavish illustration of this exposition in papers with a circulation such as that of the Scientific AMERICAN gives to an enterprise like this an amount of free advertising and indorsement that it could scarcely get in any other way, and surely the very least return that the directors could make would be to give the illustrated press every possible facility and assistan e in their work of illustration. It seems to us that the mere promptings of courtesy would suggest such a course.

Instead of this, we are confronted with an impossible agreement, which we are supposed to enter into with a certain company, which has leased the photographic privileges for the sole purpose of coining every dollar possible out of the bargain.

The power of copyright, as mentioned in the agreement, is vexatious as it stands; but when it is supplemented with a provision that after illustration such negatives, pictures, et cetera, shall be destroyed, the matter verges on the ridiculous, and shows, at least, that the managers of the Atlanta Exposition are thoroughly ignorant of the working of an illustrated newspaper office. The provision that such illustrated paper "will not permit any such picture to be used in any other publication whatsoever" is equally ridiculous and impossible. There is not a day passes that we do not receive requests from all over the world for permission to reproduce our illustrations in other joursystem the forging is roughly turned and then an- nals. It is certain that, for the mere pecuniary benefit nealed in a slow furnace. It is next carefully turned, of an Atlanta Exposition concessionaire, we are not prepared to place illustrations in our journal which will be closed against similar requests from our con-

> The revenue derived by the Exposition from this concession cannot be very large. Certainly it cannot be large enough to compensate for the serious curtailment that it will produce in the amount of space that will be devoted by the illustrated press to the interests of the Exposition.

> Considered merely from the standpoint of finance, the policy is shortsighted, and defeats the very end at which it aims. At best the revenue derived from this concession can be but limited; whereas the free advertisement, both pictorial and written, by illustrated journals. such as our own, would interest the public and undoubtedly bring many thousands to the fair who otherwise, but for

conceived concession will bring to the exposition exchecquer.

The Cotton States exposition has opened auspiciously. The executive body has shown itself capable and, except in regard to the matter under discussion, possessed of good judgment. We hope that, following the example of Chicago, they will remove this embargo in full or in part, at least so far as to leave to the illustrated press representatives a free hand in their work.

THE RETURN OF FAYE'S COMET.

On November 22, 1843, at Paris, M. Faye discovered the comet which bears his name. Astronomers predicted that the periodic time of the comet would be his heart. 7_{1000}^{412} years, and with precise regularity it has made its appearance at the predicted intervals.

The time for its appearance has again come round. and again the marvelous accuracy of astronomical calculation has been verified. On October 3 the following dispatch appeared in the New York Herald: words on the scrap of paper indicated the completion "Kiel, September 28, 1895. The periodical comet of of certain experiments. Faye was discovered by Professor Javelle, of Nice, on September 26."

At the time of its discovery by M. Faye, M. Leverrier offered the theory that it had been revolving in combination upon the heart. He knew just how many an orbit since 1747, at which time it may have passed fractions of a second it would take to still the beating so near to Jupiter as to have its orbit completely of the heart after the administration of the poison. So changed. Since its discovery, careful observations it seems highly improbable that death was the result have been made at every return to perihelion, and it of an accidental inhalation of poisonous vapors. will receive very careful observation on this, its eighth observed visit.

In former ages the approach of a comet produced a state of superstitious fear in the minds of the people; chemical action will probably never be known. He the celestial apparition was regarded as a sure portent of disaster. In this later age the interest is unabated, but superstition has given place to science; and so it is highly probable that that was the poison that the strange visitant is welcomed as a possible teacher caused his death. If that be so, it is doubtful if the of new facts regarding the vast solar system to which our earth belongs.

Owing to their eccentricity of motion, and the remarkable beauty of their appearance, comets have always excited a widespread interest on their periodic to the law of planetary motion, their speed quickening as they approach the sun, and diminishing as they retire into space. What the actual composition of the comet is has never yet been definitely determined. They appear to be made up of a body or denser part, known as the nucleus, and a less dense and less luminous tail. The consensus of scientific opinion inclines to the theory that they consist of meteoric particles, varying in size from that of the largest meteors down to the finest meteoric dust. These particles are supposed to be widely separated from each other and to be each surrounded with an envelope of luminous gas. The head or nucleus is probably formed of the larger particles lying in closer propinquity, the size of the fragments diminishing toward the tail, where they are widely scattered.

THE AUTHORSHIP OF THE KEROSENE OIL SPRAY.

In the SCIENTIFIC AMERICAN of September 28, in the biographical notice of the late Prof. Riley, it is stated that "two of his studies have produced epochmaking results. One is his famous emulsion of kerosene oil, milk or soap solution being the emulsifying agent. Having found that this was an infallible insecticide, he had to devise means for applying it, and invented the 'cyclone,' 'eddy chamber,' or 'Riley system' of nozzle for spraying it upon trees."

A valued correspondent calls our attention to the decisions of the Commissioner of Patents, July, 1892, which show that these claims on behalf of Prof. Riley cannot be sustained.

The actual author of the inventions in question, as shown by the evidence, was Prof. William S. Barnard, 230) particulars of the first alcoholic thermometer used and it was so adjudged by the Patent Commissioner. In Paris. During the year 1657, the Queen of Poland The patents are now held by Mrs. Barnard, and their validity is not disputed.

It further appeared from the evidence that Prof. Riley himself had at various times in the early history ral thermometers. One of these was afterward sent to snippings of hedge points, which puncture bicycle of the inventions freely admitted the authorship of Ismael Boullian, of Paris, and is described as being like tires. Prof. Barnard, and had repeatedly given to him due and public credit therefor.

It is not denied that Prof. Riley did much by his writings and addresses to introduce the inventions and cause their adoption as the best known means of destroying noxious insects and saving crops and trees from their ravages, which sometimes entailed losses counted by millions of dollars. But, however useful itself by making use of an amalgam of the metal. The \$100 each. Each wheel costs \$20, the profit the factory and valuable Prof. Riley's labors were in this respect, the honors for the actual discovery of the method and the means unquestionably belong to Prof. Barnard.

Professor Elliott A. Rogers.

the demise of this talented man of science, which occurred October 2: "Elliott A. Rogers, instructor of nary method. chemistry at Harvard College, dismissed his class in Method of Verifying the Quality of Alcohol.—Accord-Boylston Hall this afternoon in his usual manner and ing to Cosmos, Dr. Coiffier has recently made known a

other was a piece of paper on which, as subsequently saucer twenty grammes of the alcohol to be tested and appeared, was written: 'It is as it should be.' Be- in attentively examining the different phenomena that fore the members of the class had all passed through the door Instructor Rogers uttered a groan and sank to the floor. His students rushed to his side to find him dead.

"The tragedy is a mystery. None of the students knew what chemical was in the glass beaker that he held in his hand when he closed the lecture. Nobody knows the significance of the words on the piece of paper which he held in the other hand. His friends in extremely minute quantity, cause the appearance scout the idea of suicide, and assert that the vapor arising from the unknown chemical must have affected

"It was noticed to-day that he was very pale when he entered the classroom, and it was commented upon by the students. He conducted his class as usual, however, and then took up the mysterious beaker with its deadly contents. It is believed by many that the

"It is known that Professor Rogers was deeply interested in quick-acting poisons. He knew thoroughly the action of every gas and poison and every chemical

"Professor Rogers had been experimenting with cyanide of potassium, noting carefully its action on various metals. Whether or not he had discovered a new did not speak after being stricken. Death was instantaneous. Cyanide of potassium acts in just that way, autopsy will throw any light on the matter, for it is well known that this poison leaves but one slight trace of its work, and that is not always distinguishable. Examiner Durell will hold the autopsy to-morrow.

"Mr. Rogers was about thirty-five years of age. He return. Unlike the planets, they move in flat ellipses, came to the college from Worcester. He graduated in having the sun near one end. They move in obedience 1891, and since that time had traveled extensively in Germany and other foreign countries. He studied chemistry while abroad and was considered one of the shining lights in this branch of education."

Science Notes.

A New Standard of Light.-Mr. Violle, says the Revue Industrielle, has undertaken some researches upon acetylene that have led to the manufacture of a standard lamp that fulfills all the conditions required by the ordinary photometric measurements. Upon burning the gas under a slight pressure in a burner in which it is properly aerated and that spreads it out into a wide, thin sheet, Mr. Violle obtains a steady and very luminous flame of remarkable whiteness and of uniform clearness over quite a wide surface. In front of this flame he places a screen provided with an aperture that varies according to requirements, and obtains a source whose steadiness and brightness, comparable with those of the absolute standard, make a practical standard of it.

A New Steam Pipe.-Mr. Smillie, an engineer of Glasgow, has recently patented a steam pipe that is capable of resisting very high temperatures. Each pipe consists of a copper tube around which steel wire is wound in such a way that there is a perfect contact between the two metals. The soldering is easily effect ed by immersing the whole in a fusible alloy, whose melting point is higher than the elevated temperature of the supercharged steam.

Ancient Thermometers.—A short time ago, Mr. Maze described what was probably the first mercurial thermometer, and he now gives (Comptes Rendus, cxxi, sent an envoy named Buratin on a mission to Italy, and he brought back numerous presents from the Grand Duke of Tuscany, among which there were sevethe modern form, but with a somewhat flattened bulb. The alcohol was not colored, and the tube was exactly a decimeter in length, being graduated with marks in is grooved to allow a heavy leather cord to encircle it black enamel. Every tenth mark, however, was larger than the rest and in white instead of black enamel.

New Method of Soldering Lead to Lead.—According to the Revue Industrielle, Mr. Blondel solders lead to two pieces to be soldered are first carefully cleaned by would make would be \$50 per annum on each wheel, scraping. Then there is interposed between them a thin layer of lead, and an ordinary soldering iron is wheels. In this way the annual cost would be reduced passed over the line of junction. The heat disengages from \$70 to \$20, and the latter amount to be distributthe mercury of the amalgam, and the lead, set free in The New York World gives the following account of a state of minute division, enters into fusion and solders the two sheets in the same way as is done by the ordi-

turned toward an adjoining room. A glass beaker con- very simple process of quickly verifying the quality of

taining some chemical was in his hand, and in the alcohol. The process consists simply in igniting in a occur during the combustion. The purest alcohol burns with a uniform blue flame without smoke in disengaging an agreeable odor, and without leaving any residue. Now, there is none of the substances used for sophisticating alcohol that does not modify the method of combustion of the latter. Thus the inferior alcohols, the ethers, the fatty acids, all oleaginous substances, essence of turpentine, benzine, etc., even in the blue flame of long white or yellow fugacious trains of light that stand out clearly from the blue ground of the flame. The presence of foreign substances in alcohol also renders the flame of the latter smoky, as may easily be seen by holding a cold saucer over it. If the alcohol is supercharged with foreign substances, the saucer will become covered with a more or less abundant carbonaceous deposit.

Nitrogen and Phosphorescence.—Mr. G. Seguv has discovered that a phosphorescence similar to that caused by the electric discharge in tubes containing rarefied oxygen may be produced, in the case of nitrogen and its compounds, in the presence of the vapor of a metallic bichloride, as, for example, that of tin. The light emitted by the nitrogen tube is rose colored during the discharge; while with oxygen it is dull violet. The phosphorescence, which persists for some time after the interruption of the current, is of a milky whiteness.

Novel Galvanic Cell.—Mr. Morisot makes a new battery cell as follows: The positive pole is a plate of retort carbon placed in an external vessel containing a mixture of sulphuric acid (1 volume) and water previously saturated in the cold with potassium bichromate (3 volumes). The porous cell contains a dilute solution of caustic soda (density about 1.05), but the amalgamated zinc plate is placed in a smaller porous cell containing a concentrated solution of caustic soda, which is situated inside the first. The e.m. f. of the battery it at first 2.5 volts, and it is maintained above 2.4 volts for ten hours. The internal resistance is about 0.8 ohm, but varies, of course, with the thickness and material of the porous diaphragms. Employing 600 c. c. of the depolarizing liquid, 130 c. c. of weak soda solution, and 110 c. c. of the stronger solution, the intensity maintained was very near 0.423 ampere for an interposed resistance of 5 ohms and 0.22 ampere for a resistance of 10 ohms (Comptes Rendus, cxxi, 251).

Cycle Notes.

The lightest wheel is not always the fastest. Lack of rigidity will often tend to decrease the speed of a machine far more than the addition of a few pounds to its weight. Only machines of the highest grade can with safety be made very light, and even then a very light machine is only to be recommended to a careful and expert rider who will nurse it over rough roads and bad ones. Light wheels, even though they may not break down in one season's riding, will not last so long as heavier ones of the same quality, and are more easily damaged by falls. The minimum weight which can be safely ridden depends upon the character of the roads upon which it is to be used, as well as upon the weight and skill of the man who is to ride. Beginners will find safety and comfort, too, in selecting a wheel which weighs a few pounds more than the lightest. Too much weight is bad; too little weight is much worse.

The registered number of wheelmen in the city of Rochester, New York, is 13,500.

Bicycles are part of the equipment of many cruising yachts nowadays. They are utilized by the yachtsmen when ashore.

Bicyclists in the region round about St. Johns, Mich., have a queer but substantial grievance. The fields and farms thereabout are bounded and guarded with quickset hedges instead of by fences. At this time of year the farmers trim their hedges, and as a consequence the roads are strewn thickly with boughs full of briers, sharp slivers of tough wood, and short

Miss E. S. Hutchins, of Big Rapids, Mich., has devised a tire which consists principally of rubber, but and take the heaviest wear.


A citizen of Denver suggests that "inasmuch as it costs each bicycle rider \$70 a year for a new wheel, let the bicyclers organize a bicycle factory, subscribing and each of the shareholders would be sure to buy ed among our own people."

For twenty-five cents any English wheelman can telegraph the British weather bureau and receive a telegraphic reply giving the weather probabilities for any desired district.

The newest term for wheelwomen is "cyclestrienne."

A DETACHABLE HINGE FOR SCREEN DOORS, ETC.

The illustration represents a simple and inexpensive form of hinge by means of which a door may be held in position and readily removed any number of times by simply unscrewing a nut, without the necessity of removing wood screws or other fastening devices inserted in the wood of the door casing. The improvement has been patented by Oliver H. P. G. Spencer, of Mount Carmel, Ill. The hinge is attached to the stile of a screen or other door, and is composed




SPENCER'S DETACHABLE HINGE.

of two parts, connected by a pivot pin on which is coiled a spring. The outer leaf of the hinge has at its rear edge a central projection with transverse groove on its under side, as shown in the small figure, adapted to receive and fit over a reduced portion of a bracket plate attached to the casing or frame of the doorway. At the center of the reduced portion of the bracket plate is a bolt with a square head fitting in a recess in the back face of the bracket, while its free threaded end passes through an opening in the central projection of the outer leaf of the hinge, where it is engaged by a milled nut. To take down the door it is only necessary to unscrew the nut, the hinge remaining on the door and the small bracket plate on the casing, the nut being again placed on the bolt that it may not be lost.

MICROSCOPE FOR THE EXAMINATION OF OPAQUE OBJECTS.

Several attempts have been made up to the present time to devise apparatus for the illumination of opaque objects examined under the microscope. One of the best known processes is that of Lieberkuhn, which consists in applying around the objective an inclined concave mirror, which concentrates the luminous rays in reflecting them upon the preparation. This apparatus cannot be applied unless the frontal distance of the objective is sufficient to permit of the passage of the luminous rays sent obliquely. It can, therefore, be employed only for feeble magnifications. Moreover, such oblique illumination is an inconvenience.

Mr. Charles Fremont has succeeded in effecting the illumination through the interior of the tube of the



ILLUMINATING OPAQUE OBJECTS IN MICROSCOPE.

microscope and the objective, so that this new method is applicable to even the strongest magnifications.

The arrangement adopted, as described to the Academy of Sciences, through Mr. Marey, is as fol-

The pencil of light, L, directly projected or reflected by the mirror, D, enters the body, A, of the microscope tube through an aperture, E E, and meets a concave mirror, C, which is movable and capable of being raised or lowered in order to send the light through the lenses of the objective, B. A prism, K, is interposed in the path of the pencil in order to right it and render it parallel with the axis of the microscope before it enters the objective.

The mirror, C, and the prism, K, are provided with much more than can be said of the ordinary Dyak and the Burbank some ten days later.

image of the preparation, H, given by the objective, B, so that such image is never met by the luminous pencil.

This process permits of obtaining a vertical illumination of great intensity and of perfect clearness, both qualities indispensable for photographing microscopic

In presenting this apparatus to the academy, in behalf of Mr. Fremont, Mr. Marey recalled the experiments that he had made toward reproducing microscopic beings by chronophotography. With ordinary illumination, the objects detach themselves from a luminous ground, and successive photographs of them can be taken only upon a movable film. The series of images thus obtained include, it is true, all the data necessary for determining the changes of form and position of the object in motion; but, in order to appreciate such changes, it requires considerable labor in the way of comparing the images, which are intimately connected in a long series. For such studies it would be preferable to have recourse to chronophotography upon a dark ground, which, upon the same immovable plate, reunites the successive images of the object.

This method, which has been applicable only to objects of large dimensions, will, perhaps, owing to Mr. Fremont's new instrument, be applicable to microscopic photography. Should such be the case, a great progress will certainly be made in our knowledge of the motions of microscopic beings.

Living Greek-the Language of Physicians and Scholars.

At a recent meeting of the New York County Medical Association, Dr. Achilles Rose read the paper. Since the establishment of the American school at Athens, founded in 1892 by the American Archæological Institute, supported by contributions from eighteen universities in the United States, there had been a diffusion among cultivated people of a more correct notion of the Greek language, and of the fact that it was a living language. It was generally conceded that a study of the classical languages, and of the Greek especially, was a powerful means of elevating and ennobling the mind and character, and could not be dispensed with. The Greek language was practical as well as ideal. It was easy to learn as a living language, but it was necessary to reform methods of teaching it in the colleges. It was remarkable how it had been calumniated, by claiming that, as spoken by the Greeks to-day, it was mixed with various other languages. As a matter of fact, it had been preserved remarkably pure from ancient times, and for this we were much indebted to the Greek Church. As an example of the ease with which Greek could be learned as a living language, Dr. Rose presented his little daughter, about seven years of age, who recited a piece and sang in Greek. She also spoke a piece in French, showing that during childhood the learning of languages was easy.

Dr. Fred C. Valentine thought it would prove far more practical to make Spanish the language of physicians and scholars, for it was already spoken by eighty millions of people, was beautiful, its orthography was phonetic, with few exceptions, and one could learn to speak it in as many weeks as were required to learn the Greek alphabet.

The president had come to the conclusion that the preponderance of evidence was in favor of Greek as the language of scholars, for it was a language of very great beauty, of very great flexibility, and one possessing the power to carry ideas to others as perhaps no other language could.—Medical Record.


Guttapercha Leaves.

A new enterprise that it is claimed will largely increase the output of guttapercha is the collection and export of the dried leaves of the gutta tree. At first a few small packages of leaves were forwarded to Paris, and, once there, an excellent quality of pure guttapercha was extracted, the leaves yielding from seven to ten per cent of their weight of the manufactured article. Mons. F. Hourant, who sent the leaves to France, after some difficulty, succeeded in getting the natives to work systematically at the collection of the leaves, and now they are being exported in quantities which increase from month to month. He has erected a factory at Kuching for the purpose of thoroughly drying these leaves before shipment. The advantages of this method are evident. The natives formerly cut down a tree to obtain the sap, and from this, if it were an adult tree twenty five to thirty years of age, there was obtained one catty of pure dry gutta. Fully as much can be obtained from two pluckings of the leaves of the same tree, without injuring it, for it will long continue to put out fresh foliage and. what is more important, will live to seed and reproduce its species. This is an important point, as the best gutta trees do not fruit with fine color. The season of shipping ranges bear fruit until thirty years of age. The gutta ob- through June and early July. The Willard ripens tained from the leaves is also pure and dry, which is about May 20, the Abundance from June 10 to June 15,

an aperture to permit of the passage of a conical tube, gutta. The millions of trees that have already been J, that allows one to perceive, through the ocular, the destroyed by the native gatherers are also still of service, as their stumps have sent out numerous small shoots, and, though these are too small to be tapped, their leaves are as good as those of the adult tree.

STEAM PIPE AND BOILER COVERING.

The saving of coal effected by having steam boilers and pipes thoroughly covered is well understood by nearly all steam users, and the absolute necessity for such covering of pipes where live steam is to be conveved any considerable distance is everywhere conceded. In the accompanying illustrations are shown the methods by which non-conductive covering is applied for purposes of insulation by the New York Fireproof Covering Company, of 121 Liberty Street, New York. The material used as a non-conductor is rock wool, which is made of feldspar and limestone, in much the same way as mineral wool, and is claimed to be superior to the latter, inasmuch as it contains no sulphur, presenting more minutely divided air spaces. whereby the covering is made very light, containing about 96 per cent dead air. The pipe covering is made in sections three feet long, to fit any size pipe with heavy canvas casing and laps and metal bands and fittings to match. For boilers, domes, heaters, tanks, etc., the coverings are made in blocks from one to two inches thick, these to be covered with wire netting and a coating of rock wool cement, making a smooth, hard finish, the blocks being cut to fit around projecting pipes or other irregularities. A rock wool fireproof cement, which can be mixed with a trowel and applied like mortar, is provided for covering irregular shaped surfaces. The covering is in each case



STEAM PIPE AND BOILER COVERING.

very simple of application, requiring no skilled labor: and as the saving from radiation is very great, the investment would pay for itself in a few months' time.

Oriole Strawberry.

As an example of plant breeding on scientific principles, Mr. A. W. Slaymaker writes to the Rural New Yorker of the Oriole strawberry. The blossoms of Bubach, a pistillate variety of vigor and productiveness, were fertilized with pollen from the Hoffman, an early Southern variety, with vigorous habit and fine fruit which lacks size. The seeds from this cross were planted and two new varieties have been selected, one named Oriole and the other Ideal. Oriole has all the most desirable characteristics of the Bubach and an extra early ripening season, and in this way it combines the good qualities of both berries. It should be said that all the blossoms of the Bubach parent plant, except those which were fertilized with the Southern sort, were taken off and the runners removed the year before, so as to give the fruit originating from the cross all possible vigor.

The Japanese Plum.

Mr. J. H. Hale is satisfied that the Japan plum in Georgia will form a more profitable market fruit even than peaches. The trees are strong growers and come into bearing a year after planting; in two years they yield half a bushel each, and more, of course, as they grow older. The fruit, as grown in Georgia, is very large and brilliantly colored, and has a tough skin that makes it easy to ship. Such varieties as the Burbank, for example, if picked while green, but fully grown, and wrapped in paper, can be carried for two or three weeks and will yet ripen into a rich, sweet

WELDING AND FORGING STEEL.


The illustrations accompanying this subject were a bright red. taken from the plant of the Benjamin Atha and Illingworth Company, Harrison, N. J. Crucible or tool steel is used principally for manufacturing tools requiring strength and elasticity, such as agricultural implements, machinist tools, etc. Certain grades of steel are first melted up and run into billets weighing about 75 pounds each. They are about 24 inches ingot back and forth across the sharp edge of the iron in length and about 31/2 inches in height and width. The billets or ingots to the number of eight are placed then drawn back and forth into a trough filled with a in a furnace about 3 or 4 inches apart and left to heat about a half hour. The interior of the furnace is about 6 × 8 feet in length and width, and is about 2 feet in cracks and seams, cleaning out the dirt and grit. The height and lined with fire brick. Soft coal is used for billet is then placed on the steel die of the welding ap-

heated for about ten minutes, bringing the color up to

They are then taken out one at a time and placed into a retort heated by a coke fire for about two minutes. The interior of the retort is about twelve inches in width, about twelve inches in height and about four feet in length. They are then drawn out and the scale scraped off by the operator drawing the shelf in front of the mouth of the retort. The ingot is composition of plaster of Paris and borax, the red hot billet causing the composition to melt and enter the

hammer. The apparatus for forging is similar in shape to the welding machine. The hammer or slide is about two feet in width, about three feet in length and about one foot in thickness.

The striking part of the hammer is made of steel, and is locked securely to the bottom of the ram or slide. The striking and stationary die each weigh about 225 lb. They are about 18 inches in length, about 8 inches in width, and about 8 inches in height, both being placed in an oblique position. The cylinder is about 4 feet in length and about 18 inches in diameter. The hammer makes a 2 foot 8 inch stroke, and is worked by means of levers in the same manner as the welding machine, about 60 to 70 lb. of steam being used to run the apparatus. As soon as the bar heating, the flames of which are blown through and paratus and hammered down into a perfect solid bar, has been heated up to the right color it is taken out



THE TOOL STEEL INDUSTRY.

across the billets by means of a blast pipe connected | the right shape and thickness for the rolling mill, | by means of a pair of tongs and a derrick, and placed to the sides of the furnace, the air passing up underneath and through the fire box. After the material has been heated to a cherry red color, it is taken out and hammered down so as to fit certain sized tongs. The jaws or clasping end of the tongs are scoopshaped, fitting around and holding the ends of the billets securely when being hammered. The welding hammer is worked by steam and weighs about 3,500 pounds. The hammer is raised and lowered by means of an upright steam cylinder connected to the top of the and sent to machine to be turned down into the prostroke of the hammer by means of levers can give the with a steam hammer weighing about from three to heating, the ingots are placed in another furnace and | nace to a bright red heat and then placed under the | bacco or leave the institution.

which in turn presses it out into round, square or flat bars of steel. If the billets are left in the furnace too long, they will break into small pieces as soon as the hammer touches them. Three hands can weld nine heats of eight bars each daily. Forgings are made of soft Bessemer steel. They consist principally of piston rods, shafting, pinion blocks, eccentric cranks, connecting rods, planer heads, cranks, different parts of engines, etc. They are forged out in a rough state machine, the piston rod of which connects with the per shapes and sizes. The soft steel comes in the form hammer, two for turning the metal on the die, one for top of the hammer. The hammer makes a stroke of of billets and is first heated and beaten out flat or about 2 feet 8 inches. The operator who regulates the square, according to the size of the forging wanted, billet a light or a heavy blow, the light blow being five tons. The bars of steel are then sent to be forged given by means of a shut-off lever. After the first into shape. They are first heated in a fire brick fur-

in position under the hammer. To forge it down to the right width and thickness an attendant places a squaring tool or gage against the bar, holding it in place until the hammer strikes it. For cutting into the heated steel where a section is to be rounded off a V tool is used, the cut being made by dropping the hammer on the tool. The section is then rounded off by the operators turning the bar slowly around and tapping the metal with heavy and light strokes of the hammer. Four hands are required at the forging cutting and gaging, and one for operating the hammer. Some forgings weigh as high as 2,800 lb.

THE authorities of Boston University have decided that the students must either give up the use of to-

Another Large Telescope.

At the modest shop of the Clarks in Cambridge, Mass., the lenses of the great forty inch telescope for the Yerkes Observatory of the University of Chicago lie practically finished, and await only the final tests of the committee of inspection for their acceptance. These will probably be made in two or three weeks. The mounting of the telescope, however, will probably not be completed until spring, for the construction and equipment of so large an instrument is really a matter requiring much time. So far as the lenses are concerned, Mr. Clark considers them superior in definition and figure to any of the comparable glasses which have been made by the firm.

The largest work now in hand here is the new Percival Lowell telescope. It will be remembered that on his return from Arizona, Mr. Lowell was so well pleased with the results obtained that he at once expressed an intention to observe Mars during the opposition of 1896 with a large telescope and from the very best site discoverable. He at once ordered a telescope from the Clarks and lent an astronomer around the world to select the place for the observatory.

The telescope is to be of twenty-four inches aperture, a truly large glass, even as compared with the monsters which modern opticians have been able to construct, and an order was at once placed with Mantois, of Paris, for the disks of glass, which were to have been delivered early in August. They are now here a month late, and this lateness weans a little more expedition on the part of the lens shapers, since the completed telescope must be ready for Mr. Lowell at a given date in June of next year. An examination of the plates of glass shows them to be of the finest quality, and in the opinion of the experts in the shop in Cambridge have dilapidated condition, albeit it still flourishes on topnever been excelled by any of the disks which have been received there.

The flint glass has already received its rough grinding and takes on something of the shape which it will the names of saints, one of the most famous of these have when completed, but there are many refinements and very large requirements in point of time and attention before it can even be tested as a lens, beyond a matter of record, its conservancy has been an object which time there are all the necessities of delicate final correction. In the forming of these lenses some departures will be made from the regular methods which have heretofore been employed, notable among which will be the substitution of glass forms for the metal ones which have been customarily in use for the earlier

For this telescope the Clarks are themselves con structing the mountings which, aside from the pier, will weigh some tons. The material for the pier will depend other notable Bo trees, among other places at Benares, in some measure upon the site selected, for if this and it was from a shoot from this tree that that at should be in some desert, where stone is not available, a steel pier will be taken from Cambridge. The question of site is still undetermined, reports in the newspapers to the contrary notwithstanding, and Mr. Douglass is still abroad in search of a perfect atmosphere.

Trees and Insects in Central America.

In Mr. Richard Harding Davis' account of the travels of "Three Gringoes," he thus narrates, in Harper's for September, some of his experiences:

"At every hundred yards or so there were giant trees with smooth gray trunks, as even and regular as five feet above the ground, and the mean girth is 38 manufacturer who for years controlled the market marble, and with roots like flying buttresses, a foot in thickness, and reaching from ten to fifteen feet up from the ground. If these flanges had been covered stands near the lawn of Welbeck Abbey, and in its over, a man on muleback could have taken refuge between them. Some of the trunks of these trees were covered with intricate lacework of a parasite which twisted in and out, and which looked as though thou- its trunk was originally so wide that a former Duke of sands of snakes were crawling over the white surface of Portland drove a four-in-hand through it for a wager. the tree; they were so much like snakes that one pass- Another tree, or rather trees, to be found in Sherwood ed beneath them with an uneasy shrug. Hundreds of Forest is known as the Butcher's Shambles, being a orchids clung to the branches of the trees, and from group of trees on the boughs of which Robin Hood and these stouter limbs to the more pliable branches of the his merry men were wont, if tradition is to be believed, palms below white-faced monkeys sprang and swung to hang their venison. In the same neighborhood from tree to tree, running along the branches until also is another tree associated with the legends of the Paris green is the combination with acetic acid. they bent with the weight like a trout rod, and sprang | light-hearted outlaw, the Robin oak, a grand tree in upright again with a sweep and rush as the monkeys its time, but now hollow, though hale. leaped off chattering into the depths of the forest. Leaving England and returning to the East, open plain, cut up by little bubbling streams, flashing the neighborhood stood a banyan, which Heraclius, it costs only half as much. brilliantly in the sun. It was like an awakening Alexander's admiral, described as big enough to shelfrom a strange and beautiful nightmare."

INSECTS.

a blanket to lie upon and another to wrap around you, circumference, the small stems outside having been and a saddle for a pillow, and where, with a smouldering fire at your feet, you can sleep without thought army passed by, 7,000 men were encamped beneath it. Honduras that is not saturated and alive with bugs, sting and bite. It transcends mere discomfort; it is an and followers beneath it. absolute curse to the country, and to every one in it, and it would be as absurd to write of Honduras with- which must be very old, as they grow slowly. In out dwelling on the insects as of the west coast of Provence there are some planted over 200 years since, Africa without speaking of the fever. You cannot sit and these are not more than 15 inches thick. At Dali, on the grass or on a fallen tree, or walk under an up however, there is one, the trunk of which is 29 feet in ents were for articles that retailed for one dollar or right one or through the bushes, without hundreds of girth, that is still sound. Until 1871 Teneriffe had a less.—Rural Mechanic.

some sort of animal or other attaching themselves to tree of vast antiquity and sad interest. your clothing or to your person. And if you get down from your mule to take a shot at something in the bushes and walk but twenty feet into them, you have to be beaten with brushes and rods when you come out again as vigorously as though you were a dusty carpet. There will be sometimes as many as a hundred insects under one leaf; and after they have once laid their claws upon you, your life is a mockery and you feel at night as though you were sleeping in a bed with red pepper. The mules have even a harder time of it; for, as if they did not suffer enough in the day, they are in constant danger at night from vampires, which fasten themselves to the neck and suck out the blood, leaving them so weak that often when we came to saddle them in the morning they would stagger and almost fall. Sometimes the side of their head and shoulders would be wet with their own blood."

Some Remarkable Trees in England and Abroad.

England, in common with other wooded parts of the civilized universe, possesses many ancient and historical trees, and though the question of age may often be a matter of blind faith, on the contrary the history is a matter of dry facts. Until the middle of the last century the natives of the New Forest pointed out the very tree under which King Rufus fell, an alder growing in a swampy spot beneath which, we read, the grass 'squelched when the Red King fell." "Rollo's oak," which, according to legend, is that on which Rollo hung bracelets as a challenge, is just now causing the good people of Rouen great uneasiness because of its the spot, by the way, whereat old age first tells its

In the East, historic trees are usually associated with being the Bo tree at Anuradhapura, in Ceylon, which has none in the world to compare with it. Its age is of solicitude to successive dynasties, and the story of its vicissitudes has been preserved in a continuous series of chronicles among the most authentic which have been handed down to mankind; and its green old age would seem almost to verify the prophecy given when it was planted—that it would flourish for ever. We have a contemporary report of the planting of this tree with grand ceremonies in 245 B.C.-a period of 2,140 years since—and it is still flourishing. There are Ceylon has grown.

Quitting the East for the nonce, we would notice some ancient historical trees which are to be met with in this country, some of the most celebrated being found in Sherwood Forest and in the surrounding domains of the Duke of Portland. One of these is the Major oak in Sherwood Forest, which giant is hollow; and although the entrance is only about wide enough to allow of a man passing through, there is room inside for twenty persons. The girth of this Major oak is 54 feet outside the root, 34 feet above the root, 25 feet feet 4 inches. The spread of foliage is magnificent. Another famous tree is the Greendale oak, which prime must have been a tree of enormous magnitude. It is now, however, in a very bad state, its worn old limbs being held up by means of chains. The gap in and more expensive, and the country went on using

We rode through this enchanted wilderness of waver- may note the Verbudda banyan, which is called Cub- many hours. Experiments are now in progress to asing sunlight and damp green shadows for the greater berbeer by the natives. This tree is believed to date certain whether this can be used as a substitute for part of the day, and came out finally into a broad from the second century of the Christian era, and in Paris green, to which it is so superior in fineness, while ter an army. This Cubberbeer answers to the description of Heraclius even now, the principal stems, num-"I have camped in our West, where all you need is bering four hundred, inclosing an area 2,000 feet in estimated at 3,000. Tradition asserts that when some of insects. But there is nothing green that grows in At the beginning of the present century the Rajah of the district used to make the tree his headquarters, and all manner of things that creep and crawl and lodging suite and guards, carriages, elephants, cattle

Sir Samuel Baker tells of some olive trees in Cyprus

island was discovered the inhabitants used to worship a dragon tree at Orotava, which was so old that it is reputed to have played some part in the Creation. This was in 1402. Humboldt measured the tree in 1799, and found the girth 45 feet, and at ten feet above the ground 36 feet, the height being only 65 feet. The tree was, however, blown down in 1871.

At Materea, by Heliopolis, is a sycamore which for over 1,000 years has been known as the "Virgin's tree," and still flourishes.

In the Old World the greatest tree is the African Baobab, and in the New World the Wellingtonia. At the mouth of the Senegal River specimens of the Baobab have been measured of over 100 feet in circumference, though it is never more than 60 feet in height, and becomes hollow at an early age. Dr. Livingston found one in which thirty men could sleep comfortably, and Humboldt tells of one in Senegambia wherein the negroes held their meetings. Adamson has calculated that some of these trees must be at least 5,000 years of age, by which time they are 30 feet in diameter. Among curiosities there is the bottle tree of Brazil, which swells from a slender base until, at half its height, the diameter is equal to the altitude, a similar genus being found in tropical Australia. We cannot close these lines without a reference to the so-called "living stones" of the Falkland Islands, where, owing to the strong polar wind, it is impossible for trees to grow erect, so Nature has made amends by furnishing a supply of wood in the most curious shape imaginable. Here and there are to be found in the islands singular shaped blocks of what appear to be weather beaten and moss-covered bowlders in various sizes. These bowlders cannot be turned over, they being tied to the earth by roots of extraordinary strength. No other country in the world has such a peculiar forest growth, and it is impossible to work these odd-shaped blocks into fuel, because the wood is perfectly devoid of grain, and appears to be nothing but a twisted mat of fibers. The above constitute a few of the remarkable trees of the world.-Wm. Norman Brown in the Gardeners' Maga-

Paris Green.

It is estimated that more than two thousand tons of Paris green are annually used as an insecticide in the United States, since it is the most rapid and effective of the arsenical preparations used for this purpose. The chief difficulty in using it is the readiness with which it settles to the bottom of the tank of spraying apparatus. This is because it is less finely divided than London purple—a point in which the latter compound has a certain advantage. In the last number of Insect Life Dr. C. L. Marlatt explains that there is no reason for this coarseness of grain in Paris green, except that the market has demanded a dark colored article, and the darker color is due to the larger size of the crystals. Paris green would be much more satisfactory as an insecticide if it were reduced to a fine powder, but it would then lose its intensity of color and become whitish, which, in popular estimation, would indicate adulteration. The fact is that the did so because he had discovered a method of crystallizing the product in unusually large particles, which were, therefore, very deeply colored. Of course, it was less valuable in this form, and yet the dark green large-sized crystals were more difficult to manufacture this for years, although a more effective poison could have been made for less money. In testing Paris green when reduced to fine powder, Dr. Marlatt found that it remained in suspension three times as long as the ordinary product did, while, undoubtedly, the fineness in division made it more effective against insects. The last step in the process of manufacturing When, however, this acid is omitted, an impalpable powder, instead of a crystalline product, is secured, and this will remain in suspension almost perfectly for

Good Counsel.

Young men of an inventive turn of mind should be constantly on the alert, observant in everything. Note where a saving of time or material can be effected by improved methods. If you cannot make two blades of grass grow in the place of one, invent some method to do certain things quicker and better than by present methods. Time is money, and any method by which time is saved has a commercial value. If the operation is performed better and quicker, the commercial value of the method or means enhances accordingly. The simplest inventions are of the most value, comparatively. A recent report from the Patent Office states that the majority of successful pat-

Correspondence.

Gases as Germicides and Disinfectants.

To the Editor of the SCIENTIFIC AMERICAN:

In "Science Notes" of Scientific American for September 21 is a report of the observations of M. Pictet on the use of a mixture of sulphurous and carbonic acid gases as a disinfectant and an extract from Prof. D'Arsonval's report to the Société de Biologie on the great value as a germicide of this mixture, which he has named "Pictet's gas," and which he says forms a chemical combination.

For the past year I have been conducting a series of experiments with many different mixtures of CO2 and SO₂, and also of different mixtures of carbonic and sulphurous acid gases, H2CO3 and H2SO3, under varying hygrometric conditions and of temperature and pressure. These experiments are as yet incomplete. owing to a lack of the necessary chemical and physical apparatus and pathogenic bacteria. As soon as the work is completed the results will be published. So far, I have come to the following conclusions:

- 1. That the gases are a simple mixture with their derivatives.
- 2. That in certain proportions the mixed gases have more penetrating power and quick germicidal action than either gas alone under any circumstances tried.

The gases act as germicides, and, therefore, as dis-

- 1. By altering the specific gravity of the medium, i. e., air.
- 2. By absorbing moisture from the germ, or by entering in solution with it, forming H2SO3 and H2CO3, appropriating the hydrogen and liberating the oxygen to reunite or be nascent.
- 3. By the method of producing and mixing the gases evolving nascent oxygen and hydrogen in the process of disinfection and the liability of forming CS2 and SH2, and thus, perhaps, liberating H₂O₂.
- 4. Removing oxgen (i. e., air) from aerobic bacteria. 5. That the gas, or gases, act with more effectiveness when previously passed through water or mois-
- 6. That the possibility of the nitrogen present entering the combination when chemical change takes

place and aiding in the process must not be over-JOSEPH BUFORD GRAHAM, M.D. looked. Savannah Quarantine Station, September 24, 1895.

Some of the Uses of Shells.

Among the various contributions that nature makes to the wants of man, shells figure quite extensively. As vessels for food and drink and other domestic purposes, many species are very conveniently shaped. The valves of many species of clams are large and deep and available for cups and dishes, and as such have been used by the American Indians, who have also employed them as knives, scrapers and hoes. Shells of the genus Unio have always held an important place in the domestic and mechanical arts of the savages of North America. The valves of many varieties of these shells are well adapted to the use of man. Although not large enough for food vessels, they make very satisfactory spoons and cups; but it is probable that they were much more frequently used by the Indians as knives and scrapers. The very widely distributed Pectens, on account of their beauty of form and color, have been in great favor with all peoples. They were extensively employed by the ancient inhabitants of America as ornaments and rattles, and many specimens obtained from graves and mounds appear to have been used as utensils, paint cups and vessels for food and drink.

The Haliotis affords an excellent example of the varied uses to which the natural shell has been applied by savage peoples. Explorations of the burial places of the ancient tribes of the Pacific coast have brought ed to rude handles, the shell most frequently used beto light numerous specimens of these shells, which had ing that of the clam. apparently served as bowls, dishes and spoons. This The use of shell in the manufacture of fishing impletheir neighbors. The rougher and more homely oyster, so well shaped as to excite admiration. shell enjoyed the favor of the mound-building tribes, and probably served many useful purposes. Many species of the Fissurella and Dentatium shells were in common use, advantage being taken of the natural perforations for stringing, the latter being quite extensively used for money on the Pacific coast.

A great variety of the larger univalve sea shells have been used in the unaltered state, the Busycons probably taking the most important place, and species of tioned by early writers. The two valves of the small the Strombus, the Cassis, the Nautilus, and Fasciolaria mussels or clams were made to do service as tweezers following in about the order named. The Busycon perversum has been more extensively employed than any other shell, and the uses to which it was put by the ancient Americans were numerous and varied. Fine specimens of vessels made of this shell are on ex- pins of civilized people. The exact uses to which these hibition in the National Museum at Washington. As objects were applied are unknown. The favorite idea domestic utensils, bivalve shells have held a place of archæologists seems to be that they were hairpins, hardly inferior in importance to that of the large uni- used by the savages to dress and ornament their hair. valves. Marine and fluviatile varieties have been used Shells were largely used by the American Indians for the father of the electro-magnetic telegraph."

indiscriminately, and generally in the natural state; but occasionally altered by art to enhance their beauty or add to their convenience. Such alteration consisted chiefly in the carving out of a kind of handle to form a spoon. It is a curious fact that most of such utensils that have been met with have been made from the left valve of the shell, which gives such a position to the handle that they were most conveniently used by the right hand, thus indicating righthandedness on the part of their manufacturers and users.

According to Pictet, large shells called tritons were used in ancient times as vessels for offering libations

Rondelet, speaking of the Olearia, says that the goldsmiths make very elegant ewers of this shell by adding a foot and handle to it, and that some regard these vessels as a preservative against poisons.

In the cottages of Shetland, the Fusus antiquus is suspended horizontally and used as a lamp, the oil being placed in the cavity of the shell and the wick passing through the canal.

Patellæ, in the vicinity of Cancale, serve as an oil reservoir in small lamps called "crassets."

The common mussel and a few other shells are called artists' shells, from artists' colors being put in them. Saint James shells, a species of Pecten, are frequently

used in Brittany as milk ladles and drinking vessels. According to Pliny, the round cockles were used for

measuring oil.

sent by the Republic of Venice.

In China, certain Tridacnæ are used as watering troughs for cattle, and some of the wealthy mandarins possess baths made of a species of this shell. A pair of valves of T. gigas, weighing upward of 500 pounds and measuring about two feet across, are ured as holy water basins in the church of St. Sulpice, Paris. They were obtained from Francis I, to whom they had been

In several countries of the Indies the windows are glazed with transparent shells cut into squares. The species used for this purpose is Placuna vitrea, or window shell." All the churches of Goa still have their windows glazed with this shell. De Guignes states that the same use of the Placuna is made in

We meet with numerous examples of the use of shells as instruments of war, hunting, labor, and construction. Drake tells us that some of the South American tribes had hatchets and knives made of shells that often reached a foot in length. These were carved and polished with art, and must have lasted a long time.

In New Caledonia, flat axes are made of shells of large size and round form.

The shells of the genus Tridacna are quite thick, but their edge is thin enough to allow the Polynesians to make picks, axes, and other instruments of the kind out of them. The Indians of Florida made their tomahawks out of the shell of Busycon perversum.

Among the Fuegians, the only native tool is a large shell of a sea mussel, carved and sharpened and firmly affixed by a seal skin strap to a stone designed to be held in the hand.

The Indians of Vancouver's Island still carve their wooden sepulchral images with knives made of shells. Celts made of Strombus and Busycon shells have been found in various parts of America. These are polished like the similar instruments made of stone. These implements are frequently mentioned by early writers. Wood, speaking of the Indians of New England, says that their canoes were made of pine trees, which, before they were acquainted with English tools, they burned hollow and scraped smooth with clam and ovster shells. The great majority of scraping implements obtained from the mounds, graves, and shell heaps of the Indians are simply valves of Unio or clam shells, unaltered except by use.

The first explorers of the Atlantic coast found many of the tribes tilling the soil with unworked shells lash-

shell probably formed as important a factor in the com- ments seems to have been almost unknown on the such as caskets, scent bottle holders, brooches, etc. merce of these tribes as did the large conches of the Atlantic coast, but hooks of shell are very plentiful in Atlantic coast in that of the mound builders and the burial places of the Pacific coast, and are frequently

> Among the Caradiis of Australia, and several other peoples, a sharp shell is used for tattooing.

> The Indian chief Powhatan tortured his enemies with the shell of a mollusk, and his wives made use of the same kind of implement for cutting their hair.

> The Indians of Florida used the shell of the Busycon as a club head in the manufacture of their casse-tetes. A rather novel use of shells by the Indians is men-

for pulling out hair.

The spiral column of certain univalve shells was used by the Indians for making pins. Some of these were pointed at both ends, while others had heads like the

the manufacture of articles of personal adornment, such as beads and gorgets, and for money.

The Friendly Islander wears the orange cowry as a mark of chieftainship. Another cowry is used by the Asiatic islanders to adorn their dress, to weight their fishing nets, and as a medium for barter. The New Zealander polishes the Elenchus into an ornament more brilliant than the pearl eardrops of classical or modern times.

Shells, especially of the large species of Buccinum, have been quite frequently used as musical or calling instruments. In antiquity, the name of the war trumpet was that of the Buccinum, which had been used from the remotest times.

The Polynesians use a sort of marine trumpet made of the shell of a huge mussel.

The Corsican mountaineers, in their wars with the Genevese, used a marine shell as a horn. On all the islands of the Pacific the Triton is the conch blown as the signal of war. The lambis, a sort of large snail of the American sea, serves as a hunting horn to several savage nations.

Throughout Provence, principally during harvest time, horns made of Buccinum undatum are used for calling the laborers to work and also for corresponding to great distances by means of sounds previously agreed upon. Upon the seacoast of Upper Brittany large whelk shells are used for the same purpose.

Shells were among the number of musical instruments of the Peruvians. They were also used by the Mexican priests in their religious ceremonies.

The chank shell (Turbinelia pyrum) is carved by the Cingalese, and several varieties of it, from which the priests administer medicine, are held sacred.

The valves of Anodonta escula are used as skimmers in Brazil, and the shells of an Ampullaria serve to dip up caoutchouc gum.

The mussel shell has a few applications. When polished, it is made into needle books, scent bottle holders, earrings, pincushions, etc.

Some of the cockle shells are made into pincushions, and the shell-flower maker uses them to form the hop and other imitations. Common, cheap pincushions are made of the whelk and many other shells.

Large quantities of small shells enter into trade use for making shell flowers and different articles of shell-

The shells chiefly used for imitation flowers are parts of the valves of barnacles, Dentalium, Oliva, Morginella, Strigella, Pholas, Cardium, etc.

Of late, among the curious uses to which the Turbo and some other shells have been put in Europe is for pipe bowls.

The shell of a species of Mitra is used for the same purpose by the inhabitants of the Banshee group.

The shell of the pearly nautilus is made into a drinking cup by the inhabitants of the East, and that of the N. pompilius is often mounted on a stand in Europe and used for holding flowers.

The shell of an Anodonta is used for the bridge of musical instruments by the Mittoo tribe in Africa, and round fragments of the shell are used by them for gambling purposes.

In Japan, the ladies play a game with the valves of shells with designs painted upon them.

The "green snail" of the dealers (Turbo olearius) is very largely used for ornamental purposes. Slices of the shell ground down to a thin surface are employed for inlaving various articles. Buttons, earrings, and other objects are made of it, and also very pretty ornamental stands that open with a spring and inclose scent bottles, etc. Of late years handsome sections obtained from this shell have been largely used for ornamental buckles for hats, shoes, and belts.

Fine, large shells of this species formed the drinking goblets of the Scandinavian monarchs, and are often still met with, very elegantly mounted and set in

Another shell of this genus, the Turk's cap, from the west coast of Africa, is used for making small articles,

Invention of the Electro-magnetic Telegraph.

An interesting series of papers upon the history of the telegraph, by Mr. A. M. Tanner, published in the Electrical World, concludes as follows: "As early as the year 1837 the French Academy of Sciences had a permanent commission on electric telegraphs, composed of Arago, Becquerel and Savary. None of these distinguished savants ever questioned the claim of Morse to being the inventor of the electro-magnetic telegraph, and whatever may be said as to the date when the alphabetical code was first thought of, it is clear that there is no published nor acceptable proof that any one but Morse invented it. An unbiased or impartial opinion based on proof is that the essential features of the modern electro-magnetic telegraphviz, the electro-magnet, the armature with its retracting spring, transmitting signals by a finger key, and reading them by sound—were invented or proposed by Morse in the year 1838, and made known to the public at that time. Therefore, let Morse forever be considered

AN AUTOMATIC DOUBLE CHISEL MORTISING MACHINE.

This engraving represents an automatic double chisel mortising and boring machine, designed for automatically mortising hubs from the smallest sizes up to 111/2 inches diameter, cutting the mortises straight or stagger at the rate of 400 hubs per day; it is equally well adapted for cutting mortises of the regular kind in hard or soft wood, from 1/2 to 1/2 inch wide, to 5 inches long, such as required in wagon, carriage, furniture and agricultural implement shops, and when not engaged in mortising, the boring spindles may be utilized as a regular boring machine. The machine is manufactured by the Defiance Machine Works, Defiance, Ohio. It will accomplish several distinct classes of work, hub mortising and regular carpenter mortis- gland, but in the possession of a more delicate nerve that they were a little late in starting. While other ing in straight work, and general boring for vertical and horizontal work, and it also has the advantage of effecting the several operations more perfectly and six times faster than it can be accomplished with a single

The frame is a heavy casting in one piece, with the driving power at the top. It has two chisel bars ar. ranged side by side upon the front of the column, their axis being on a vertical plane at right angles to the axis of the main shaft, and they are adjustable, to give the mortises desired dish and taper. The horizontal boring spindle is conveniently fitted through the main frame, with a universal chuck for holding the auger, having adjustments to bore holes for straight or stagger mortises, and it is intended for hub work and general boring. In mortising hubs, the attachment, as shown on the floor, is used. It holds the hub at one end in a three-jawed universal chuck, the other end turning in a taper cup; the weight of the operator's foot upon the treadle at the base of the machine instantly starts the chisel bars, and the table carrying the hub is gradually lifted to the chisels, until the full depth of cut is reached, when it remains stationary until the mortise is complete, when it descends, the hub turning one notch of the index plate, ready for the next mortise, and it is again presented to the action of the chisels, and so continued until all of the mortises are finished. The jigging, spacing, feeding, etc., are entirely automatic in their movements, and all of the adjustments are of the simplest character.

For straight mortising the table on which the timber rests has a screw clamp for holding the work. It has a longitudinal and transverse (right angular) adjustment, for regulating the position of the mortise to be made, and the work is automatically presented to the action of the chisels; 6,000 medium sized mortises in soft wood can be cut in ten hours without a variation in the dimensions of the mortises of $\frac{1}{1000}$ inch from a specific measurement. It will make mortises tapering

in either direction or parallel, as desired, or tapering at one end and perpendicular to the surface at the other end. No painstaking, difficult and uncertain jigging of a carriage is required, and no revers ing of chisels.

The vertical boring apparatus is contained with. in an iron case completely covering the gears and so constructed that the center of the auger is always exactly in line with the center of the chisels.

400 rotations per minute.

so that the object after being bored has only to be moved horizontally system. The nerve fibers about the glands vibrate 8 inch steel armor; twelve 5 inch rapid fire guns, proto bring in proper place under the chisels to receive more easily, causing a downpour from the watery sac. the mortises. The boring spindle has a radial adjustment for boring holes to any angle. The friction drive pulley is 18 inches diameter, 5 inches face, speed

Tears a Safety Valve to Emotion.

Tears have their functional duty to accomplish, like every other fluid of the body, and the lachrymal gland is not placed behind the eye simply to fill space or to give expression to emotion. The chemical properties of tears consist of phosphate of lime and soda, making them very salty, but never bitter. Their action on the eye is very beneficial, and here consists their prescribed duty of the body, washing thoroughly that sensitive organ, which allows no foreign fluid to do the same work. Nothing cleanses the eye like a good, salty shower bath, and medical art has followed nature's law in this respect, advocating the invigorating solution for any distressed condition of the optics. Tears do not weaken the sight, but improve it. They act as a

tonic to the muscular vision, keeping the eye soft and limpid, and it will be noticed that women in whose eyes sympathetic tears gather quickly have brighter, tenderer orbs than others. When the pupils are hard and cold, the world attributes it to one's disposition, which is a mere figure of speech, implying the lack of balmy tears that are to the cornea what salve is to the skin or nourishment to the blood.

The effect of tears on the skin about the eyes, how ever, is intensely irritating and inflaming. They keep the epidermis in a dark, puffy condition, and in legends only do weeping women preserve the beauty of their great, white lids. The reason some women weep more easily than others, and all more readily than the sterner sex, has not its difference in the strength of the tear

AN AUTOMATIC DOUBLE CHISEL MORTISING MACHINE.

Men are not nearly so sensitive to emotion; their sympathetic nature—the term is used in a medical sense-is less developed, and the eye gland is, therefore, protected from shocks. Consequently, a man should thank the formation of his nerve nature when he contemptuously scores tears as a woman's practice. Why facial distortions should be the usual accompaniment to the sobbing of the gentler sex there seems no satisfactory solution. It may be that the nerves, which lead to the muscles as wires to marionettes. twitch and pull them in this fashion while they are at work emptying the tear glands of their contents. That the copious shedding of tears "which breaks the ice-bound fetters of the heart" is a healthy action, all physicians assert. In some cases it is even thought to avert insanity. Even here the reason is scientific, for it is a sign of relaxation of the brain nerves from a tenseness that was congestion. Between man and cord is held by the Hamburg-American liner Furst monkey there is this essential difference of tears. An Bismarck, and stands as 6 days, 10 hours, and 35 ape cannot weep, not so much because its emotional minutes.

powers are undeveloped as the fact that the lachrymal gland was omitted in his optical make-up. So long as this differentiating quality between man and his primeval ancestors persists, we may laugh at the theory of Darwin, so far as it reflects upon our family tree; scorn all innuendoes of "missing links;" and see our handkerchief as the sign and symbol of man's chieftainship in creation.—Philadelphia Times.

THE LAUNCH OF THE ARMORED CRUISER BROOKLYN,

On the afternoon of the 2d inst. there was launched from the Cramp's shipyard one of the most perfect and thoroughly up-to date cruisers of modern times. In the building up of our new navy, the United States government have reaped much benefit from the fact

> nations have expended large appropriations on ships that were largely in the nature of experiments, we have been in the position of the critical onlooker; and the costly failures of other naval boards have been valuable object lessons to our own as to what to avoid. The outcome of this observation is seen in a class of ships which, while they embody the best features of European practice, are yet marked by the strong originality which ever characterizes American design. The Brooklyn is spoken of as a sister ship to the New York, a ship that was a strong favorite among the naval experts at the late naval review at Kiel. She should be more properly called an enlarged and improved New York, being 14 feet longer and of 1,000 tons more displacement. Her leading features are: Length, 4001/2 feet; beam, 64.68 feet; normal draught, 24 feet; displacement, 9271 tons; and calculated speed, 20


> At first glance one is struck with the odd appearance of the three unusually tall and attenuated smokestacks, and the exceptionally high forecastle deck. Warships, however, are not built for appearance; and these two features, though they may detract from her beauty as compared with the New York, make her a much more effective fighting machine. The high foredeck enables her to carry her forward pair of 8 inch guns some 8 or 10 feet higher than the New York, and she could fight them when steaming against a head sea that would flood and put out of action the same guns on the New York or on any ship with a lower freeboard. This is a very valuable feature in a ship that will often have to chase an enemy that is steaming against the wind. The lofty smokestacks serve the purpose which is usually obtained by the use of forced draught, a device which experience has proved to be very destructive to the boilers. In the forced draught system, the cold air impinging on the tube plate causes severe expansion and contraction strains, and frequently starts leakage

> > at the tube ends. There is no such difficulty attaching to natural draught, and experience in the English mercantile marine has shown that as good results can be obtained by lengthening the smokestacks as by the employment of the forced draught system. The armament will consist of eight 8 inch rifles in barbettes of

tected by 4 inch steel armor; twelve 6 pounder rapid fire guns, and four machine guns. A complete steel protective deck, from 3 inches to 6 inches in thickness, will cover the ship from stem to stern.

The Brooklyn will carry five torpedo tubes, one in the bow and two on either broadside. Her total coal capacity will be 1,753 tons, and her normal capacity at normal displacement, 900 tons. She will have a full speed radius of action of 1,758 knots, and a 10 knot radius of action of 6,088 knots.

THE St. Louis is steadily improving on her previous performances in the Atlantic service. She left New York Wednesday, September 25, passing Sandy Hook at 1:30 P.M., and arrived off the Needles, Isle of Wight, at 7:35 A.M. on the following Wednesday, the time of passage being 6 days, 13 hours, 25 minutes. The re-



THE ARMORED CRUISER BROOKLYN, LAUNCHED AT PHILADELPHIA, OCTOBER 2, 1895.

Waltzing Mice.

The following description of some very curious and interesting Japanese animals is communicated to Natura! Science, London, August, by Edgar R. Waite, of the Museum at Sydney, Australia. The editor remarks in a note that the creatures have already been described in technical zoological journals more than once, though not until within two or three years. The general public, however, is quite uninformed regarding them, so that this popular account cannot fail to be interesting:

"Whatever the late war may have done toward increasing our knowledg, of Japan and things Japanese, it was the means of introducing to me an interesting domestic animal, the subject of this article.

'The mice were obtained from Mr. Haley, of this city [Sydney], who received them from Japan. The original pair and nearly all the offspring for several generations are white, variegated with black, disposed about the head, nape, and root of the tail. The ex ceptions are reversions to the color of the wild brown mouse, and two instances in which the black is replaced by faint buff; the irides of these are pink, whereas those of the other mice are dark.

"At first, a visitor probably regards the mice as mere color varieties of the common white race. A moment's observation reveals the peculiarities of the breed, and attention is riveted by their strange performances. Early in life they exhibit the tendency which has earned for them the name above applied. When a mouseling leaves the nest its gait consists of an evident attempt to proceed in a straight line; this is frustrated by a tremulous movement of the head, which is nervously shaken from side to side. Shortly, a tendency is exhibited to turn; this develops into a rotatory motion, performed with extraordinary rapidity, which constitutes the peculiarity of the waltzing mouse.

"The ordinary routine of daily life is constantly interrupted by this mad disposition to whirl, frequently indulged in for several minutes, and, with an occasional stoppage of a few seconds, continued for hours. The floor of one of Mr. Haley's cages being somewhat rough, the mice actually reduced their feet to stumps before it was noticed. Like ordinary mice, they sleep during the day, but apparently waltz the whole night long. If, however, they are disturbed during daylight, they leave their bed and work off some surplus energy.

"The rotation is so rapid that all individuality of head and tail is lost to the eye, only a confused ball sponding to about 3½ and 7½ miles per hour. No uniform a temperature as possible throughout the

of black and white being recognizable. Very often they spin in couples, revolving head to tail at such a speed that an unbroken ring only is perceived. It is remarkable that they keep perfectly together; this may be attributed to their similarity in size and not to any special faculty they may possess. An upright peg forms a favorite pivot, but even without this guide they would not, in several minutes, cover an area larger than a dinner plate, and they easily spin under a tumbler. Sometimes three or four mice run together; the extra ones then form an outer circle, but as the evident desire is to rotate rather than revolve, more than two seldom work well. An individual generally spins in one direction only, and the majority turn to the left, only a small proportion going 'with the clock.'

'A waltzing mouse may be placed on the ground without fear of its escaping. Should it attempt to do so, it will not proceed far before being seized with a paroxysm, which it will be necessary to work off before further progress can be attempted. These mice may also be kept in a paper box, which would not detain a wild

mouse an hour; the process of gnawing the walls arrangement for reversing is used or thought necessary. deeply, close to south side of hill, and press over slowof their prison will be so frequently interrupted by the necessity of practicing their infirmity that little damage can be done. As with all truly domestic mice, however, no determined effort to escape, such as char acterizes the wild mouse, is ever attempted, and at most such efforts are to be regarded as an inherited no notice of it. habit rather than a real desire for liberty, for domestic mice do not readily leave when their cages are left open.

"The feature of the breed may be due to cerebral derangement, but that the trait is, at the present day, purely hereditary and not acquired by the individual. is shown by the fact that, as soon as they arrive at an age when other mice begin to run, these begin to waltz.

"They may be compared to tumbler pigeons, and the analogy is close, allowing for differences between an aerial and a terrestrial performance. The plane of motion is, however, quite different, as exemplified by Indian ground tumblers, which, when placed on the ground, turn head over heels. In both cases the affect the officer in charge of the proving ground, conducted Thayer, in Country Gentleman.

affliction which would have insured the destruction of a wild race."

A PETROLEUM TRICYCLE.

The accompanying engravings illustrate a motor tricycle which has been made for experimental purposes, and has run considerable distances, by Mr. J. H. Knight, of Farnham, Eng. Mr. Knight has been one of the pioneers in the construction of oil engines, but for this motor cycle he at present uses a gasolene engine, although in a few months he expects to be running with an oil engine. The engraving-from a photograph—shows the general arrangement of the carriage or motor tricycle, and the annexed diagram shows the arrangement of the engine and intermediate driving gear.

We are indebted to the Engineer, London, for our illustrations and the following particulars: The engine runs constantly. On the crank shaft are two




DIAGRAM OF GEARING.

corresponding grooved wheels, and on the intermediate shaft are two grooved wheels. These provide the change of speed. The pulleys and wheels are coupled by loose ropes, and these ropes are tightened by the jockey pulleys. The three levers seen in the photograph are for the two speeds and the brake. The outer levers with the toothed quadrants are the levers for working the two jockey pulleys; the center one is the brake.

The carriage weighs in running order about 1,075 lb. The gasolene engine is on the Otto cycle, and has a piston 31/4 in. diameter and 41/4 in. stroke, developing rather over three-quarter brake horse power at 500 revolutions. The driving wheels, or rather the hind wheels-for one wheel only is a driver-are 3 ft. diameter, and the steering wheel 2 ft. 6 in. All have 11/2 in. solid rubber tires. Two speeds are arranged for, corre-



A PETROLEUM TRICYCLE.

The cooling water for the engine cylinder is contained | ly, bending the bush in the root until nearly flat on in a tank under the seat, and a current of air is drawn the ground. The bush is then held down with a wide by the exhaust over the water, and cools it to a considerable extent. We are informed that the motor cycle is almost silent in running, and that horses take

With one person on it, it will run 7½ miles per hour on fairly level roads, and has run at from 8 to 9 miles per hour for short distances. With two passengers the speeā is somewhat less.

The Pressure of a Gun Blast.

Recently, with a view to the practical determination of the effect of a blast from heavy gun firing over a protective plate. Commodore Sampson had a series of experiments made at the Indian Head Proving Ground which are described in the American Engineer and Railroad Journal.

are the first of the kind ever held. Lieutenant Mason,

tion is the result of perpetuation by heredity of an them. An 8 inch gun was employed. Under its muzzle was placed a 7 inch armor plate, which was 8 square feet and weighed about 8 tons. The center of the plate was 20 inches in front of the muzzle and about 4 feet below it. Over the plate and nearly parallel with it was secured a 1 inch wrought iron plate, 74 inches long by 68.5 inches wide. It weighed about % of a ton and was supported at each corner with a 2 inch armor bolt screwed into the corner holes in the back of the 7 inch plate below. The corner holes in the bottom of the plate were not directly below the holes in the corners of the wrought iron plate. Consequently, they were bent to bring their upper ends into the proper position. The center line down the length of the 1 inch plate was parallel with the axis of the bore of the gun, prolonged 0 25 of an inch to the right and 24 inches below, the surface of the plate being inclined 1 degree with the horizontal, the same as the gun. The muzzle of the gun projected from the rear of the 1 inch blast plate 17 5 inches. Two rounds were fired. In the first round the charge of powder was 100 pounds, the muzzle velocity 2,018 foot seconds and the pressure 16 tons. The elevation of the gun was 1 degree. The wrought iron 1 inch plate was bent downward at right angles to the line of fire along its central traverse line, the center of the plate being forced down by the blast 3.93 inches. A slight rotary movement to the left was also given to the plate. The 7 inch armor was not moved at all. In the second round the charge of powder was 107 pounds, the muzzle velocity 2,000 foot seconds and the pressure and elevation the same as in the preceding round. The blast plate was in the position produced by the first round. The effect of the second blast was merely an augmentation of that of the first fire. The lower plate was not moved in the least. After the second round the support of the right hand rear corner retained nearly its original position. The other three bolts had twisted to the right nearly 45 degrees. The second round crushed the plate downward about 7 inches, making the extreme deflection about 10 inches.

Berry Culture,

Winter protection is an absolute necessity for growing small fruits successfully in a northern climate. It should be practiced in every locality where the temperature reaches zero or below. With the high cultivation now practiced, a large and tender growth is stimulated; hence the greater necessity to maintain as

> winter. Even in localities where plants show no injury, and among those considered most hardy, the vitality is often affected, and the succeeding crop very much reduced.

> The best winter protection for blackberries, raspberries and grapes consists in laying them down and covering lightly with earth. All old canes and weak new growth should be cut out and burned soon after fruiting, leaving only strong, vigorous plants. If plants have been well mulched in summer with green clover, clean straw or coarse manure, as they should be, less earth is required by using this mulching.

> In laying plants down (the rows running north and south), commence at the north end, remove the earth from the north side of the hill about four inches deep, gather the branches in close form with a wide fork, raising it toward the top of the bush, and press gently to the north, at the same time placing the foot firmly on the base of the hill, and press hard toward the north.

> If the ground is hard, or bushes old, a second man may use a potato fork instead of the foot, inserting same

fork until properly covered. The top of the succeeding hill should rest near the base of the preceding hill, thus making a continuous covering. This process is an important one, but is easily acquired with a little practice. In the spring remove the earth carefully with a fork and slowly raise the bush.

With hardy varieties, and in mild winters, sufficient protection may be had by laying down and covering the tips only. Grapes being more flexible, are laid down without removal of earth near the vine.

There is no more important work on the fruit farm or garden than winter protection, and there is no work more generally neglected. Let it be done thoroughly, after frosts have come and before winter sets in. Strawberries grow rapidly in October, and make many weak plants. Remove all runners starting this The Indian Head experiments were interesting and month, allowing four or five inches square space for each plant. This is necessary for best fruit.-M. A.

THE ROYAL NATURAL HISTORY.

Edited by Richard Lydekker, B.A., F.R.S. Illustrated with 72 colored plates and 1,600 engravings. (London and New York: Frederick Warne and Company. June, 1895.) Published in 1s. parts. We reproduce two illustrations recently drawn for this work, namely, the Narina trogon and the Brazilian motmot.

Natural History Notes.

Remarkable Eye Structure in a Fish.-Mr. W. Tegetmeier has recently called attention to a fish which is very curious as regards the organization of its eyes, of which, like its congeners, it has two, although it well merits the name (tetraophthalmus) that attributes four to it. This fish has extremely bulging eyes, and when it is swimming upon the surface, as is its custom, half of the eye is above the surface of the water and the other half beneath the latter. Even externally, something abnormal is observed in these eyes. In fact, from the conjunctiva there starts a horizontal band of a dark color that divides the eye into two parts—an upper and a lower. But the division is more profound still.

There is a sort of halving of the pupil so as to form two, an upper and a lower, to which correspond a common iris that tends to a division, in the sense that a fold of this membrane separates the upper iris from the lower. But all this would not permit the animal to see in the air as well as in the water were there not added a special arrangement of the crystalline lens. The crystalline of terrestrial animals has the form of a lens, but, in order to see in water, it requires a nearly spherical one. The Anableps possesses both such forms. Mr. Stewart, who has carefully dissected the optical organ of this curious fish, shows that the crystalline lens itself is likewise halved, the upper part being lenticular, while the lower part, beneath the conjunctival band, is nearly spherical. There is, therefore, in this case a very marked adaptation, the upper part of the eye being adapted for vision in the air and the lower part being conformable to the type required by vision in water. It is very probable that the structure of the upper half is acquired, although it would be difficult to prove the fact. Perhaps such adaptation might be made to disappear by causing the fish to live entirely under water.

Staining the Wings method, devised at the request of Dr. Brodie, of staining the veins in the wings of certain insects:


Place the whole insect in a strong alcoholic solution of fuchsin and allow it to remain there for forty-eight hours. Then transfer the insect to water with a pair of fine forceps and wash it until no more color comes away, changing the water if necessary. While the washed insect floats in clear water slip a microscope slide under it, raise the slide, holding the insect on it with a fine needle, separate the wings from the body with a fine scalpel and remove the body. With a drop or two of clear water on the slide float the wings into any desired position, keeping them flat and un wrinkled, taking care to have no bubbles under them. Remove any excess of water with blotting paper and allow the wings to dry. Then place a drop of thick Canada balsam near them and heat the slide over a spirit or gas flame. Tilt the slide so that the now liquefied balsam flows over the wings; lower a cover glass gently into position, and allow the preparation to cool. On examination the veins will be found red, the depth of the coloring varying with the length of time of staining, the thickness of the veins, etc. The ing the crop in toto could we have the same proportion ordinary glass. (2) Orange colored glass produces an

color is well retained, so far as has been tried, and suc. of the whole. Besides, where with small seeds four cessful photographs have been made.

Heredity in the Color of the Hair of the Horse.-Mr. Wilckens, of Vienna, has found that two pure blooded English horses transmitted the color of their coat to their progeniture in 586 cases out of 1,000. When the parents are of different colors, the offspring are almost always of the color of the mother.

With Arabian horses, the facts are more striking still. The white color of the coat of the mare was found to be clearly transmitted in 729 cases out of 1,000. In other cases, there was a more or less marked mixture.

A Swimming Insect.—In 1864 Sir John Lubbock published in the Transactions of the Linnean Society, of London, an interesting note upon the Polynema natans. This hymenopterous insect has the habit of making use of its wings after the manner of fins. Since the above named epoch, the Polynema has been but rarely observed. Last month a correspondent of Science Gossip met with it anew and had an opportunity of observing it close by. He finds that the insect swims very well with its wings and moves about in the water at will in all directions.



successive crops are obtained, we have six with large

seeds, their evolution occurring with greater rapidity.

No sooner was the corn put in the feed trough than the scouting ants announced the fact, and a line of workers was immediately established, and, penetrating Laccase in Plants.-Mr. G. | by the cracks between the boards, they came out, each Bertrand finds that lac-lone loaded with a grain of corn, with which it descend-

ed on the outside. In this descent there was a reëntrant angle, difficult to cross; a single worker stationed itself there and undertook to help the others over. It did this by taking part of the weight of the grain of corn and backing across ahead of its companion until it had got it in a safe place. After helping one it returned to meet another, and continued this apparently voluntary task as long as this systematic robbery lasted.

Animal Life in Thermal Springs.-In the Lincoln (Neb.) Evening Call of April 6, 1895, Professor Lawrence Bruner records under the above heading the receipt from Hon. John C. Hamm of living lar-


væ captured by Mr. Hamm in a hot spring in Uinta County, Wyo. The larvæ were found in a cup-shaped depression in the top of a small cone about twenty inches high, situated a few feet from a large sulphur mound or "dune," under which the boiling water could be heard rumbling. Through small apertures in the bottom of the cup hot water rose and overflowed the edges, and it was in this cup filled with hot water that the larvæ were found. The temperature of the water, Mr. Hamm states, was so hot he could not hold his hand in it, and he estimates that it was not more than twenty or thirty degrees below the boiling point. The larvæ belonged to the dipterous family Stratiomyiidæ.

It is to be regretted that the temperature in this case was not taken with a thermometer for comparison with previously recorded cases of this kind. Mr. Bruner cites the statement of a Mrs. Partz (Rept. U. S. Geol. Surv. for 1878, Pt. II, p. 358) who saw "in springs in Owens Valley, Cal., a spider-like animal and small red worms in water having a temperature of 124° F."

To this may be added Mr. H. G. Hubbard's stateof Insects.—In No. 4 of volume I of the Biological case, the ferment originally found by him in the latex | ment in a letter published in the Canadian Entomological Park he saw a little Salda running about the edges of springs which were actually boiling. He also observed two species of Nebria living under pieces of geyserite "even on the sides of the cones of the largest spouting geysers, where they were liable to be washed away in a flood of boiling water." Professor A. S. Packard (American Naturalist, 1882, p. 599) also records such a case, he having received from a Mr. Griffith the larva of a Stratiomvia found in a hot spring in Gunnison County, Col. In this case the temperature of the water is stated to have been 157° F.—Insect Life.

Growth of Plants Under Colored Glass.—It is well known, from experiments, that certain luminous rays exert a favorable influence upon vegetation, while others have an injurious action. It has been asserted that the orange colored light corresponding to the abscrption spectrum of chlorophyl has a peculiarly marked action. Professor Zacharewicz, of Vancluse, has experimented with glass of various colors in the forced culture of strawberry plants, and reaches the following conclusions:

(1) The finest and earliest fruit is obtained under



BRAZILIAN MOTMOT.

NARINA TROGON.

Review of Ontario, Dr. H. W. Hill gives the following of the Tonquin lacquer tree, exists in a number of gist of 1891 (p. 226), that in the Yellowstone National other plants. Thus, it occurs in the roots of beets, carrots, turnips, and dahlias, potato tubers, young asparagus stems, lucerne, clover and ryegrass, the leaves! of artichokes and beets, the fruits of apple, pear, quince, and chestnut trees, etc.

Longevity of the Pike.—According to the Eleveur, one of the pike of the aquarium of St. Petersburg is considered by a competent zoologist to have been hatched toward the end of the fifteenth century. Despite its 400 years of captivity and its age, it seems to be in excellent health.

Seeds and Germination.—The question of the influence of the size of seeds upon germination and upon the size of the plant that springs therefrom has been recently studied anew by Mr. B. R. Galloway, a summary of whose conclusions is given by the Gardeners' Chronicle. The weight and size of the seed are of great importance. A large seed germinates better and more quickly, and, with it, one can count upon having at the same moment from 85 to 90 per cent of the total crop, while with small seeds the crop reaches maturity only in successive periods of time, so that at no moment, in gatherexaltation of the vegetation, but to the detriment of the quantity of fruit, its size and its earliness. (3) Violet glass gives a larger number of fruits, but small and of inferior quality and somewhat late. (4) Red, blue, or green glass are injurious to the vegetation of

Habits of the New Zealand Kea.-In the last number of the Zoologist Mr. Taylor White gives some interesting information about the kea (Nestor notabilis), the New Zealand parrot that is so often cited as an example of a graminivorous bird that is capable of becoming carnivorous, and that has the reputation of attacking sheep in order to consume the very delicate fat that surrounds their kidneys. Mr. White lives in New Zealand and has been able to make a close observation of the bird under consideration.

According to him, the kea lives mainly upon lichens and not upon fruit and seeds, for it is found only at a distance from and outside of forests, upon rocks and bare ground. Like other animals that have not yet made the acquaintance of the natural perversity of man, the kea did not fear the latter at first, but allowed itself to be approached, captured, and caressed. In captivity it eats bread and meat. Its very powerful bill permits it to gnaw the strongest wooden bars of a cage. As for its carnivorous habits, Mr. White says: Toward 1861, sheep were introduced, and some years afterward it was observed that a certain number of them were dying, and upon the back of these, behind the shoulders, or at the level of the kidneys, a wound was perceived.

At the end of some time it was discovered that the offender was the kea, which always preferred animals with a long fleece, as it could obtain a better hold on these with its claws. It never seems to seek grain or meat, has never been seen around a dead animal, and the probabilities are that it drinks blood. What has been said of the kea, then, is probably true; it attacks sheep. But it is naturally carnivorous, for to the fruit and seed that it may meet with it adds insects. It has not, then, changed its diet in adding the sheep to its bill of fare, but has simply extended its depredations. It has generalized.

Behring's law says that the blood and blood serum of an individual which has been artificially rendered immune against a certain infectious disease may be transferred into another individual with the effect to render the latter also immune, no matter how susceptible this animal is to the disease in question.

Railways as Infringers of Patented Articles.

The announcement that the Siemens-Halske Electric Company, of America, has brought suit against the Metropolitan West Side Elevated Railway Company, of Chicago, to restrain it from infringing their patents covering the third rail and contact system of propelling electric cars, will probably create more or less envy in the breasts of the manufacturers of railway supplies for the steam roads of this country. For it is a fact that as matters now stand these manufacturers do not dare to sue steam railroads, even if the infringement is of the most flagrant character. This is a strong statement, but unfortunately it is true, and it goes without saying that a great injustice is thereby being done to manufacturing interests.

The steam railroads of this country have organized what is known as the Eastern and Western Railway Association, one of whose duties is to furnish to the roads that are members opinions on patents covering articles that are offered to them for purchase. This is an important duty, and was undertaken to protect the railroads from damages incurred from ignorantly or thoughtlessly using patented articles that were infringements. It is a wise provision, and rightly carried out should be satisfactory to all concerned, as it acts to protect alike the rights of the manufacturer and the purchaser. But it soon came to be understood that he who sued a member of one of these associations would incur the displeasure of the other members and might find it difficult to do any business with them. This has been held to be a reasonable restriction to place upon sellers of railway supplies, and it is conceivable that if every one was perfectly fair in such matters, no harm would be done. Unfortunately, the implied rule has operated to make some roads careless, and it is charged that others have deliberately taken advantage of it. They feel, says the Railway Master Mechanic, that they will not be sued in any event, and they therefore are disposed to use any device that meets their fancy, leaving the manufacturers to fight out the matter among themselves. The firm whose patents are infringed thus sees railroads patronizing concerns making articles which expert opinions from the railroad's or association's attorney would pronounce infringements.

And what course can such a firm pursue? It dare not sue the railroad, for if it does, it antagonizes other railroads not already involved, and its business may road goes on buying from the latter under promise of of detailing the performances of little "I," and will protection from damages, and from the profits of such | tend to abbreviate many of the presented documents.

sales the infringing manufacturer fights his case. The suit may drag for several years, and when decided in his favor, he is unable to collect damages from the irresponsible concern, and can only look back over several years of damaged business and expensive litigation, which represents the expense of wiping out the unfair competition. It is needless to say that when railway officials are interested in the infringing concern, there are further complications.

It is in the power of railway officials to remedy this state of affairs. To remove the implied restriction relating to suits against railway companies may not be necessary, but it does appear that unless this is done justice requires the greatest care be exercised in the purchase of supplies that may possibly be infringements.

Mark Twain's Yell.

Mark Twain, who recently started on a tour round the world, told an interviewer at Winnipeg how he often felt a desire to "cut loose" from civilization and to get away by himself where he could run and yell to his heart's content. In this connection there is a story about the humorist and Canon Kingsley. Walking along the streets one day, Mark felt the impulse to yell coming on him with irresistible force, and said to Kingsley, "I want to yell, I must yell." The canon said, "All right, yell away; I don't mind." "And with that," said Mark, "Istepped back a few steps, and, throwing my arms above my head, let out a war whoop that could be heard for miles, and in less time than you could count Canon Kingsley and myself were surrounded by a multitude of anxious cit izens who wanted to know what was the matter. I told them nothing was the matter. I just wanted to yell, and had yelled."

Centenarians in France.

A census of centenarians recently taken in France gives 213 persons of one hundred years or over, 147 of them women and 66 men. The oldest was a woman who had just died at one hundred and fifty, in a village of the department of Haute Garonne. Nearly all the centenarians belonged to the lowest ranks in life.

THE British Institution of Civil Engineers, in its instructions for preparing papers to be read at its meetings, requests that the use of the personal pronoun be suffer thereby. If it sues the manufacturer, the rail- avoided. This will be sad news to those who are fond

RECENTLY PATENTED INVENTIONS. Railway Appliances.

TRAIN PIPE COUPLING.—Frank R. Bischoff, New Castle, and John C. Baird, Cheyenne, Wyoming. In clutch couplings adapted for automatic engagement and disengagement, these inventors have devised an improvement whereby, when the cars are uncoupled, the train pipes of the opposing cars will sepa rate readily, the ribs of the male sections leaving the prongs of the female sections. Each end of the pipe has a forked or U-shaped extremity, and the forks are drawn out until collars come in contact with stops, when the couplings part, leaving the forks projecting beyond the ends of the drawheads and in position for re-engagement. The improvement affords a quick, sure, and strong coupling, with a tight and positive interlocking engagemen between the opposing sections.

RAISING AND LOWERING CAR WINpows.-Horace Holbrook and Thomas S. Beals, Jr., Coupeville, Washington. This is a pneumatic device by means of which the windows may be raised or lowered by air pressure from the air brake pipes. At each window is a piston fitted to slide in a cylinder and having its piston rod connected with the window sash, while pipes from the air brake system connect with the upper and lower ends of the cylinder on opposite sides of the piston, and a valve controls the admission of air to either end of the cylinder to force the window up or down

Electrical.

TELEGRAPHIC VIBRATOR.— Paul La Cour. Askovshus, Denmark. This invention relates to vibrators producing different electric signals by generating intermittent currents to act upon distant vibrators when moved in different directions, while an abuthaving only the same speed of vibration. The essential ment movably secured in the casing opposite the valve point of the invention is the use of a body, as a pendulum, in its normal position in contact with a vibrator, but when the latter is set in motion the pendulum body is pushed forward and held by a catch, establishing thereby a different electrical condition, and causing a signal to be transmitted until the pendulum body is returned to its normal position.

DISTRICT TELEGRAPH AND TELE-PHONE System.—Edgar E. Salisbury and Albert E. Dean, Tacoma, Washington. This invention combines with district telegraph call boxes and central office apparatus a telephone system for verifying the signals of the call box and giving orders for messengers, saving the time of the messenger in going to the home of the subscriber. One of the arbors of the call box has a telephone-supporting lever to wind the actuating spring of the call box by the weight of the telephone, but capable of being lifted by the spring when the lever is released by the removal of the telephone. A telephone cut-out is operated by the supporting lever, and there is a key for grounding the line at either side of the call box.

ELECTRIC GENERATOR ATTACHMENT. -George W. Pickett, Denver, Col. According to this improvement, the dynamo has the usual commutator, and tached to the mould board to pulverize the soil, and a

an auxiliary commutator has whole and half contact rings, a pair of brushes being oppositely arranged to contact with the half ring, a brush to contact with the whole ring, and mechanism for giving an irregular speed to the auxiliary commutator. The improvement is designed foruse in connection with reciprocating plungers working in connection with solenoid or other magnets oppositely arranged and adapted to reciprocate between them a plunger which can be utilized for working a rock drill or other reciprocating mechanism.

LINEMAN'S VISE.—John Ryan, New York City. This is a hand vise in which the jaws present a maximum of bearing surface and have a parallel movement, while they may be readily manipulated either to open or close them. One jaw is fixed and the other movable, an adjusting screw engaged by a nut being connected to the fixed jaw, and there being a spring connec tion between the nut and the movable jaw. The vise is designed to be particularly useful in running clectric or other wires.

Mechanical.

VALVE GEAR.-Millard F. Hill and Clifton W. Easley, Henrietta, Texas. This is an improvement in gears in which but a single eccentric is used, there being devices by which the eccentric may be shifted on the shaft and locked in various positions to effect a reversal or a stoppage of the engine with a full head of steam on, and to run the engine in either direction. The automatic or non-automatic reversals are so arranged as to not interfere with each other.

town, Pa. Two valves are movably mounted in a influence on the various operations. seat is adapted to be engaged by each valve when moved. The improvement affords a double valve arrangement, either adapted for use in the ordinary way to open or close the valve, and one valve being removable for repairs while the other is kept in use. The valve may be easily taken apart for repairs, and works positively.

PIPE JOINT.-Michael Sexton. New York City. To unite pipes without threads cut on their ends, and without solder, calking, or flanges, this inventor has devised an improvement comprising a sleeve in the ends of which screw exteriorly threaded collars having at their inner ends bevels, while wedge-shaped rings are engaged by the bevels of the collars and pressed upon the pipe periphery at or near the pipe

Agricultural.

SUBSOIL PLOW.—Peter Heintz, Grand Island, Neb. The subsoil attachment, according to this improvement, comprises a share and an adjustable shank, a shoe being connected with the mould board of the gitudinal rims, and strips are pasted down on the cover share to prevent its springing, while breakers are at-

cutter at the front of the shank extends down to the land side to break the ground as the plow penetrates it. The attachment may be applied to any plow, and the upper section of the shank may be adjusted to accommodate itself to any shape or position of handle, standard, or other support.

SULKY ATTACHMENT FOR PLOWS. John A. Duttera and Joshua F. Flickinger, Hanover Pa. This attachment is applicable to any form of plow having a beam, being adjustable to plow beams of different shapes and sizes without cutting or boring into them. Means are also provided for simultaneously adjusting both the running wheels of the sulky, to raise or lower the plow or lift it entirely out of the ground, or for adjusting only one of the wheels to adapt the sulky for use on a hillside.

Miscellaueous.

TREATING ZINC BEARING ORES .-Edgar A. Ashcroft, Broken Hill, New South Wales. This inventor has devised a combined electrolytic and leaching treatment of sulphide ores and products, by which the oxidized ore is first leached with a solution containing ferric salt, to precipitate the iron and dissolve the zinc, then electrolyzing the resulting zinc-bearing solution by first passing it around metallic cathodes to precipitate the zinc and around iron cathodes to impart a ferrous salt to the solution, the ferrous salt being subse-quently raised to the ferric state to regenerate the original ferric salt solution. The process is also suitable for the treatment of zinc oxide ores or the admixtures VALVE. — George W. Graffin, Allen- of zinc oxide with any matrix having no objectionable

> ARROWHEAD SHAPED VESSEL.-Mark Golinsky, St. George, Bermuda. An improved form of hull designed to afford increased speed and steadiness is provided by this invention. The bow or front portion of the hull presents in plan view the form of an arrowhead, and the body of the hull at the rear of the bow is at all points of less width than the widest portion of the The screws or other propelling means are located behind the angles of the arrowheads on each side.

> MUSIC LEAF TURNER. - William E. Somers, Sag Harbor, N. Y. By means of this apparatus the leaves of a book or sheet music may be readily turned from right to left or left to right. At each side of the center of a shaft are adjustable spurs engaging by means of a trip a swinging arm which engages the sheet, while a spring-controlled rack is operated by a pinion, there being a connection between the rack and a key. By this improvement the leaves are quickly and conveniently turned, the pages being sure to be preented as desired.

BINDER FOR NEWSPAPERS, ETC.-Joseph W. Wood, Baraboo, Wis. A cord secured to the binder frame, according to this improvement, forms lonover the outer rims of the cord at opposite sides of the frame, whereby the cover is secured to the frame, the P. Grimes, Clinton, Iowa. The lower or tank portion

whole device forming a simple, durable and inexpensive binder for loose papers, pamphlets, etc.

BATH.-Fernando Ponce, Tulancingo, Mexico. This inventor provides a bath which will permit of applying a shower or jet with a constant pressure for a few seconds or any length of time desired, the pressure under which the water issues being readily regulated. A water barrel in which moves a piston is surrounded by a tubular standard, perforations in the upper part of the barrel leading into the space between the barrel and its tubular casing, while a weight connected to the piston has guided movement on the standard, and discharge pipes are adapted to receive the water forced out of the barrel by the weighted piston.

CAMP STOOL. - Henry Leovy, Nev. Orleans, La. This is a stool which may be readily folded up for conveniently carrying about in the form of a cane. It has a center piece adapted to receive the ends of two sets of rods, the lower set forming the legs and the upper set supporting a canvas seat.

HAIR CURLER.-Herma: Neumann, New York City. Short or long hair may, by the use of this device, be lamped and wound around a support in a manner to produce a curl, a retaining member of the device being at the same time manipulated to maintain the hair in its curled position around the support.

SHOE BLACKING.-John B. Bernard, St. Paul, Minn. This blacking is designed to produce a lustrous shine with but .. few strokes of the brush, while it does not soil any article coming in contact with the shoes, and will keep the let ther pliable. Among its constituents are boneblack, muriatic acid, linseed oil, sugar, gelatine and borax.

CUSPIDOR CLEANER.-Alfrid Larson, Wausau, Wis. This is a device arranged to be opened and rotated after insertion into the cuspidor, to clean the inside. It consists of a two-part spherical brush carried by a shaft and handle in such a way that the brush head may be conveniently spread out or opened.

Designs.

RECEPTACLE FOR COINS.—George and William Benze, New York City. In a suitable base is a circular figure having a concave, disk-like appearance, in the center of which is a representation of a coin. medallion, or the like.

SASH LOCK. — Adolphus A. |Shields, Huntsville, Ala. The leading feature of this design is a novel and ornamental form of head, with parts convenient for engagement by the thumb or fingers

GLASS VESSEL -- Harry T. Broden, Brooklyn, N. Y. Two design patents have been issued to this inventor for somewhat similar glass dishes of a highly ornamental character, in which prisms cross one another at different angles, in connection with conical panels, cross panels and checkering, affording prismatic star figures, etc.

HEATER.--John T. Cullen and Leslie

centrally in the tank from its bottom, extending between the front and rear walls.

DISPLAY STAND. — Jefferson D. Goddard, Kansas City, Mo. This stand comprises a base and vertical standard carrying at its top a pennant, while midway is an irregular, box-like figure with open sides and vertical partitions, the central portions of the top and bottom of the box-like figure being higher than the side portions.

TRIMMING. — Friedrich Hassenpflug, New York City. According to this design, loop-like wings extend at angles one to the other, in groups, radiating from a common center.

Note.—Copies of any of the above patents will be furnished by Munn & Co., for 25 cents each. Pleas send name of the patentee, title of invention, and date

NEW BOOKS AND PUBLICATIONS.

THE METALLURGY OF IRON AND STEEL. By Thomas Turner, Associate of the Roval School of Mines. Vol. I. The Metallurgy of Iron. London. Charles Griffin & Company, Limited. Philadelphia: J. B. Lippincott Company, 1895. Pp. 367. 8vo. 80 illustrations. trations. Price \$5.

This is a volume of Griffin's Metallurgical Series, which is edited by Professor W. C. Roberts-Austen, C.B., F.R.S. The present work is one of a series of treatises or metallurgy written by associates of the Royal School of Mines. The history of the manufacture of iron and steel is treated more fully than is usual in metallurgical treatises, as is also the section dealing with foundry practice and with the reactions of the puddling furnace. The author has paid particular attention to these branches of the subject. A special chapter has been devoted to the corrosion of iron and steel, as this is a subject of great importance in connection with the permanence of modern structures. The special bibliographies are of great value, giving references not only to books, but to periodical literature as well. The work abounds with tables and other data, some of it heretofore unpublished. which cannot but prove of value to all who are engaged in manufacturing iron, and to the student of metallurgy as well.

TEXT BOOK OF THE PRINCIPLES OF PHYSICS. By Alfred Daniell, M.A., LL.B., etc. New York and London: Macmillan & Company. 1895. Pp. 782. 8vo. 257 illustrations. Price \$4

This is the third edition of Daniell's Physics, a work which, since the publication of the first edition in 1884, has achieved a most enviable reputation. The work is a recognized standard wherever the English language is understood. It is withal one of the most readable works on physics among those not intended for popular use. The plan of the work is that of a gradual progression from the simpler to the more complex subjects. No preliminary knowledge of principles is assumed, and every effort is made to attain lucidity of expression. The aim of the author has not been to build up a mere compendium of physical facts, but rather to put the reader in possession of such principles as will enable him with small difficulty to apprehend and appreciate these facts. The present edition includes the sixth thousand, which speaks very well for a scientific book which does not appeal to a popular reader. The arrangement is admirable, and many of the facts printed in small type are of the greatest value. An excellent bibliography is pro-

IRRIGATION FARMING: A HANDBOOK FOR THE PRACTICAL APPLICATION OF WATER IN THE PRODUCTION OF CROPS. By Lute Wilcox. New York: Orange Judd Company. 1895. Pp. 312. 12mo. 95 illustrations. Price \$2.

Irrigation has become an important factor in modern agricultural pursuits, and it is becoming more or less essential in all parts of the country, so that the need of more specific knowledge regarding it has led the author to write the present book. By means of this work any one can set about constructing an irrigating plant of any given capacity and can proceed to irrigate his land in telligently and correctly. The book is primarily written for and adapted to the use of our Western farmers, but it will prove equally valuable to the farmers of the South and othersections of the country. The text is clear and concise and cannot but be of value to the farmer. The concluding portions of the book give an admirable review of the common law of irrigation and a glossary of

A GUIDE TO SYSTEMATIC READINGS IN THE ENCYCLOPEDIA BRITANNICA.
By James Baldwin, Ph.D. Chicago
and New York: The Werner Company. 1895. Pp. 316. 8vo. Price \$2.

Although the Britannica has long been recognized as one of the greatest of reference books, and although its sors may never have consulted it without complete satisfaction, its full value has seldom been recognized. It is usually regarded simply as a repository of general information to be kept at hand for consultation as occasion may demand. While this is the ordinary use of the Britannica, it may be utilized in such manner as to perform the office of a great educational agent. The pres ent work shows how this may be done. The plan has been to direct each individual how to draw from this great storehouse of knowledge that which will cover with all desirable completeness the line of work in which he is most interested. This is done by an elaborate series of references which have been arranged according to the subject. The work is an admirable one and is worthy of great success.

PRIMER OF PHILOSOPHY. By Dr. Paul Carus. Chicago: The Open Court Publishing Company. 1895. Pp. 232. 12mo. Price 25 cents.

It is not expressly designed to give instructions to beginners in philosophy, but it is nevertheless available for that purpose. The uninitiated student will not be bewil-

of this heater is oval in plan, and a transverse arch rises dered or mystified, in perusing its pages, by unintelligible phrases. The subject is presented with great simplicity, so that the leading idea may be gathered by a glance at its contents. The most essential technical terms are explained, and the high practical importance of philosophy is never lost sight of. The point of view adopted by the author is new to the extent that it cannot be classified among the schools of recent thought. It represents rather a critical reconciliation of rival philosophies of the type of Kantian apriorism and John Stuart Mill's empiricism.

JUSTUS VON LIEBIG: HIS LIFE AND WORK, 1803–1873. By W. A. Shenstone, F.I.C. New York: Macmillan & Company. 1895. Pp. 219. 16mo. Portrait. Price \$1.25.

The name of Liebig is familiar to all who are in any vay acquainted with the science of chemistry, but many will doubtless like to have had a clear idea of why chemists admire and esteem him. The author has found that the prevailing impression concerning Liebig was that he was a man who gained a large fortune by making extract of beef. He has, therefore, made it his object in writing this little book, not so much to dwell upon Laebig's private life as to tell what he was. what he did and why all chemists and those who are versed in the history of science admire and esteem him so greatly. The work is written in admirable style and gives details of his great discoveries in pure chemistry, fermentation and agricultural and physiological chemistry.

WASHINGTON; OR, THE REVOLUTION.

A drama founded upon historic events of the war for American independence. Part I. By Ethan Allen. Chicago: F. T. Neely. 1895. Pp. 212. 12 mo. Illustrated. Price 50 cents.

This drama is divided into two parts; each part con sists of five acts. The chief aim of the author has been to secure to the reader a personal intimacy with the actor in the great struggle which made the United States of

Any of the above books may be purchased through this office. Send for new book catalogue just published. Munn & Co., 361 Broadway, New York.

SCIENTIFIC AMERICAN BUILDING EDITION.

OCTOBER, 1895.-(No. 120.)

TABLE OF CONTENTS.

- 1. Plate in colors of a handsome cottage at Rochelle Park, New Rochelie, N. Y. Two perspective elevations and floor plans. Cost \$9,000 complete Mr. H. S. Rapelye, architect, Mount Vernon, N. Y. A pleasing design for a suburban residence.
- Cottage at Kennebunkport, Me., recently erected for B. S. Thompson, Esq. Perspective elevation and floor plans. A very attractive residence in the English style of architecture. Mr. Henry P. Clark, Boston, architect.
- 3. A cottage at Flatbush, N. Y., recently erected at a cost of \$4,000 Perspective elevation and floor plans. John J. Petit, architect, Brooklyn, N. Y. An attractive design.
- 4. An all shingled cottage at Mount Vernon, N. Y. Perspective elevation and floor plans. A neat design in the Colonial style. Mr. Louis H. Lucas, New York City, architect.
- A suburban cottage at Flatbush, L. I, recently erected at a cost of \$8,000 complete. Perspective elevation and floor plans. Messrs. Rowe & Baker, New York City, architects. An attractive design in the Colonial style.
- 6. A dwelling at Glenwood, Yonkers, N. Y. Perspective elevation and floor plans. Messrs. D. & J. unique design.
- 7. Three perspective views and floor plans of a residence at New Rochelle, N. Y. Architects, Messrs. Stephenson & Greene, New York City. A well treated design.
- 8. A Colonial residence at Mountain Station, N. J. Two perspective elevations and floor plans. Mr. H. C. Pelton, architect, New York City.
- 9. A house at New Haven, Conn., recently erected at a cost of \$3,500 complete. Two perspective eleva-tions and floor plans. A modern economical cottage design. Architects, Messrs. Stilson & Brown, New Haven, Conn.
- completed at a cost of \$4,600. Perspective eleva-tion and floor plan. Mr. W. H. Rahman, architect. New York City.
- 11. Miscellaneous Contents: Buff brick .- Tower tanks for water works, illustrated. -An old Baltimore firm.-Compo-Board instead of plaster-Translucent fabric, a substitute for glass.-Ventilation and heating of school buildings. - Ornamental glass.—A light and strong lifting jack, illustrated. -An improved circular saw, illustrated.—An improved wood working machine, illustrated .-Stamped steel ceilings, side walls and wainscoting, illustrated.-Spring hinges.-Mallory's standard shutter worker and fly screen .- An improved nail set, illustrated.

The Scientific American Building Edition is issued monthly. \$2.50 a year. Single copies, 25 cents. Thirtytwo large quarto pages, forming a large and splendid MAGAZINE OF ARCHITECTURE. richly adorned with elegant plates and fine engravings, illustrating the most interesting examples of Modern Architectural Construc tion and allied subjects.

The Fullness, Richness, Cheapness, and Convenience of this work have won for it the LARGEST CIRCULATION of any Architectural Publication in the world. Sold by all newsdealers. MUNN & CO., Publishers,

361 Broadway, New York.

Business and Personal.

The charge for Insertion under this head is One **B**ollar a lin for each insertion; about eight words to a line. Advertisements must be received at publication office as early a Thursday morning to appear in the following week's issue

For mining engines. J. S. Mundy, Newark, N. J. "C. S." metal polish. Indianapolis. Samples free. Presses & Dies. Ferracute Mach. Co., Bridgeton, N. J Best Handle Mach'y. Trevor Mfg. Co., Lockport, N.Y. Screw machines, milling macrines, and drill presses The Garvin Mach. Co., Laight and Canal Sts., New York. Experienced roll turner desires position in any capacity. Reference given. M. E. F., 465 The Rookery, Chicago.

Emerson, Smith & Co., Ltd., Beaver Falls, Pa., will send Sawyer's Hand Book on Circulars and Band Saws free to any address.

The best book for electricians and beginners in electricity is "Experimental Science," by Geo. M. Hopkins. By mail, \$4; Munn & Co., publishers, 361 Broadway, N. Y.

For the original Bogardus Universal Eccentric Mill, Foot and Power Presses, Drills, Shears, etc., addre J.S. & G. F. Simpson, 26 to 36 Rodney St., Brooklyn, N. Y.

Large machine shop, having water power, all new and latest tools, foundry, pattern shop, draughtsmen, me-chanical engineers skilled workmen, etc., will construct specia. or patented machinery promptly, satisfactorily, and reasonable. Address N. Y P O box 1.965.

A capable mechanical engineer wishes position manager of some electric street railway interest. Is familiar with every detail of construction and can design and erect new work. Good references. Address Engineer care of Scientific American office, New York.

Send for new and complete catalogue of Scientific and other Books for sale by Munn & Co., 361 Broadway, New York. Free on application.



HINTS TO CORRESPONDENTS.

Names and Address must accompany all letters, or no attention will be paid thereto. This is for our information and not for publication.

References to former articles or answers should give date of paper and page or number of question.

Inquiries not answered in reasonable time should be repeated; correspondents will bear in mind that some answers require not a little research, and, though we endeavor to reply to all either by letter or in this department, each must take his turn.

Buyers wishing to purchase any article not advertised in our columns will be furnished with addresses of houses manufacturing or carrying the same.

Special Written Information on matters of personal rather than general interest cannot be expected without remuneration.

Scientific American Supplements referred to may be had at the office. Price 10 cents each.

Books referred to promptly supplied on receipt of price.

Winerals sent for examination should be distinctly

Winerals sent for examination should be distinctly marked or labeled.

(6629) J. R. says: Will you kindly tell me through your valuable columns. how to make a hair stain from walnuts? A. The simplest form is the expressed juice of the bark or shell of green walnuts. To preserve the juice, a little alcohol is commonly added to it with a few bruised cloves, and the whole digested together, with occasional agitation, for a week or fortnight, when the clear portion is decanted, and, if necessary, filtered. Sometimes a little common salt is added with the same intention. It should be kept in a cool place. 'The most convenient way of application is by means of a

(6630) G. W. H. says: Will you kindly publish the process of making beef, iron and wine? A. Liebig's extract of beef 1/2 ounce avoirdupois, ammoniocitrate of iron 256 grains, spirit of orange 1/2 fluid ounce, distilled water 11/2 fluid ounce, sherry wine sufficient to make 16 fluid ounces. Dissolve the ammonio-citrate of Jardine, architects, New York City. A most iron in the water, dissolve the extract of beef in the sherry wine, add the spirit of orange and mix the soln-

> (6631) J. E. S. asks: Does a wheel go around the axle? Does the outside of a wheel go around the hub? A. There is much misapprehension in the numerous phases of this class of questions. A wheel as a whole does not go around the axle, although all of its parts revolve around the axle when it is running. The hub turns with the rim, and although there is no change of relative position of parts of rim and hub, yet it may be truly said the rim goes around the hub, for every part of the rim is consecutively on every side of the hub

(6632) H. E. H. asks how to estimate 10. A Colonial cottage at Bronxville, N. Y., recently the force of a blow made by a steam hammer, when the end of piston serves as the hammer; also would there be much diminution of the force of the blow if transmitt through another piece of metal held tightly against the object to be hammered? Is there any way by which the force of a blow from a hammer actuated by a spring can be determined? A. The force of a blow in a steam hammer, and other forces, are explained and the method of computation carried out with examples in Scientific AMERICAN SUPPLEMENT, No. 862. There will be a considerable diminution of the force in transmitting a blow through another body, depending upon its weight and rigidity. Cast steel, when hardened, being the most rigid of the metals for transmitting a blow. The force of a blow from a hammer actuated by a spring may be known by the method of computation for a steam hammer; the weight and the actual pressure of the spring. with the acquired velocity, being the elements for computation, as shown in the article on "Impact or the Force of Percussion," in the Scientific American Supplement as above named.

> (6633) G. M. asks for a rule used for calculating the contents of a barrel. A. To find the volume of a cask of any form. Add together 39 times the square of the bung diameter, 25 times the square of the head diameter, and 26 times the product of the diameters. Multiply the snm by the length, and divide by 26,470 for United States gallons.

INDEX OF INVENTIONS

For which Letters Patent of the United States were Granted

October 1, 1895,

AND EACH BEARING THAT DATE

[See note at end of list about copies of these patents.]

ı	Air brake, W. A. Harris. Air brake, J. M. Hurst.	547,253 547,351 547,338
ı	Alarm Roo Durglan elanm	
	Album, rotary photograph, E. Brewer	546,995 547,239 547,116
	for obtaining I. Mond	547 976
	Armature for electric motors and dynamo-electric machines, H. Chitty Axle shoulders, machine for recutting, S. D.	546,996
	North	247.022
1	North. Baby chair, P Bimeler. Baing press, C. E. Whitman. Ball. See Foot-ball. Parrel ettechment Oekman & Rushton.	547,198 547,051
1	Barrel attachment, Oakman & Rushton Battery. See Stamper battery. Bearing, antifriction, J. R. Hanlon	547,020
	Bed or Crib, cabinet, H. Karp	547.170 547.314
-	Bed, sofa, C. S. Coombs. Beebive, F. Danzenbaker.	547,371 547,164
1	Barrel attachment, Oakman & Rushton Batcery. See Stamper battery. Bearing, antifriction, J. B. Hanlon Bed cr Crib, cabinet, H. Karp. Bedpan, side, S. C. Woltskill. Bed, sofa, C. S. Coombs. Beehive, F. Danzenbaker. Bell, car, W. O. Snyder. Bell, car, W. O. Snyder. Bell, car, W. O. Snyder. Bell, car, W. O. Shaw. Bicycle support, folding, W. T. French. Bicycle training appliance, J. Hutson Bicycles, child's seat for, C. D. Williams. Bicycles, manufacturing, S. Palmiter. Binding corn sbocks, etc., device for, J. L. Dean. Blasting shield, M. J. Maguire. Blower, automatic flue, A. Rafiner Boiler. See Steam boiler. Water tube boiler. Bolle furnace, C. A. Anderson	547.186 547.345
1	Bicycle training appliance, J. Hutson Bicycles, child's seat for, C. D. Williams	547,168 547,102
	Bicycles, manufacturing, S. Palmiter	547.400 547.000
	Blower, automatic flue, A. Rafiner Boiler. See Steam boiler. Water tube boiler.	547,287
	Boiler. See Steam boiler. Water tube boiler. Boiler furnace, C. A. Anderson Bolt clipper, J. C. Burgess Bolt cutter, H. Williams. Boot or spoce cleaning machinery, A. Farinetti Bowl or spice box, self-measuring sugar, A. W.	547,107 547,328
	Boot or shoe cleaning machinery, A. Farinetti Bowl or spice box self-measuring sugar. A. W.	547,204
	Por See File boy Fruit how Motch how	021,002
	Broke been I N Porr	547,108 547,136 547,150
	broom bridle for attaching cloths for bruening	54# 200
	Buckle, R. Claughton. Buckle, back band, W. F. Anthony. Burglar alarm, H. & W. F. Holding. Burner See Hydrocarbon burner. Oil burner. Button, W. Bourke	547,111 546.988
	Burner See Hydrocarbon burner. Oil burner. Button, W. Bourke	547,060
	Button, W Bourke Button collar, J. J. Fitzgerald Button, collar, J. A. Trendel Button setting machines, tube loader for, A. W.	547,376 547,161
	Ham	547,250 547,263
	Button setting machines, tube loader for, A. W. Ham. Cake beater and batter dropper, E. L. D. Hoyle. Can. See Milk can. Oil can. Can body forming machine. J. Haas. Can bottom, J. R. McLaughlin. Can lateling machine label holder, J. C. Collins Car brake. J. A. Webber. Car coupling, A. J. Clark. Car coupling, H. L. Dunlap. Car coupling, H. D. Wilden. Car coupling, M. O. Nichols. Car, dum ping, Sutcliffe & Collins. Car, dumping, J. P. Whilden.	547,348
-	Can bottom, J. R. McLaughlin	547,225 547,203
1	Car coupling, A. J. Clark	547,333 547,065
	Car coupling, I. Fetters. Car coupling, M. O. Nichols.	547,248 547,279
-	Car, dumping, Sutchine & Collins. Car, dumping, J. P. Whilden	547,309 547,052
	Car fender, Black & Keeler	547.321 547,166
1	Car fender, A. S. Williams	547,312 547,366
	Car coupling, M. O. Nichols. Car, dumping, Sucliffe & Collins. Car, dumping, J. P. Whilden. Car dumping apparatus, A. E. Williams. Car fender, Black & Keeler. Car fender, W. Grunow, Jr. Car fender, W. Williams. Car fender, W. Wossoff. Car fender, W. Wossoff. Car fender, S. P. Politsky. Car register, street, Lamb & Chapman. Car guard, S. A. Politsky. Car register, street or other railway, J. J. May. Car rife case, railway, M. Z. Levy. Car safety guard, H. H. Henley. Car safety guard, Street, C. Elidmann. Car switch operating device, street J. A. Crandall.	547,157 547,018
	Car rifle case, railway, M. Z. Levy Car safety guard, H. H. Henley	547,354 547,258
	Car switch operating device, street J. A. Cran- dall	547,247 547,393
1	Cars, device for controlling speed of electric, J.	547,096
l	Brady Cars. electric motor for street, W. Stine Cars, exhaust ventilator for railway, R. M. Pan-	547,369 547,302
	coast	547.356 547,226
-		547,311
	Cartridge, H. Maxim. Cartridge loading machine, J. H. Barjow.	547,075 547,222 547,058 547,303
	Carriage body, A. H. Houston Cartridge, H. Maxim Cartridge loading machine, J. H. Barlow Cash, register, R. P. Thompson Casting compound ingots for armor plates, process of and mould for, T. Hampton Casting compound ingots, mould for, T. Hampton	
	Casting compound ingots mould for T Homn	
	ton	547,009 547,011
	ton Cattle rack, G. Hoffman Centrifugal machine, T. H. Springer Centrifugal senartor, T. H. Springer	547,011 547,262 547,404
	Cattle rack, G. Hoffman. Centrifugal machine, T. H. Springer. Centrifugal separator, T. H. Springer. Chain bars, machine for separating links from, O.	547.011
CO. C.	Cattle rack, G. Hoffman Centrifugal machine, T. H. Springer Centrifugal separator, T. H. Springer Chain bars, machine for separating links from, O. Klatte. Chair, See Baby chair, Elevating chair	547,011 547,262 547,404 547,403 547,268
0.00	Cattle rack, G. Hoffman. Centrifugal machine, T. H. Springer. Centrifugal separator, T. H. Springer. Chain bars, machine for separating links from, O. Klatte. Chair, See Baby chair. Elevating chair. Chair fan attachment, rocking, W. J. Ferguson. Charcoal kiln. continuous, E. J. Ljungberg. Cigarette mouthpieces, machine for making, J. S. Beeman.	547,011 547,262 547,404 547,403 547,268 547,375 547,271
0.00	Cattle rack. G. Hoffman. Centrifugal machine, T. H. Springer. Centrifugal separator, T. H. Springer. Chain bars, machine for separating links from, O. Klatte. Chair. See Baby chair. Elevating chair. Chair fan attachment, rocking, W. J. Ferguson. Charcoal kiln. continuous, E. J. Ljungberg. Cigarette mouthpieces, machine for making, J. S. Beeman. Clamb. See Tire and felly clamb.	547,011 547,262 547,404 547,403 547,268 547,375 547,271 547,196
	Cattle rack. G. Hoffman. Centrifugal machine, T. H. Springer. Centrifugal separator, T. H. Springer. Chain bars, machine for separating links from, O. Kiatte. Chair. See Baby chair. Elevating chair. Chair fan attachment, rocking, W. J. Ferguson. Charcoal kiln. continuous, E. J. Ljungberg. Cigarette moutbpieces, machine for making, J. S. Beeman. Clamp. See Tire and felly clamp. Cleaning device for kid gloves, etc., C. J. Bailey. Clock synchronizer, electric. H. S. Prentiss. Clutch, R. F. Stewart.	547,011 547,262 547,404 547,403 547,268 547,375 547,271
	Cattle rack, G. Hoffman. Centrifugal machine, T. H. Springer. Centrifugal separator, T. H. Springer. Chair bars, machine for separating links from, O. Klatte. Chair, See Baby chair. Elevating chair. Chair fan attachment, rocking, W. J. Ferguson. Charcoal kiln. continuous, E. J. Ljungberg. Cigarette mouthpieces, machine for making, J. S. Beeman. Clamp. See Tire and felly clamp. Cleaning device for kid gloves, etc., C. J. Bailey. Clock synchronizer, electric. H. S. Prentiss. Clutch, R. F. Stewart. Clutch and motor connection for same, Kingsland & Sanger. Coal, ig for separating slate and rock from, D.	547,011 547,262 547,404 547,403 547,268 547,375 547,271 547,196 547,057 547,358 547,386 547,121
	Cattle rack, G. Hoffman. Centrifugal machine, T. H. Springer. Centrifugal separator, T. H. Springer. Chain bars, machine for separating links from, O. Klatte. Chair, See Baby chair. Elevating chair. Chair fan attachment, rocking, W. J. Ferguson. Charcoal kiln. continuous, E. J. Ljungberg. Cigarette mouthpieces, machine for making, J. S. Beeman. Clamp. See Tire and felly clamp. Cleaning device for kid gloves, etc., C. J. Bailey. Clock synchronizer, electric. H. S. Prentiss. Cluttch, R. F. Stewart. Clutich and motor connection for same, Kingsland & Sanger. Coal, lig for separating slate and rock from, D. E. Phillips. Coat, bicycle, A. B. Falk. Coating metals with aluminum or alloys thereof,	547,011 547,262 547,404 547,403 547,268 547,375 547,271 547,196 547,358 547,386 547,121 547,129 547,339
	Cattle rack, G. Hoffman. Centrifugal machine, T. H. Springer. Centrifugal separator, T. H. Springer. Chain bars, machine for separating links from, O. Klatte. Chair. See Baby chair. Elevating chair. Chair fan attachment, rocking, W. J. Ferguson. Charcoal klin. continuous, E. J. Ljungberg. Cigarette moutbpieces, machine for making, J. S. Beeman. Clamp. See Tire and felly clamp. Cleaning device for kid gloves, etc., C. J. Bailey. Clock synchronizer, electric. H. S. Prentiss. Clutch, R. F. Stewart. Clutch and motor connection for same, Kingsland & Sanger. Coal, igt for separating slate and rock from, D. E. Phillips Coat, bicycle, A. B. Falk. Coating metals with aluminum or alloys thereof,	547,011 547,262 547,404 547,403 547,268 547,375 547,271 547,196 547,057 547,358 547,386 547,121 547,129 547,339 547,389
	Cattle rack, G. Hoffman. Centrifugal machine, T. H. Springer. Centrifugal separator, T. H. Springer. Chain bars, machine for separating links from, O. Klatte. Chair, See Baby chair. Elevating chair. Chair fan attachment, rocking, W. J. Ferguson. Charcoal kiln. continuous, E. J. Ljungberg. Cigarette moutbpieces, machine for making, J. S. Beeman. Clamp. See Tire and felly clamp. Cleaning device for kid gloves, etc., C. J. Bailey. Clock synchronizer, electric. H. S. Prentiss. Cluttch, R. F. Stewart. Clutich and motor connection for same, Kingsland & Sanger. Coal, lig for separating slate and rock from, D. E. Phillips. Coat, bicycle, A. B. Falk. Coating metals with aluminum or alloys thereof, R. McKnight. Cock, ball, W. H. Rawe. Collar, horse, T. J. Bouch-Tremayne.	547,011 547,262 547,404 547,268 547,271 547,271 547,196 547,057 547,386 547,121 547,129 547,389 547,384 547,384 547,384 547,384
	Cattle rack, G. Hoffman. Centrifugal machine, T. H. Springer. Centrifugal separator, T. H. Springer. Chain bars, machine for separating links from, O. Klatte. Chair, See Baby chair. Elevating chair. Chair fan attachment, rocking, W. J. Ferguson. Charcoal kiln. continuous, E. J. Ljungberg. Cigarette moutbpieces, machine for making, J. S. Beeman. Clamp. See Tire and felly clamp. Cleaning device for kid gloves, etc., C. J. Bailey. Clock synchronizer, electric. H. S. Prentiss. Cluttch, R. F. Stewart. Clutich and motor connection for same, Kingsland & Sanger. Coal, lig for separating slate and rock from, D. E. Phillips. Coat, bicycle, A. B. Falk. Coating metals with aluminum or alloys thereof, R. McKnight. Cock, ball, W. H. Rawe. Collar, horse, T. J. Bouch-Tremayne.	547,011 547,262 547,404 547,268 547,271 547,271 547,196 547,057 547,386 547,121 547,129 547,389 547,384 547,384 547,384 547,384
	Cattle rack, G. Hoffman. Centrifugal machine, T. H. Springer. Centrifugal separator, T. H. Springer. Chain bars, machine for separating links from, O. Klatte. Chair, See Baby chair. Elevating chair. Chair fan attachment, rocking, W. J. Ferguson. Charcoal kiln. continuous, E. J. Ljungberg. Cigarette moutbpieces, machine for making, J. S. Beeman. Clamp. See Tire and felly clamp. Cleaning device for kid gloves, etc., C. J. Bailey. Clock synchronizer, electric. H. S. Prentiss. Cluttch, R. F. Stewart. Clutich and motor connection for same, Kingsland & Sanger. Coal, lig for separating slate and rock from, D. E. Phillips. Coat, bicycle, A. B. Falk. Coating metals with aluminum or alloys thereof, R. McKnight. Cock, ball, W. H. Rawe. Collar, horse, T. J. Bouch-Tremayne.	547,011 547,262 547,404 547,268 547,271 547,271 547,196 547,057 547,386 547,121 547,129 547,389 547,384 547,384 547,384 547,384
	Cattle rack, G. Hoffman. Centrifugal machine, T. H. Springer. Centrifugal separator, T. H. Springer. Chain bars, machine for separating links from, O. Klatte. Chair. See Baby chair. Elevating chair. Chair fan attachment, rocking, W. J. Ferguson. Charcoal kiln. continuous, E. J. Ljungberg. Cigarette mouttpieces, machine for making, J. S. Beeman. Clamp. See Tire and felly clamp. Cleaning device for kid gloves, etc., C. J. Bailey. Clock synchronizer, electric, H. S. Prentiss. Clutch, R. F. Stewart. Clutch and motor connection for same, Kingsland & Sanger. Coal, lig. for separating slate and rock from, D. R. Phillips. R. Phillips. Coat, bleycle, A. B. Falk Coating metals with aluminum or alloys thereof, R. McKnight. Cock, ball, W. H. Rawe. Collar, horse, T. J. Bouch-Tremayne. Color effects, method of and apparatus for producing, A. W. Rimington. Concentrator and sluice box, H. L. Phillips. Condenser exhaust safety device, H. W. Buikley. Corset. W. F. Brooss. Cotton gin, J. B. Crowden.	547,011 547,262 547,404 547,268 547,375 547,271 547,196 547,358
	Cattle rack, G. Hoffman. Centrifugal machine, T. H. Springer. Centrifugal separator, T. H. Springer. Chain bars. machine for separating links from, O. Klatte. Chair, See Baby chair. Elevating chair. Chair fan attachment, rocking, W. J. Ferguson. Charcoal kiln. continuous, E. J. Ljungberg. Cigarette mouthpieces, machine for making, J. S. Beeman. Clamp. See Tire and felly clamp. Cleaning device for kid gloves, etc., C. J. Bailey. Clock synchronizer, electric. H. S. Prentiss. Clutch, R. F. Stewart. Clutch and motor connection for same, Kingsland & Sanger. Coal, ig for separating slate and rock from, D. E. Phillips. Coat, bicycle, A. B. Falk. Coating metals with aluminum or alloys thereof, R. McKinght. Cock, ball, W. H. Rawe. Collar, horse, T. J. Bouch-Tremayne. Color effects, method of and apparatus for producing, A. W. Rimington. Concentrator and sluice box, H. L. Phillips. Coudenser exhaust safety device, H. W. Bulkley. Corset. W. F. Brooks. Cotton gin, J. B. Crowder. Coupling. See Car coupling. Thill coupling. Tubular coupling.	547,011 547,262 547,404 547,403 547,268 547,375 547,271 547,196 547,197 547,358 547,358 547,381 547,381 547,381 547,382 547,382 547,383 547,384 547,383 547,383 547,383 547,384 547,385 547,385 547,386 547,386 547,386 547,386 547,387 547,389 547,389 547,389 547,389 547,389 547,389 547,389 547,389 547,389 547,389
	Cattle rack, G. Hoffman. Centrifugal machine, T. H. Springer. Centrifugal separator, T. H. Springer. Centrifugal separator, T. H. Springer. Chain bars, machine for separating links from, O. Klatte. Chair, See Baby chair. Elevating chair. Chair fan attachment, rocking, W. J. Ferguson. Charcoal kiln. continuous, E. J. Ljungberg. Cigarette mouthpieces, machine for making, J. S. Beemmin. Clamp. See Tire and felly clamp. Cleaning device for kid gloves, etc., C. J. Bailey. Clock synchronizer, electric. H. S. Prentiss. Clutch, R. F. Stewart. Clutch and motor connection for same, Kingsland & Sanger. Coal, ig for separating slate and rock from, D. E. Phillips. Coat, bicycle, A. B. Falk. Coating metals with aluminum or alloys thereof, R. McKnight. Cock, ball, W. H. Rawe. Collar, horse, T. J. Bouch-Tremayne. Color effects, method of and apparatus for producing, A. W. Rimington. Concentrator and sluice box, H. L. Phillips. Coudenser exhaust safety device, H. W. Bulkley. Corset. W. F. Brooss. Cotton gin, J. B. Crowder. Coupling. See Car coupling. Thill coupling. Tubular coupling. Creamer, centrifugal, O. Anderson. Cross tie, metallic, O. T. Bedeil. Curltiny kinding device. Piner & Davis.	547,011 547,262 547,404 547,404 547,326 547,275 547,287 547,287 547,287 547,287 547,389 547,381 547,381 547,381 547,382
	Cattle rack, G. Hoffman. Centrifugal machine, T. H. Springer. Centrifugal separator, T. H. Springer. Centrifugal separator, T. H. Springer. Chain bars, machine for separating links from, O. Klatte. Chair. See Baby chair. Elevating chair. Chair fan attachment, rocking, W. J. Ferguson. Charcoal kiln. continuous, E. J. Ljungberg. Cigarette mouttpieces, machine for making, J. S. Beeman. Clamp. See Tire and felly clamp. Cleaning device for kid gloves, etc., C. J. Bailey. Cleaning device for kid gloves, etc., C. J. Bailey. Clock synchronizer, electric. H. S. Prentiss. Clutch, R. F. Stewart. Clutch and motor connection for same, Kingsland & Sanger. Coal, ig for separating slate and rock from, D. B. Phillips. Coat, bierole, A. B. Falk. Coating metals with aluminum or alloys thereof, R. McKinght. Cock. ball, W. H. Rawe. Collar, horse, T. J. Bouch-Tremayne. Color effects, method of and apparatus for producing, A. W. Rimington. Concentrator and sluice box, H. L. Phillips. Condenser exhaust safety device, H. W. Buikley. Corner plate, steel, G. W. Meserve. Cotypling. See Car coupling. Thill coupling. Tubular coupling. Creamer, centrifugal, O. Anderson. Cross tie, metallic, O. T. Bedel. Curtain pole, J. A. Ferg. Curved surfaces, apparatus for forming, T. M.	547,011 547,262 547,404 547,405 547,268 547,375 547,375 547,375 547,38
	Cattle rack, G. Hoffman. Centrifugal machine, T. H. Springer. Centrifugal separator, T. H. Springer. Centrifugal separator, T. H. Springer. Chain bars, machine for separating links from, O. Klatte. Chair, See Baby chair. Elevating chair. Chair fan attachment, rocking, W. J. Ferguson. Charcoal kiln. continuous, E. J. Ljungberg. Cigarette mouthpieces, machine for making, J. S. Beeman. Clamp. See Tire and felly clamp. Cleaning device for kid gloves, etc., C. J. Bailey. Clock synchronizer, electric. H. S. Prentiss. Clutch, R. F. Stewart. Clutch and motor connection for same, Kingsland & Sanger. Coal, ig for separating slate and rock from, D. E. Phillips. Coat, bicycle, A. B. Falk. Coating metals with aluminum or alloys thereof, R. McKnight. Cock ball, W. H. Rawe. Collar, borse, T. J. Bouch-Tremayne. Colore fleets, method of and apparatus for producing, A. W. Rimington apparatus for producing, A. W. Rimington, H. L. Phillips. Concentrator and sluice box, H. L. Phillips. Coudenser exhaust safety device, H. W. Bulkley. Corner plate, steel, G. W. Meserve. Corset, W. F. Brooks. Cotton gin, J. B. Crowder. Coupling, See Car coupling. Thill coupling. Teamer, centrifugal, O. Anderson Cross tie, metallic, O. T. Bedeol. Cultivator, disk, W. J. Harris. Curling iron, W. Hill. Curtain pole, J. A. Ferg. Curry and surfaces, apparatus for forming, T. M.	547,011 547,262 547,404 547,404 547,403 547,268 547,271 547,129 547,381 547,382 547,382 547,383 547,384 547,384 547,384 547,384 547,384 547,384 547,384 547,385 547,38
	Cattle rack, G. Hoffman. Centrifugal machine, T. H. Springer. Centrifugal separator, T. H. Springer. Centrifugal separator, T. H. Springer. Chain bars, machine for separating links from, O. Klatte. Chair, See Baby chair. Elevating chair. Chair fan attachment, rocking, W. J. Ferguson. Charcoal kiln. continuous, E. J. Ljungberg. Cigarette moutbpieces, machine for making, J. S. Beeman. Clamp. See Tire and felly clamp. Cleaning device for kig gloves, etc., C. J. Bailey. Clock synchronizer, electric. H. S. Prentiss. Clutch, R. F. Stewart. Clutich and motor connection for same, Kingsland & Sanger. Coal, lig for separating slate and rock from, D. E. Phillips. Coat, bicycle, A. B. Falk. Coating metals with aluminum or alloys thereof, R. McKnight. Cock, ball, W. H. Rawe. Collar, horse, T. J. Bouch-Tremayne. Color effects, method of and apparatus for producing, A. W. Rimington. Concentrator and sluice box, H. L. Phillips. Coutenser exhaust safety device, H. W. Bulkley. Corner plate, steel, G. W. Meserve. Corset. W. F. Brooks. Cotton gin, J. B. Crowder. Coupling, See Car coupling. Thill coupling. Tubular coupling. Creamer, centrifugal, O. Anderson. Cross tie, metallic, O. T. Bedeil. Curling iron, W. Hill. Curtain holding device, Piper & Davis. Curtain pole, J. A. Ferg. Curved surfaces, apparatus for forming, T. M. Clark. Cutter. See Bolt cutter. Rotary cutter. Cantel head, S. J. Shimer.	547,011 547,262 547,263 547,27 547,27 547,27 547,27 547,383 547,127 547,128 547,129 547,329 547,329 547,325
	Cattle rack, G. Hoffman. Centrifugal machine, T. H. Springer. Centrifugal separator, T. H. Springer. Centrifugal separator, T. H. Springer. Chain bars, machine for separating links from, O. Klatte. Chair, See Baby chair. Elevating chair. Chair fan attachment, rocking, W. J. Ferguson. Charcoal kiln. continuous, E. J. Ljungberg. Cigarette moutbpieces, machine for making, J. S. Beeman. Clamp. See Tire and felly clamp. Cleaning device for kig gloves, etc., C. J. Bailey. Clock synchronizer, electric. H. S. Prentiss. Clutch, R. F. Stewart. Clutich and motor connection for same, Kingsland & Sanger. Coal, lig for separating slate and rock from, D. E. Phillips. Coat, bicycle, A. B. Falk. Coating metals with aluminum or alloys thereof, R. McKnight. Cock, ball, W. H. Rawe. Collar, horse, T. J. Bouch-Tremayne. Color effects, method of and apparatus for producing, A. W. Rimington. Concentrator and sluice box, H. L. Phillips. Coutenser exhaust safety device, H. W. Bulkley. Corner plate, steel, G. W. Meserve. Corset. W. F. Brooks. Cotton gin, J. B. Crowder. Coupling, See Car coupling. Thill coupling. Tubular coupling. Creamer, centrifugal, O. Anderson. Cross tie, metallic, O. T. Bedeil. Curling iron, W. Hill. Curtain holding device, Piper & Davis. Curtain pole, J. A. Ferg. Curved surfaces, apparatus for forming, T. M. Clark. Cutter. See Bolt cutter. Rotary cutter. Cantel head, S. J. Shimer.	547,011 547,262 547,263 547,27 547,27 547,27 547,27 547,383 547,127 547,128 547,129 547,325
	Cattle rack, G. Hoffman. Centrifugal machine, T. H. Springer. Centrifugal separator, T. H. Springer. Centrifugal separator, T. H. Springer. Chain bars, machine for separating links from, O. Klatte. Chair, See Baby chair. Elevating chair. Chair fan attachment, rocking, W. J. Ferguson. Charoal kiln. continuous, E. J. Ljungberg. Cigarette moutbpieces, machine for making, J. S. Beeman. Clamp. See Tire and felly clamp. Cleaning device for kid gloves, etc., C. J. Bailey. Cleok synchronizer, electric, H. S. Prentiss. Clutch, R. F. Stewart. Clutch and motor connection for same, Kingsland & Sanger. Coal. jig for separating slate and rock from, D. P. Phillips Coat, lig for separating slate and rock from, D. P. Phillips Coat, bleycle, A. B. Falk. Coating metals with aluminum or alloys thereof, R. McKnight. Cock, ball, W. H. Rawe. Collar, horse, T. J. Bouch-Tremayne. Coller offects, method of and apparatus for producing, A. W. Rimington. Concentrator and sluice box, H. L. Phillips. Corset. W. F. Bross. Cotton gin, J. B. Crowder. Coupling. See Car coupling. Thill coupling. Tabular coupling. Creamer, centrifugal, O. Anderson. Cross tie, metallic, O. T. Bedel. Cuttiva not, disk, W. J. Harris. Curling iron, W. Hill. Cutain holding device, Piper & Davis. Curter, See Bolt cutter. Rotary cutter. Cutter head, S. J. Shimer. Damper for heating stoves or furnaces, E. W. Anthony. Becoy, J. Ross. Decoy, J. Ross. Dental articul ator, R. H. Antes. Dental engine friction clutch, F. F. Ellis.	547,011 547,262 547,404 547,404 547,405 547,268 547,375 547,375 547,389 547,389 547,389 547,389 547,389 547,389 547,389 547,389 547,389 547,389 547,381 547,382 547,382 547,383
	Cattle rack, G. Hoffman. Centrifugal machine, T. H. Springer. Centrifugal separator, T. H. Springer. Centrifugal separator, T. H. Springer. Chain bars, machine for separating links from, O. Klatte. Chair, See Baby chair. Elevating chair. Chair fan attachment, rocking, W. J. Ferguson. Charoal kiln. continuous, E. J. Ljungberg. Cigarette moutbpieces, machine for making, J. S. Beeman. Clamp. See Tire and felly clamp. Cleaning device for kid gloves, etc., C. J. Bailey. Cleok synchronizer, electric, H. S. Prentiss. Clutch, R. F. Stewart. Clutch and motor connection for same, Kingsland & Sanger. Coal. jig for separating slate and rock from, D. P. Phillips Coat, lig for separating slate and rock from, D. P. Phillips Coat, bleycle, A. B. Falk. Coating metals with aluminum or alloys thereof, R. McKnight. Cock, ball, W. H. Rawe. Collar, horse, T. J. Bouch-Tremayne. Coller offects, method of and apparatus for producing, A. W. Rimington. Concentrator and sluice box, H. L. Phillips. Corset. W. F. Bross. Cotton gin, J. B. Crowder. Coupling. See Car coupling. Thill coupling. Tabular coupling. Creamer, centrifugal, O. Anderson. Cross tie, metallic, O. T. Bedel. Cuttiva not, disk, W. J. Harris. Curling iron, W. Hill. Cutain holding device, Piper & Davis. Curter, See Bolt cutter. Rotary cutter. Cutter head, S. J. Shimer. Damper for heating stoves or furnaces, E. W. Anthony. Becoy, J. Ross. Decoy, J. Ross. Dental articul ator, R. H. Antes. Dental engine friction clutch, F. F. Ellis.	547,011 547,262 547,404 547,404 547,405 547,268 547,375 547,375 547,389 547,389 547,389 547,389 547,389 547,389 547,389 547,389 547,389 547,389 547,381 547,382 547,382 547,383
	Cattle rack, G. Hoffman. Centrifugal machine, T. H. Springer. Centrifugal separator, T. H. Springer. Centrifugal separator, T. H. Springer. Chain bars, machine for separating links from, O. Klatte. Chair, See Baby chair. Elevating chair. Chair fan attachment, rocking, W. J. Ferguson. Charoal kiln. continuous, E. J. Ljungberg. Cigarette mouttpieces, machine for making, J. S. Beeman. Clamp. See Tire and felly clamp. Cleaning device for kid gloves, etc., C. J. Bailey. Cleaning device for kid gloves, etc., C. J. Bailey. Cleaning device for kid gloves, etc., C. J. Bailey. Cleath, R. F. Stewart. Clutch and motor connection for same, Kingsland & Sanger. Coal, ig for separating slate and rock from, D. B. Phillips. Coal, ig for separating slate and rock from, D. B. Phillips. Coat, bicyle, A. B. Falk. Coating metals with aluminum or alloys thereof, R. McKinght. Cock, ball, W. H. Rawe. Collar, horse, T. J. Bouch-Tremayne. Color effects, method of and apparatus for producing, A. W. Rimington. Concentrator and sluice box, H. L. Phillips. Coudenser exhaust safety device, H. W. Buikley. Corner plate, steel, G. W. Meserve. Coryet, W. F. Brooss. Cotton gin, J. B. Crowder. Coupling. See Car coupling. Thill coupling. Tubular coupling. Creamer, centrifugal, O. Anderson. Cross tie, metallic, O. T. Bedel. Curtain pole, J. A. Ferg. Curved surfaces, apparatus for forming, T. M. Clark. Cutter, See Boit cutter. Rotary cutter. Cutter head, S. J. Shimer. Damper for heating stoves or furnaces, E. W. Anthony. Decoy, J. Ross. Decoy, folding, J. Ross. Dental articul ator, R. H. Antes. Dental engine friction clutch, F. F. Ellis. Dillator, rectal, E. Hubbell. Dish cleaner, T. J. Vollkommer. Distillation and breaking up of liquid bydrocar- bons and apparatus therefor, F. W. Clark Distillation and breaking up of liquid bydrocar- bons and apparatus therefor, F. W. Clark	547,011 547,262 547,404 547,404 547,405 547,268 547,375 547,375 547,389 547,389 547,389 547,389 547,389 547,389 547,389 547,389 547,389 547,389 547,381 547,382 547,382 547,383
	Cattle rack, G. Hoffman. Centrifugal machine, T. H. Springer. Centrifugal separator, T. H. Springer. Centrifugal separator, T. H. Springer. Chain bars, machine for separating links from, O. Klatte. Chair, See Baby chair. Elevating chair. Chair fan attachment, rocking, W. J. Ferguson. Charcoal kiln. continuous, E. J. Ljungberg. Cigarette moutbpieces, machine for making, J. S. Beeman. Clamp. See Tire and felly clamp. Cleaning device for kid gloves, etc., C. J. Bailey. Clock synchronizer, electric. H. S. Prentiss. Clutch, R. F. Stewart. Clutich and motor connection for same, Kingsland & Sanger. Coal, lig for separating slate and rock from, D. E. Phillips. Coat, bicycle, A. B. Falk. Coating metals with aluminum or alloys thereof, R. McKnight. Cock, ball, W. H. Rawe. Collar, horse, T. J. Bouch-Tremayne. Color effects, method of and apparatus for producing, A. W. Rimington. Concentrator and sluice box, H. L. Phillips. Coutoning, A. W. Rimington. Concentrator and sluice box, H. L. Phillips. Cotton gin, J. B. Crowder. Corpiling. See Car coupling. Thill coupling. Tubular coupling. Creamer, centrifugal, O. Anderson. Cross tie, metallic, O. T. Bedeil. Curling iron, W. Hill. Curtain holding device, Piper & Davis. Curtain pole, J. A. Ferg. Curved surfaces, apparatus for forming, T. M. Clark. Cutter. See Boit cutter. Rotary cutter. Cutter head, S. J. Shimer. Damper for beating stoves or furnaces, E. W. Anthony. Decoy, J. Ross. Dental articul ator, R. H. Antes. Dental engine friction clutch, F. F. Ellis. Dilator. rectal, E. Hubbell. Discleaner, T. J. Vollkommer Distillation and breaking up of liquid bydrocar- bons and apparatus therefor, F. W. Clark. Divide machine, J. Grime. Divide machine, J. Grime.	547,011 547,262 547,404 547,405 547,268 547,375 547,268 547,375 547,368 547,375 547,369 547,36
	Cattle rack, G. Hoffman. Centrifugal machine, T. H. Springer. Centrifugal separator, T. H. Springer. Centrifugal separator, T. H. Springer. Chain bars, machine for separating links from, O. Klatte. Chair, See Baby chair. Elevating chair. Chair fan attachment, rocking, W. J. Ferguson. Charcoal kiln. continuous, E. J. Ljungberg. Cigarette moutbpieces, machine for making, J. S. Beeman. Clamp. See Tire and felly clamp. Cleaning device for kid gloves, etc., C. J. Bailey. Clock synchronizer, electric. H. S. Prentiss. Clutch, R. F. Stewart. Clutich and motor connection for same, Kingsland & Sanger. Coal, lig for separating slate and rock from, D. E. Phillips. Coat, bicycle, A. B. Falk. Coating metals with aluminum or alloys thereof, R. McKnight. Cock, ball, W. H. Rawe. Collar, horse, T. J. Bouch-Tremayne. Color effects, method of and apparatus for producing, A. W. Rimington. Concentrator and sluice box, H. L. Phillips. Coutoning, A. W. Rimington. Concentrator and sluice box, H. L. Phillips. Cotton gin, J. B. Crowder. Corpiling. See Car coupling. Thill coupling. Tubular coupling. Creamer, centrifugal, O. Anderson. Cross tie, metallic, O. T. Bedeil. Curling iron, W. Hill. Curtain holding device, Piper & Davis. Curtain pole, J. A. Ferg. Curved surfaces, apparatus for forming, T. M. Clark. Cutter. See Boit cutter. Rotary cutter. Cutter head, S. J. Shimer. Damper for beating stoves or furnaces, E. W. Anthony. Decoy, J. Ross. Dental articul ator, R. H. Antes. Dental engine friction clutch, F. F. Ellis. Dilator. rectal, E. Hubbell. Discleaner, T. J. Vollkommer Distillation and breaking up of liquid bydrocar- bons and apparatus therefor, F. W. Clark. Divide machine, J. Grime. Divide machine, J. Grime.	547,011 547,262 547,27,263 547,27,27 547,196 547,057 547,057 547,057 547,057 547,129 547,129 547,129 547,339 547,339 547,339 547,339 547,339 547,339 547,349 547,449
	Cattle rack, G. Hoffman. Centrifugal machine, T. H. Springer. Centrifugal separator, T. H. Springer. Centrifugal separator, T. H. Springer. Chain bars, machine for separating links from, O. Klatte. Chair, See Baby chair. Elevating chair. Chair fan attachment, rocking, W. J. Ferguson. Charcoal kiln. continuous, E. J. Ljungberg. Cigarette mouthpieces, machine for making, J. S. Beeman. Clamp. See Tire and felly clamp. Cleaning device for kid gloves, etc., C. J. Bailey. Clock synchronizer, electric. H. S. Prentiss. Clutch, R. F. Stewart. Clutich and motor connection for same, Kingsland & Sanger. Coal, lig for separating slate and rock from, D. E. Phillips. Coat, bicycle, A. B. Falk. Coating metals with aluminum or alloys thereof, R. McKnight. Coat, bleycle, A. B. Falk. Color effects, method of and apparatus for producing, A. W. Rimington apparatus for producing, A. W. Rimington apparatus for producing, A. W. Rimington. Concentrator and sluice box, H. L. Phillips. Concent. W. F. Brooks. Cotton gin, J. B. Crowder. Coupling, See Car coupling. Thill coupling. Tubular coupling. Creamer, centrifugal, O. Anderson. Coupling, See Car coupling. Thill coupling. Creamer, centrifugal, O. Anderson. Clarking in J. B. Crowder. Coupling, See Car coupling. Thill coupling. Creamer, centrifugal, O. Anderson. Curtain holding device, Piper & Davis. Curling iron, W. Hill. Curtain holding device, Piper & Davis. Curling iron, W. Hill. Curtain bolding device, Piper & Davis. Curling iron, W. Hill. Curtain pole, J. A. Ferg. Curved surfaces, apparatus for forming, T. M. Clark. Cutter. See Bolt cutter. Rotary cutter. Cutter head, S. J. Shimer. Damper for heating stoves or furnaces, E. W. Anthony. Decoy, J. Ross. Deental engine friction clutch, F. F. Ellis. Dilator. rectal, E. Hubbell. Dish cleaner, T. J. Vollkommer. Distillation and breaking up of liquid bydrocar- bons and apparatus therefor, F. W. Clark. Ditching machine, J. Grime Educational appliance. E. Ketchum Electric engine, reciprocating, F. B. Rae. Electric conton. Rogs & Cleaver. Elec	547,011 547,262 547,404 547,405 547,268 547,271 547,271 547,389 547,375 547,389 547,381 547,382 547,38
	Cattle rack, G. Hoffman. Centrifugal machine, T. H. Springer. Centrifugal separator, T. H. Springer. Centrifugal separator, T. H. Springer. Chain bars, machine for separating links from, O. Klatte. Chair, See Baby chair. Elevating chair. Chair fan attachment, rocking, W. J. Ferguson. Charcoal kiln. continuous, E. J. Ljungberg. Cigarette mouthpieces, machine for making, J. S. Beeman. Clamp. See Tire and felly clamp. Cleaning device for kid gloves, etc., C. J. Bailey. Clock synchronizer, electric. H. S. Prentiss. Clutch, R. F. Stewart. Clutich and motor connection for same, Kingsland & Sanger. Coal, lig for separating slate and rock from, D. E. Phillips. Coat, bicycle, A. B. Falk. Coating metals with aluminum or alloys thereof, R. McKnight. Coat, bleycle, A. B. Falk. Color effects, method of and apparatus for producing, A. W. Rimington apparatus for producing, A. W. Rimington apparatus for producing, A. W. Rimington. Concentrator and sluice box, H. L. Phillips. Concent. W. F. Brooks. Cotton gin, J. B. Crowder. Coupling, See Car coupling. Thill coupling. Tubular coupling. Creamer, centrifugal, O. Anderson. Coupling, See Car coupling. Thill coupling. Creamer, centrifugal, O. Anderson. Clarking in J. B. Crowder. Coupling, See Car coupling. Thill coupling. Creamer, centrifugal, O. Anderson. Curtain holding device, Piper & Davis. Curling iron, W. Hill. Curtain holding device, Piper & Davis. Curling iron, W. Hill. Curtain bolding device, Piper & Davis. Curling iron, W. Hill. Curtain pole, J. A. Ferg. Curved surfaces, apparatus for forming, T. M. Clark. Cutter. See Bolt cutter. Rotary cutter. Cutter head, S. J. Shimer. Damper for heating stoves or furnaces, E. W. Anthony. Decoy, J. Ross. Deental engine friction clutch, F. F. Ellis. Dilator. rectal, E. Hubbell. Dish cleaner, T. J. Vollkommer. Distillation and breaking up of liquid bydrocar- bons and apparatus therefor, F. W. Clark. Ditching machine, J. Grime Educational appliance. E. Ketchum Electric engine, reciprocating, F. B. Rae. Electric conton. Rogs & Cleaver. Elec	547,011 547,262 547,404 547,405 547,268 547,271 547,271 547,368 547,375 547,369 547,36
	Cattle rack, G. Hoffman. Centrifugal machine, T. H. Springer. Centrifugal separator, T. H. Springer. Centrifugal separator, T. H. Springer. Chain bars, machine for separating links from, O. Klatte. Chair, See Baby chair. Elevating chair. Chair fan attachment, rocking, W. J. Ferguson. Charcoal kiln. continuous, E. J. Ljungberg. Cigarette moutbpieces, machine for making, J. S. Beeman. Clamp. See Tire and felly clamp. Cleaning device for kid gloves, etc., C. J. Bailey. Clock synchronizer, electric. H. S. Prentiss. Clutch, R. F. Stewart. Clutich and motor connection for same, Kingsland & Sanger. Coal, lig for separating slate and rock from, D. E. Phillips. Coat, bicycle, A. B. Falk. Coating metals with aluminum or alloys thereof, R. McKnight. Cock, ball, W. H. Rawe. Collar, horse, T. J. Bouch-Tremayne. Coloreffects, method of and apparatus for producing, A. W. Rimington. Concentrator and sluice box, H. L. Phillips. Coudenser exhaust safety device, H. W. Bulkley. Corner plate, steel, G. W. Meserve. Corset. W. F. Brooks. Cotton gin, J. B. Crowder. Coupling. See Car coupling. Thill coupling. Tubular coupling. Creamer, centrifugal, O. Anderson. Cross tie, metallic, O. T. Bedeil. Curling iron, W. Hill. Curtain holding device, Piper & Davis. Curtain pole, J. A. Ferg. Curved surfaces, apparatus for forming, T. M. Clark. Cutter. See Boit cutter. Rotary cutter. Cutter head, S. J. Shimer. Damper for beating stoves or furnaces, E. W. Anthony. Decoy, J. Ross. Decoy, folding, J. Ross. Dental articul ator, R. H. Antes. Dental engine friction clutch, F. F. Ellis. Dilator rectal, E. Hubbell. Dish cleaner, T. J. Vollkommer Distillation and breaking up of liquid bydrocar- bons and apparatus therefor, F. W. Clark. Ditching machine, J. Grime Educational appliance. E. Ketchum Electric drill, portable, Jaimison & Edmunds. Electric engine, reciprocating, F. B. Rae. Electric wikrator mechansin, F. J. Russell. Electric vibrator mechansin, F. J. Russell. Electric vibrator mechansin, F. J. Russell. Electric vibrator mechansin, F. J. Russell.	547,011 547,262 547,404 547,405 547,268 547,271 547,271 547,126 547,271 547,127 547,128 547,129 547,12
	Cattle rack, G. Hoffman. Centrifugal machine, T. H. Springer. Centrifugal separator, T. H. Springer. Centrifugal separator, T. H. Springer. Chain bars, machine for separating links from, O. Klatte. Chair, See Baby chair. Elevating chair. Chair fan attachment, rocking, W. J. Ferguson. Charcol kiln. continuous, E. J. Ljungberg. Cigarette moutbpieces, machine for making, J. S. Beeman. Clamp. See Tire and felly clamp. Cleaning device for kid gloves, etc., C. J. Bailey. Clock synchronizer, electric. H. S. Prentiss. Clutch, R. F. Stewart. Clutich and motor connection for same, Kingsland & Sanger. Coal, ig for separating slate and rock from, D. E. Phillips. Coat, bicycle, A. B. Falk. Coating metals with aluminum or alloys thereof, R. McKnight. Coat, bicycle, A. B. Falk. Colore fiects, method of and apparatus for producing, A. W. Rimington apparatus for producing, A. W. Rimington apparatus for producing, A. W. Rimington Concentrator and sluice box, H. L. Phillips. Coudenser exhaust safety device, H. W. Bulkley. Corner plate, steel, G. W. Meserve. Corset. W. F. Brooks. Cotton gin, J. B. Crowder. Coupling. See Car coupling. Thill coupling. Thoular coupling. Creamer, centrifugal, O. Anderson. Cross tie, metallic, O. T. Bedeol. Cultivator, disk, W. J. Harris. Curling iron, W. Hill. Curtain holding device, Piper & Davis. Curling iron, W. Hill. Curtain role, J. A. Ferg. Currey surfaces, apparatus for forming, T. M. Clark. Catter. See Bolt cutter. Rotary cutter. Cutter head, S. J. Shimer. Damper for heating stoves or furnaces, E. W. Anthory. Decoy, J. Ross. Deental articul ator, R. H. Antes. Dental engine friction clutter. Rotary cutter. Cutter head, S. J. Shimer. Damper for heating stoves or furnaces, E. W. Dental engine frection clutter. Distillation and breaking up of liquid hydrocar- buching manine, J. Grime Damper for heating stoves or furnaces, E. W. Dental engine frection clutter, F. F. Ellis. Dilator rectal, E. Hubbell. Dist cleaner, T. J. Vollkommer Distillation and preaking up of liquid hydrocar- buching manine, J.	547,011 547,268 547,404 547,405 547,268 547,375 547,368 547,375 547,369
	Cattle rack, G. Hoffman. Centrifugal machine, T. H. Springer. Centrifugal separator, T. H. Springer. Chain bars, machine for separating links from, O. Klatte. Chair, See Baby chair. Elevating chair. Chair fan attachment, rocking, W. J. Ferguson. Charon kiln. continuous, E. J. Ljungberg. Cigarette mouthpieces, machine for making, J. S. Beeman. Clamp. See Tire and felly clamp. Cleaning device for kid gloves, etc., C. J. Bailey. Clock synchronizer, electric. H. S. Prentiss. Clutch, R. F. Stewart. Clutich and motor connection for same, Kingsland & Sanger. Coal, ig for separating slate and rock from, D. R. Phillips. Coat, bicycle, A. B. Falk. Coating metals with aluminum or alloys thereof, R. McKnight. Coat, bicycle, A. B. Falk. Colore fiects, method of and apparatus for producing, A. W. Rimington apparatus for producing, A. W. Rimington apparatus for producing, A. W. Rimington Concentrator and sluice box, H. L. Phillips. Coudenser exhaust safety device, H. W. Bulkley. Corner plate, steel, G. W. Meserve. Corset, W. F. Brooks. Cotton gin, J. B. Crowder. Coupling. See Car coupling. Thill coupling. Thoular coupling. Creamer, centrifugal, O. Anderson. Courity from, W. Hill. Curtain holding device, Piper & Davis. Curling from, W. Hill. Curtain role, J. A. Ferg. Curryed surfaces, apparatus for forming, T. M. Clark. Cutter. See Boit cutter. Rotary cutter. Cutter head, S. J. Shimer. Damper for heating stoves or furnaces, E. W. Anthory. Decoy, J. Ross. Deental engine friction clutter. Damper for heating stoves or furnaces, E. W. Dental engine friction clutter. Rotary cutter. Cutter head, S. J. Shimer. Damper for heating stoves or furnaces, E. W. Dental engine friction clutter. Damper for heating stoves or furnaces, E. W. Dental engine friction clutter. Damper for heating stoves or furnaces, E. W. Dental engine friction clutter. Damper for heating stoves or furnaces, E. W. Detting machine, J. Grime Damper for heating stoves or furnaces, E. W. Detting machine, J. Grime Davis demander. Distillation and breaking up of liquid byd	547,011 547,268 547,404 547,405 547,268 547,367 547,368 547,367 547,368 547,367 547,369 547,36
	Cattle rack, G. Hoffman. Centrifugal machine, T. H. Springer. Centrifugal separator, T. H. Springer. Chain bars, machine for separating links from, O. Klatte. Chair, See Baby chair. Elevating chair. Chair fan attachment, rocking, W. J. Ferguson. Charon kiln. continuous, E. J. Ljungberg. Cigarette mouthpieces, machine for making, J. S. Beeman. Clamp. See Tire and felly clamp. Cleaning device for kid gloves, etc., C. J. Bailey. Clock synchronizer, electric. H. S. Prentiss. Clutch, R. F. Stewart. Clutich and motor connection for same, Kingsland & Sanger. Coal, ig for separating slate and rock from, D. R. Phillips. Coat, bicycle, A. B. Falk. Coating metals with aluminum or alloys thereof, R. McKnight. Coat, bicycle, A. B. Falk. Colore fiects, method of and apparatus for producing, A. W. Rimington apparatus for producing, A. W. Rimington apparatus for producing, A. W. Rimington Concentrator and sluice box, H. L. Phillips. Coudenser exhaust safety device, H. W. Bulkley. Corner plate, steel, G. W. Meserve. Corset, W. F. Brooks. Cotton gin, J. B. Crowder. Coupling. See Car coupling. Thill coupling. Thoular coupling. Creamer, centrifugal, O. Anderson. Courity from, W. Hill. Curtain holding device, Piper & Davis. Curling from, W. Hill. Curtain role, J. A. Ferg. Curryed surfaces, apparatus for forming, T. M. Clark. Cutter. See Boit cutter. Rotary cutter. Cutter head, S. J. Shimer. Damper for heating stoves or furnaces, E. W. Anthory. Decoy, J. Ross. Deental engine friction clutter. Damper for heating stoves or furnaces, E. W. Dental engine friction clutter. Rotary cutter. Cutter head, S. J. Shimer. Damper for heating stoves or furnaces, E. W. Dental engine friction clutter. Damper for heating stoves or furnaces, E. W. Dental engine friction clutter. Damper for heating stoves or furnaces, E. W. Dental engine friction clutter. Damper for heating stoves or furnaces, E. W. Detting machine, J. Grime Damper for heating stoves or furnaces, E. W. Detting machine, J. Grime Davis demander. Distillation and breaking up of liquid byd	547,011 547,268 547,404 547,405 547,268 547,367 547,368 547,367 547,368 547,367 547,369 547,36
	Cattle rack, G. Hoffman. Centrifugal machine, T. H. Springer. Centrifugal separator, T. H. Springer. Chain bars, machine for separating links from, O. Klatte. Chair, See Baby chair. Elevating chair. Chair fan attachment, rocking, W. J. Ferguson. Charcoa kiln. continuous, E. J. Ljungberg. Cigarette moutbpieces, machine for making, J. S. Beeman. Clamp. See Tire and felly clamp. Cleaning device for kig gloves, etc., C. J. Bailey. Clock synchronizer, electric. H. S. Prentiss. Clutch, R. F. Stewart. Clutch and motor connection for same, Kingsland & Sanger. Coal, lig for separating slate and rock from, D. E. Phillips. Coat, bicycle, A. B. Falk. Coating metals with aluminum or alloys thereof, R. McKnight. Coat, bicycle, A. B. Falk. Color effects, method of and apparatus for producing, A. W. Rimington. Concentrator and sluice box, H. L. Phillips. Coudenser exhaust safety device, H. W. Bulkley. Corner plate, steel, G. W. Meserve. Corset. W. F. Brooks. Cotton gin, J. B. Crowder. Coupling. See Car coupling. Thill coupling. Tubular coupling. Creamer, centrifugal, O. Anderson. Cross tie, metallic, O. T. Bedel. Cultivator, disk, W. J. Harris. Curling inon, W. Hill. Curtain holding device, Piper & Davis. Curtain pole, J. A. Ferg. Curved surfaces, apparatus for forming, T. M. Clark. Cutter. See Bolt cutter. Rotary cutter. Cutter head, S. J. Shimer. Damper for beating stoves or furnaces, E. W. Anthony. Decoy, J. Ross. Deental articul ator, R. H. Antes. Dental engine friction clutch, F. F. Ellis. Dilator rectal, E. Hubbeil. Dish cleaner, T. J. Vollkommer Distillation and breaking up of liquid bydrocarbons and apparatus therefor, F. W. Clark. Ditching machine, J. Grime. Educational appliance. E. Ketchum Electric engine, reciprocating, F. B. Rae. Electric engine, reciprocating, F. B. Rae. Electric engine, reciprocating, F. B. Rae. Electric switch, N. Marsball	547,011 547,268 547,268 547,375 547,389 547,38
	Cattle rack, G. Hoffman. Centrifugal machine, T. H. Springer. Centrifugal separator, T. H. Springer. Chain bars, machine for separating links from, O. Klatte. Chair, See Baby chair. Elevating chair. Chair fan attachment, rocking, W. J. Ferguson. Charcoa kilin. continuous, E. J. Ljungberg. Cigarette moutbpieces, machine for making, J. S. Beeman. Clamp. See Tire and felly clamp. Cleaning device for kig gloves, etc., C. J. Bailey. Clock synchronizer, electric. H. S. Prentiss. Clutch, R. F. Stewart. Clutch and motor connection for same, Kingsland & Sanger. Coal, lig for separating slate and rock from, D. E. Phillips. Coat, bicycle, A. B. Falk. Coating metals with aluminum or alloys thereof. R. McKnight. Coat, bicycle, A. B. Falk. Colore ffects, method of and apparatus for producing, A. W. Rimington. Concentrator and sluice box, H. L. Phillips. Coudenser exhaust safety device, H. W. Bulkley. Corner plate, steel, G. W. Meserve. Corset. W. F. Brooks. Cotton gin, J. B. Crowder. Coupling. See Car coupling. Thill coupling. Tubular coupling. Creamer, centrifugal, O. Anderson. Crost ie, metallic, O. T. Beded. Cultivator, disk, W. J. Harris. Curling inon, W. Hill. Curtain holding device, Piper & Davis. Curtain pole, J. A. Ferg. Curved surfaces, apparatus for forming, T. M. Clark. Cutter. See Bot cutter. Rotary cutter. Cutter head, S. J. Shimer. Damper for heating stoves or furnaces, E. W. Anthony. Decoy, J. Ross. Decoy, folding, J. Ross. Dental articul ator, R. H. Antes. Dental engine friction clutch, F. F. Ellis. Dilator rectal, E. Hubbell. Dish cleaner, T. J. Vollkommer Distillation and breaking up of liquid bydrocarbons and apparatus therefor, F. W. Clark. Ditching machine, J. Grime Educational appliance. E. Ketchum Electric chili, portable, Jaimison & Edmunds. Electric engine, reciprocating, F. B. Rae. Electric engine, reciprocating, F. B. Rae. Electric switch, N. Marshall Elec	547,011 547,262 547,404 547,405 547,268 547,375 547,368 547,375 547,369 547,371 547,389 547,381 547,381 547,382 547,383

238	
File, prescription, A. M. Stanley File, custern water, L. W. Mozingo 547,177 Fire extinauisher, J. B. Graham 547,087 Fire extinauisher, C. L. Porter. Fire extinauisher, C. L. Porter. Fire extinauisher, J. B. Graham 547,287 Fire extinauisher, C. L. Porter. Fire extinauisher, C. L. Porter. Fire extinauisher, C. L. Porter. Filor and ceiling place, L. H. Snyder. 547,287 Filor eric and ceiling place, L. H. Snyder. 547,167 Filower pin, E. B. Park 571,168 Filowers, leaves, etc., preserving, E. Pfitzer. 547,287 File eleaner, boiler, Booth & Wade. 547,168 File eleaner, boiler, Booth & Wade. 547,168 Footler, Shredder, G. W. Packer. 547,287 Footler, Shredder, G. W. Packer. 547,287 Forteps, artery, E. Ruppertz Fruit washing, pricking, and spreading machine, W. C. Anderson. Furnace. See Boiler furnace. Heating furnace.	000000000000000000000000000000000000000
Flower Din, E. B. Park 51,105 Flower stand, folding, F. G. Jones 547,216 Flowers, leaves, etc., preserving, E. Pfitzer 547,226 Flue eleaner, boller, Booth & Wade 547,196 Flue or stovepipe cleaner, I. Halstead 547,386 For l.ler, shredder, G. W. Packer 547,282 Football, A. Nisbet 547,283	9 9 9 9 9 9 9
Forceps, artery, E. Ruppertz. 547,287 Frut box, ventilative, C. A. Newcomb. 547,278 Frut washing, pricking, and spreading machine, W. C. Anderson. 547,194 Furnace. See Bo'ler furnace. Heating furnace. Furnace, P. L. (Towe urnace. Heating furnace. Furnace sawdust feeder, T. Manley. 547,085 Gas, apparatus for manufacturing, E. D. Kendall. 547,085 Gas generator, mineral oil, L. & L. Sepulchre. 547,234	
in z, J. W. Hayes	i /
Gearing, chain, J. Bardet	8
Glove lasteler, W. H. Rutty Governing device for compound engines, M. C. Bullock Grain binder, M. Kane. Grate operating mechanism, F. L. Sheppard. Grinding or forming parabolic surfaces, machine for, F. Nerz. Gun, cane, N. G. Hanson. Hammer, drop, Billings & Belcher. Hat binding machine guide, M. Riker. 47,131, 547,132 Hat ironing machine, C. H. Reid. Hat ironing machine, C. H. Reid. Hat rest, J. M. Fuhrman. Head rest, C. E. Akeley. Heater. See Hot water heater. Water and steam heater. Water tank heater. Heating furnace, hot water and hot air, E. W. Anthony Heel machine, Stahl & Herz. 547,239 457,239 457,239 457,239	
Hay rack, J. M. Funrman Head rest, C. E. Akeley	
heater. Water tank heater. Heating furnace, hot water and hot air, E. W. Anthony Heel machine, Stahl & Herz Heel plate, P. J. Van Valkenburg. Hinge, lock. C. M. Bunker. Ho d elevator, adjustable, J. Adams. 547,307 Horse boot, F. A. Stimson. Horse power, intermittent, Gilmore & Griffin. 547,207 Horseshoe, compound. O. L. Leach. 547,007 Hot water heater. E. W. Anthony. Huo, wheel, M. N. Narum. 547,007 Hydrocarbon burner. T. Vos Burgh. 547,007 Hydrocarbon stage, P. B. Myers. Myers. 547,006	
Hydraulic glant, J. H. Hendy 547.074 Hydrocarbon burner. T. Vos Burgh 547.085 Ice making apparatus, O. Hammond, Jr. 547.251 Illusions, apparatus for producing stage, P. B. Myers Myers Hndex sheet, J. H. Anderson 547.085 Indicator. See Speed indicator. H. Hydroche	
lee making apparatus, O. Hammond, Jr. 547,251 Illusions, apparatus for producing stage, P. B. Myers	
Jai cover fastening, W. Blech	8 7 7 7 7 7 7 7 7 7
Knitting machine take-up mechanism, J. J. Adgate gate Knob, sheet metal, W. A. Turner. 547,30 Knurling machine, J. Browning. 547.24 Ladder, ship's, M. Deane. 547.32 Lamp, bicycle, J. W. Bragger 547.20 Lamp, electric arc. J. W. T. Olan. 547,30 547.30	2517775
Knitting machine take-up mechanism, J. J. Adgate gate	666
Lamps, hanger board for electric arc, T. E. Adams	1 8 8 7 7 3
Leucy compound and making it, Mayer & De la Harpe	780
Meat cutting machine, J. Jessen. 547,14 Metal shearing and piling mechanism, A. C. Ryan 547,24 Metal shearing and piling mechanism, A. C. Ryan 547,29 Metal vessels, bottom for, J. R. McLaughlin. 547,22 Metals, treating, W. J. Sager. 547,36 Meter. See Water meter. Milk can, F. P. Shepherd. 547,03 Milking device, T. D. Cunningham. 546,38 Milking machines, apparatus for maintaining and regulating vacuums in cow, Harvey & Hoover 547,25 Miter machine, J. Locke. 547,12	74341
Milking machines, apparatus for maintaining and regulating vactums in cow, Harvey & Hoover 547,25 Miter machine, J. Locke. 547,12 Moulding machine, G. H. Toothaker. 547,40 Motion, mechanism for producing intermittent rotary, G. F. Haldkjiar. 547,34 Music leaf turner, J. A. Wbite. 547,31 547,31	5 4 6 .
Musical instruments, electric device for controlling actions of, F. W. Hedgeland	2069
Milking machines, apparatus for maintaining and regulating vacuous in cow, Harvey & Hoover 547.25 Mitter machine, J. Locke. 547.12 Moulding machine, G. H. Tootbaker. 547.40 Moulding machine, G. H. Tootbaker. 547.40 Moulding machine, G. H. Tootbaker. 547.41 Moulding machine, G. H. Tootbaker. 547.41 Moulding machine, G. H. Holdkiar. Music leaf turner, J. A. White. 547.31 Music leaf turner, J. A. White. 547.31 Musical instruments, electric device for controlling actions of, F. W. Hedgeland. 547.31 Muzzle, F. H. Boucher. 547.31 Muzzle, F. H. Boucher. 547.32 Muzle, F. H. Godarn, 547.33 Muzle, F. H. Muzle, 547.33 Muzle, F. H. Muzle, 547.33 Muzle, 547.35 Muzle, 547.	2892635
Pen, fountain, W. H. O'Keefe	513
Pipe truck, sewer, G. E. Foster	13 13 16
Privy Seat, C. A. Green. 547.11 Propeller, marine, H. Haussmann. 547.11 Propelling mechanism for boats, F. C. Bippes. 547.12 Pump, J. R. Hawley. 547.02 Pump, air, E. J. Hardy. 547.01 Pump, lift and force, J. W. Wheeler. 547.02 Pump, rotary, Marburg, Jr., & Stone. 547.38	5 10 11 12 30
Plow, sidebill, A. D. Williams 547.18 Press. See Balna press. 547,041, 547,04 Press. P. Steele 547,041, 547,04 Privy seat. C. A. Green 547,11 Propeller, marine. H. Haussmann 547.21 Propelling mechanism for boats, F. C. Bippes 547.11 Propelling mechanism for boats, F. C. Bippes 547.11 Pump, J. R. H. Hardy 547.01 Pump, J. R. Hardy 547.01 Pump, iift and force, J. W. Wheeler 547.01 Pump, rotary Marburg, Jr., & Stone 547.01 Railway totary, Marburg, Jr., & Stone 547.01 Railway gate, M. E. Campany 547.01 Railway switch, J. A. P. Alken 547.01 Railway switch, J. A. De Vilbiss 547.01 Railway switch, J. S. Drury 547.01 Railway switch, J. S. Brury 547.01 Railway switch, J. S. Brury 547.01 Railway switch, J. Railway 547.01 Railway 547.0	51 19 17 16 72
Railways, conduit supply system for, G. Tolmie. 547,3 Railways, electrical safety apparatus for, L. W.	04
Briggs 547.2 Ratchet drill, C. A. Williams 547.0 Recorder. See Time recorder. 547.0 Refrigerating apparatus, W. A. Shepard 547.3 Refrigerator, P. T. Elder 541.1 Refrigerator crate, W. A. Schrei 547.1 Rurister. See Carregister. Cash register 547.2 Relasting machine, B. Gallagber 547.3 Rivets, etc., hand setting tool for, H. H. Cummings 547.1	35 13 85 38 46
Rocf, H. Van Newkirk 557.0 Roof, J. C. Zallee 547.1 Rotary cutter, A. S. Vose 547.0 Rotary field motor, J. H. F. Gorges 547.0 Roundabout indicatung alarm, C. R. Daellenbach 547.1	97 04 98 69 43
Rubber boots or shoes, making, H. J. Poughty 517,3 Ruber, parallel, A. C. Havenner 547,1 Safes, automatic boit work for, T. Taylor 547,3 Satchel lock, P. S. Bates 547,1 Saw attachment, band and scroll, H. D. Hinternesch 547,2 Scissors, or snears, S. H. Jennings 547,2 Screen surface, G. W. Cross 547,2	

547,364 547,177	Screw plate, A. M. Dellinger	547,245 547,003
547,364 547,177 547,008 547,285	Seeding machine, L. H. Kimball Sewing machine attachment E. K. Warren Sewing machine binder, F. E. Tallant Sewing machine. carpet, C. C. Volberg	547.016
547,160	Sewing machine binder, F. E. Tallant	547,099 547,046 547,191
5;7,181 547,216 547,227		547,169
547,216 547,227 547,199 547,350 547,282	Shutter worker, E. Oehrle	547,024 547,027 547,092
547.281 547.292	structing and placing same, D. Neale. Shutter worker, E. elinie Shutter worker, J. W. Spangler Sifter, bousehold ash, E. Castell Sign, D. J. Harding	547,092 547,331 547,252
547,278	Singletree, W. Louden	547.272 547,064
547,194	Singlefree, W. Louden Sled runner, G. B. Davis Slicer, meat or vegetable, H. Q. Hood Snow and ice flanger, C. Russell Solder, machine for winding wire, F. W. Schultz. Speed indicator and alarm, R. H. Nicholson. Spinning machine wiping device, J. Cain Spout and can opener, detachable, J. Chalefou. Sprocket wheel, expansible, F. Gleason.	547,134 547,231
547,244 547,083 547,015 547,297	Speed indicator and alarm, R. H. Nicholson Spinning machine wiping device, J. Cain	547,280 547,063
- 1	Sprocket wheel, expansible, F. Gleason	547,378
547,118 547,155	liferous ores. A. G. Saunders	547,184 547,081
547,261 547,299 547,313	Steam boiler and precipitator. Linn & Devoe Steam generator, T. L. & T. J. Sturtevant. Steam generator, sectional, Jungblut & Ekeborn. Steering gear, G. Azzeroni.	547,081 547,045 547,352 547,317
547.319 547,114 547,360	Still, turpentice, J. M. Brooks. Stool, scrubbing, S. D. Bigalow. Stop motion for railway heads. W. V. Threlfall	546.993
547,242		547,232 547,165
547.079 547.362	apparatus for, J. Ehne. Straplock, H. B. Littlepage. Stretcher and ammunition carrier, F. Remington.	547,165 547,082 547,288
547,153 547,117 547,197	Striking and punching bag attachment, F. C. Foster Stud fastener, shirt, H. H. Baker, Jr	547,342 546,989
547.133		
547,132 547,067 547,390	Switch, F. F. Stevens. Switch mechanism, S. B. Battey. Syringe, Thornton & Hoyle. Table. See Ironing table. Tag and driver therefor, W. L. Millar.	547,047
011,000	Tag and driver therefor. W. L. Millar	547.274 547,141
547,237 547,363 547,306	Telephone, H. T. Johnson Telephone exchange system, Yaxley & Riley Telephone toll apparatus, G. K. Thompson Telescope, V. Colvin	547,265 547,388 547,405
547,327	Telescope V. Coivin	547,405 547,243 547,119
547,105 547,044 547,206	Thill coupling, G. S. Preston	547,139 547,401 547,291
547.017	Teut, Heaton, Jr., & Hope. Thermometer oven, D. G. Cooper. Thill coupling, G. S. Preston. Thill support, C. A. Rotthouse. Tbills, shifting, J. B. Stanley. Thrasher and separator, self-feeding, T. J. & N. H. Beebe.	547,040
547,236 547,023 547,074 547,365	Thrashing machine, S. F. Stafford	546,992 547,190 547,189 547,156
547,365 547,251	Thrashing machine, bean, S. F. Stafford	
547,085 547,056	Reis. Tire and felly clamp, G. Willing. Tire and felly for same, pneumatic wheel, E.	547,183 547,065
547,010 547,322 547.220		547,175 547,394 547,205
547.120 547,028	Toy pistol, H. D. Gardy. Traction engine, P. H. Flansburg. Traction wheel for motor cars or locomotives, A. L. McCauley.	547.152
547.315 547.123	Transfer or ticket machine, Ohmer & Kelch Trimmer guide, F. J. Freese Trolley and trolley pole, W. L. Pepper. Tropograph W. C. Farmum.	547,087 547,344 547,283
547,086 547,368	Tropograph W. C. Farnum	547,066
546,987 547,193	Truck, electric motor, W. G. & W. R. Galther Truck, railway car, G. R. Joughins Trunk and bed, combined, W. F. Adams Tubes from mandrels, means for releasing, Woot-	547,379 546,981
546,985 546,984	Tubular coupling, W. E. Hedger	547,234 547,073
546,982 547,305 547,241	Tug. snart, W. E. A. Pipner	547,029 547,036
547.241 547.337 547.200	Typew riter paper feeding attachment W. Rohan-	547,392
547,200 547,127 547,395	non Typewriting machine, Hammond & Axelson Typewriting machine. D. J. T. Hiett Typewriting machine attachment, Elliott & Maw-	547,397 547,146
547.00K	Typewriting machine attachment, Elliott & Maw-	547,002
547,249 547,300 547,396	Typewriting machine attachment, Elliott & Maw- binney Valve, float, W. Radley Valve gear, J. A. Hornbake Valve pneumatic signal, C. A. Horton Varnish and producing same, F. Salathe. Vehicles, contact for electrically propelled, E. B. W. Reichel W. Reichel Vehicle step, F. N. Root Velocipede, railway, G. W. Miller Vending machine, J. A. Carr Veneer packages, machine for winding, J. K. McCahill Ventilator, J. G. Jennings	547,213 547,214
547,106 547,246 547,201 547,301 547,188	Varnish and producing same, F. Salathe Vehicles, contact for electrically propelled, E. B. W. Rochel	547,295 547 031
547,301 547,188	Vehicle step, F. N. Root	547,159 547,019
547,148 547,207 547,187	Vending machine, J. A. Carr. Veneer packages, machine for winding, J. K. McCahill.	547,330
547,173	Veneer packages, machine for winding, J. K. McCahill. Ventilator, J. G. Jennings. Violin, G. P. Monson. Wagon brake, O. H. Munson. Wardrobe, R. H. Rogers. Warn threads, device for detection of breaks in, N. T. Hall Washboard, L. Peterson. Washing machine, H. Cook Washing machine, A. M. Johnson Washing machine, E. E. Rickert Watch bezel reamer, J. Douglas Watch, stem winding and setting, W. W. Hastings Water and steam beater, domestic, Pettibone & Loomis, Jr. Water meter I. H. Nash.	547,399 547,150
547,007 547,208	Wardrobe, R. H. Rogers	547,290
547,007 547,208 547,130 547,126 546,994	N. T. Hall. Washloand, L. Peterson Washloan maching H. Cook	547,209 547,284
947.U/U	Washing machine, A. M. Johnson Washing machine, N. Kunkel	547,266 547 269
547,147 547,144 547,293	Washing machine, E. E. Rickert	547,229 547,112
547,293 547,224 547,361	Water and steam heater, domestic, Pettibone &	547,256
547.037 546,999	Loomis, Jr. Water meter, L. H. Nash	. 547,128 . 547,180 547,179
547,255 547,124 547,406	Water motor, M. W. Bally	547,318 547,089
	Water tank neater, Slowey & Jeffres. Water tube boiler. F. Printz. Weft fork. C. H. Matteson	547,038 547,286 547,084
547,349 547.310	Wheel, C. T. Pelton. Whip lock, F. M. Beidler.	547,357 547,059
547,072 547,110 546,986 547,259	Winch, W. W. Mangum, Jr. Window screen, H. Wernle	547,100 547,273 547,135
	Window stop fastener, M. Larendean	547,171 547,049
547,398 547,022 547,048	Wrench, J. F. Smith	- 547,340 - 547.039 - 547.402
547,329 547,122	Water and steem heater, domestic, Pettibone & Loomis, J. H. Nash Water meter, L. H. Nash	547,090 547,182
547,176 547,223 547,225	DESIGNS.	
547,329 547,122 547,176 547,223 547,335 547,355 547,355 547,353	Bait, spoon, E. O. Pealer Boot, Congress, Richardson & Very	24.724
547,151 547,353	Button, link cuff, J. E. Hills Carpet, E. G. Sauer	24,722 9, 24,730
547 071	Engine frame, gas, Weinman & Euchenhofer Ewer, R. L. Johnson	24,728 24,725
547,377 547,050 547,294	Bait, spoon, E. O. Pealer Boot, Congress, Richardson & Very Button, Jink cuff, J. E. Hills	24,723 24,727
547,343 547,103 547,296	TRADE MARKS.	
F 4 P 4	I	

Bait, spoon, E. O. Pealer	24.
Boot, Congress, Richardson & Very	24.
Button, link cuff. J. E. Hills	24
Carpet. E. G. Sauer 24 729	94
Christmas tree ornament, W. E. Wagner	24
Engine frame, gas, Weinman & Euchenhofer	2ã.
Ewer. R. L. Johnson	24
Scarf pin or similar article. J. B. Jobson	24
Statuary, shrine or niche for, J. Koenig	24
	,
MD 4 7-33 24 4 7-7-9	
TRADE MARKS.	

Armpit shields, I. B. Kleinert Rubber Company.... 27,104
Bicycles. Plymouth Cycle Manufacturing Com-

٠.	bicycles, riymouth cycle manufacturing com-	п
8	pany 27,124	1
5	pany	١
)	Clocks, Schlenker & Kienzle	١
7	Cycle pedals and fittings, S. Snell 27,125	ı
i	Dress fabrics, linings. or worsted coatings, Sir	١
2	Titus Salt, Bart., Sons & Company 27,105	ı
ē	Flow whost Homes & Company 27,107	Ī
ň	Flour, wheat, Heyman & Latham	ı
0	Globes, shades, and similar glassware, George A.	١
9	Macbeth Company	I
7	Leatner dressing, brilliant enamel R. A. Kearney. 27,117	١
1	Lin iments, Redman & Sands	1
ĩ	Medicine, certain named, Maltbie Chemical Com-	١
6	pany 27,122 Musical instruments and publications, Lyon &	1
2 1	Musical instruments and publications, Lyon &	١
1	Healy	J
0	Healy	١
		ı
7	Remedies for dyspepsia, Dyspepsia Cure Syndicate 27,119	П
4	Remedy for consumption, H. E. Machlan	ı
-	Remedy for diphtheria, C. Snesrud	1
0	Silver, useful and ornamental articles of solid, R.	i
š	Wallace & Sons Manufacturing Company 27,108	П
U	Cinum Manuace & Sous Manufacturing Company 27,100	1
5	Sirups. Towle Sirup Company	1
3	Soot bing sirups, G. A. Simard	٠
š	Spectacles, eyeglasses, lorgnettes, and similar	J
υ	goods, Bay State Optical Company 27,109	1
0	Thermometers. C. J. Tagliabue	
8		1
6		,
_	Whisky G A Dickel & Company 27 116	;
2		

A printed copy of the specification and drawing of any patent in the foregoing list, or any patent in print issued since 1863, will be furnished from this office for 25 cents. In ordering please state the name and number of the patent desired, and remit to Munn & Co., 361 Broadway New York.

Mdvertisements.

ORDINARY RATES.

Inside Page, each insertion - - 75 cents a line Back Page, each insertion - - - \$1.00 a line **EF For some classes of Advertisements, Special and Higher rates are required.

The above are charges per agate line—about eight words per line. This notice shows the width of the line, and is set in agate type. Engravings may head advertisements at the same rate per agate line, by measurement, as the letter press. Advertisements must be received at Publication Office as early as Thursday morning to appear in the following week's issue.



Star * Screw cutting athes Automatic Cross Feed 9 and 12 inch Swing.

New Designs. Novel Features.

Send for Catalogue B. SENECA FALLS MFG. COMPANY, 695 Water St., Seneca Falls, N. Y.

AMERICAN PATENTS. - AN INTER-AMERICAN FAIENTS.—AN INTER-esting and valuable table showing the number of patents granted for the various subjects upon which petitions have been filed from the beginning down to December 31. 1894. Contained in SCIENTIFIC AMERICAN SUP-PLEMKNT, NO. 1002. Price 10 cents. To be had at this office and from all newsdealers.

POWER & FOOT MACHINE SHOP OUTFILE FORE SEBASTIAN LATHE CO. 120 CULVERTST. CINCINNATIO.


Pumping Water by Compressed Air. We take pleasure in announcing that by arrangements made with J. G. Poblé, we are enabled to furnish our customers with the

POHLÉ AIR LIFT PUMP,

protected by numerous American and Foreign patents. This department of our business will be under the personal supervision of Dr. Pohlé, the inventor and pat'ee THE INGERSOLL-SERGEANT DRILL CO., Havemeyer Building, 26 Cortlandt St., New York.



HARLEM RIVER IMPROVEMENT and Ship Canal—An interesting account of the great government work recently completed in New York City. With 3 illustrations. Contained in SCIENTIFIC AMERICAN SUPPLEMENT, No. 1015. Price 10 cents. To be had at this office and from all newsdealers.



ARTESIAN WELLS-BY PROF. E. ACT ESTAN WEDLES—DIT FROF. E.

G. Smith. A paper on artesian wells as a source of
water supply. Essential geological conditions of artesian wells. Some chemical features of artesian well
supply. Contained in SCIENTIFIC AMERICAN SUPPIEMENT. No. 943. Price 10 cents. To be had at this
office and from all newsdealers.



The "Climax" Stereotyper Moulding Press combined,

for making perfect Celluloid Ste-re-orypes to be used in place of metal stereotypes. Also for making Rub-her Stamps. Should be in use in every printing office. See Sci. Am., Dec. 30, 1833. Send for circular to

THE J. F. W. DORMAN CO. 217 E. German St., Baltimore, Md.

Manufacturers of
Rubber Stamps, Vulcanizers, Stereotype Machinery and Supplies.


4.728
4.728
4.727
YOUR WITH WORKSHOP EQUIPYOUR YOUR With outfits of Barnes Wood and Metal Working
FOOT POWER TO THE WORK TO



The Shipman Automatic Steam Engine NO SKILLED ENGINEER.

Kerosene Oil Fuel. 1, 2. 4, 6 and 8 borse power No Extra Insurance. Effi-cient, Economical. Durable. SHIPMAN ENGINE CO. 200 Summer Street. BOSTON, MASS.

THE ORNAMENTAL IRON INDUStry.—Description of the method of manufacturing wrought iron into ornamental and artistic forms. With 9 illustrations. Contained in SCIENTIFIC AMERICAN SUPPLEMENT, No. 1020. Price 10 cents. To be had at this office and from all newsdealers.



EMPIRE- BOILER CLEANER • -COMPOUND

We Don't Offer Gratuities, but our Circular will give you the information that will enable you to nave Time. Trouble and Money. Tried, approved, and being used by the Largest Railways and Factories in the East. OFFICE: Kemble Bldg., 19 Whitehall St., N.Y.

THE CARBIDES AND ACETYLENE Commercially Considered.—By T. I.. Willson and J. J. Suckert, Ph.D. A consideration of the carbides and acetylene from a commercial point of view, preceded by a brief history of these compounds, the methods of their formation, and their chemical and physical properties. With 10 illustrations. Contained in SCIENTIFIC AMERICAN SUPPLEMENT, Nos. 1015 and 1016. Price 10 cents each. To be had at this office and from all newsdealers.

They All Like It. The Ladies Like It. So Do The Men. Children Enjoy It.

Layman Pneumatic Boats.

See Sci. Am., May 18, 1895.
Send 4c. in stamps for our handsomely illustrated catalogue. Address H. D. LAYMAN, 30 West 29th St., cor Broadway, NEW YORK.





BUY TELEPHONES

That are good—not "cheap things." The difference in cost is little. We guarantee our apparatus and guarantee our customers against loss by patent suits. Our guarantee and instruments are BOTH (COO). WESTERN TELEPHONE CONSTRUCTION CO.,

440 Monadnock Block, CHICAGO. Largest Manufacturers of Telephones in the United States

HELLO, CENTRAL!



THE M. & B. TELEPHONE.


Absolutely Non-infringing. Absolutely Guaranteed. Absolutely the Best Exchange SWITCH BOARDS.

Illustrated Catalogue on application Free.
. . ** Agents Wanted. . .
THE U.S. TELEPHONE CONSTRUCTION CO

If you want the best Lathe and Drill

-CHUCKS

A Valuable Rook



12,500 Receipts. 708 Pages. Price \$5.

Bound in Sheep, \$6. Half-Morocco, \$6.50. This splendid work contains a careful compilation of the most useful Receipts and Replies given in the Notes and Queries of correspondents as published in the ci-entific American during the pastfifty years; together with many valuable and important additions.

Over Twelve Thousand selected Receipts are here collected; nearly every branch of the useful arus being represented. It is by far the most comprehensive volume of the kind ever placed before the public.

The work may be regarded as the product of the stud-ies and practical experience of the ablest chemists and workers in all parts of the world; the information given being of the highest value, arranged and condensed in concise form convenient for ready use.

Almost every inquiry that can be thought of, relating o formulæ used in the various manufacturing indus-ries, will bere be found answered.

Instructions for working many different processes in the arts are given.

Those who are engaged in any branch of industry probably will find in this book much that is of practical value in their respective callings.

Those who are in search of independent business or employment, relating to the home manufacture of sample articles, will find in it hundreds of most excellent suggestions. Send for Descriptive Circular.

MUNN & CO., Publishers, SCIENTIFIC AMERICAN OFFICE.
361 Broadway, New York, Founded by Mathew Carey, 1785.

HENRY CAREY BAIRD & CO.

INDUSTRIAL PUBLISHERS, BOOKSELLERS & IMPORTERS S10 Walnut St., Philadelphia, Pa., U. S. A. The Within St. Philadelphia, Fat., U.S.A.

To Vir New and Revised Catalogue of Practical and Scientific Books, 90 pages, Svo, and our other Catalogues and Circulars, the whole covering every branch of Science applied to the Arts, sent free and free of postage to any one in any part of the world who will furnish bis address.

w ready. Plate and India paper (Sheet Demy).
The Cathedrals of England and Wales.

Ine Gathedrais of England and Wales.
Library Edition (limited to 250 copies), containing 62
Plates (Views and Plans), with descriptive letterpress, republished from The Builder, revised and partly rewritten. Unbound (in portfolio), 3. 13s. 6d., American price, \$23.40; bound (whole buckram), 4. 4s., American price, \$35.60. "The drawings are certainly very beautiful."—The Times. "A very attractive publication."—Morning Post. "A noble volume."—Pall Mail Gazette.
"A most interesting and useful work."—Guardian.
Address Publisher of The Builder, 46 Catherine Street,
London, W. C., England.



EXCHANGE,

11 Barclay St., New York. 156 Adams St., Chicago. 38 Court Sq., Boston.

We will save you from 10 to 50 per cent. on Typewriters of all makes.

Send for Catalogue. . . .

PRIZE OF £100 for a satisfactory Appliance Cattle. The Committee of the Manchester Branch of the Royal Society for the Prevention of Cruelty to Animals and the Manchester Jewish) Shechita Board, offer the above prize for an appliance which will place cattle readily and easily in the required position preparatory to being slaughtered by the cutting of the throat, in accordance with the Jewish law. Intending competitors can obtain copies of the conditions on application by letter to the Secretary R. S. P. C. A., 9 Albert Square, Manchester, Eng.; Geo. Wm. Rayner, Wood St. Colonel and J. P., Chairman Manchester Branch R. S. P. C. A.; Philip Hart, Chairman Manchester Shechita Board.





Excursion Rates To Atlanta.

On account of the Atlanta Exposition, the B. & O. RR. Co. will sell excursion tickets at greatly reduced rates. Season tickets will be sold every day until December 15th, good returning until January 7th, 1896. Twenty-day tickets will be sold every day until December 15th, good returning for twenty days from date of sale. Tenday tickets will be sold Tuesday and Thursday each week until December 24th, good returning for ten days from date of sale. The rates from New York will be \$37.25 for season. \$29.25 for twenty-day, and \$24.00 for ten-day tickets.


Correspondingly low rates from other points on the



NOW READY!

Seventeenth Edition of

Experimental Science



REVISED AND ENLARGED.

120 Pages and 110 Superb Cuts added

Just the thing for a holiday present for any man, woman, student, teacher, or any me interested in science. In the new matter contained in the last edition will be found the Scientific Use of the Phonograph, the curious optical illusion known as the Anorthoscope, together with other new and interesting Optical Illusions, the Optical Projection of Opaque Objects, new experiments in Projecticn, Iridescent Glass, some points in Photography, including Hand Cameras, Cane Cameras, etc.; Systems of Electrical Oistribution, Electrical Ore Finder, Electrical Rocker, Electric Chimes, How to Color Lantern Slides, Study of the Stars, and a great deal of other new matter which will prove of interest to scientific readers.

840 pages, 382 fine cuts, substantially and beautifully bound. Price in cloth, by mail. \$4. Half morocco, \$5.

MUNN & CO., Publishers,
Office of the SCIENTIFIC AMERICAN,
361 BROADWAY, NEW YORK.

WHY NOT MAKE RUBBER STAMPS??

Do You Want to Go Into Business for Yourself, or Add a Good Line To Your Present Business?

If you want to engage in Pleasant and Profitable work, requiring but little capital, and which can be made to pay well either in a permanent location or traveling, you cannot do better than secure a "New York" combined Rubber Stamp Vulcanizer and Mou d Press and Manufacturing Outfit.

Any live man can make money rapidly anywhere with one of our Outfits. It will pay any Stationer or Printer well to put in one of our machines, and Fruit Growers and others using many Stamps will find it very profitable to make Stamps for their own use, and for sale.

These machines are unequaled for Speed, Accuracy and Economy, and produce the Finest Class of Rubber Stamps. They received Highest Award, Medal and Diploma, at World's Fair, Chicago, 1883.

With each Machine is sent a copy of our book, "How to Make Rubber Stamps for Profit," which makes every detail so plain, that any person, without previous experience, can turn out First class Stamps at once.

This book is also sold separately at \$1.00 per copy, which amount is refunded to pursers of Outfits. Write at once, to-day, direct to the manufacturers for complete circulars. illustrated article in Sci. Am. Dec. 9, 1893.

BARTON MANUFACTURING CO., 340 BROADWAY, NEW YORK

BARTON MANUFACTURING CO., 340 BROADWAY, NEW YORK See illustrated article in SCI. A.M. Dec. 9, 1893.

THE TIN PLATE INDUSTRY IN THE Dnited States.—An interesting paper, showing the extraordinary development of the tin plate industry in this country, and the serious competition into which it is now entering with the British industry. With 18 illustrations. Contained in SCIENTIFIC AMERICAN SUPPLEMENT, Nos. 1019, 1020, 1021, 1022 and 1023. Price 10 cents each, or 50 cents for the series. To be had



THE NEW BRISTOL COUNTER



Registers an accurate account of work done on printing presses, grain tallies, weighing, measuring and other automatic machines. Counts up to 1,000,00 and repeats automatically. Simple, accurate, durable. Special counters to order. 12 Send for circular.

C. J. ROOT, Bristol, Conn., U. S. A.



AGENTS WANTED
to sell the Best Cooking
Kettle in the World. No
more scalded or burned hands.
They are made of Steel and
Granite lined, and adapted for
general use. Covers and Steamers and fire-proof Stove Mats
included. Every piece warranted.

12 Sample free and territory secured. Address
A. W. OBERMANN,
55 S. 5th Avenue, N. Y. CITY.

ON THE ELECTRIFICATION OF THE Air.—A communication to the Philosophical Society of Glasgow, by Lord Kelvin, on the cause of the want of homogeneous distribution of electric density in cloudless air at moderate heights above the earth's surface. With 1 illustration. Contained in SCIENTIFIC AMERICAN SUPPLEMENT, No. 1015. Price 10 cents. To be had at this office and from all newsdealers.



ARMS & LEGS WITH RUBBER HANDS & FEET. The Most Natural, Comfortable and Durable. Over 16,000 in use. New Patents and Important Improve-ment. U.S. Gov't Manufacturer.

Durable. Over 16,000 in use.

New Patents and Important Improvement. U. S. Gov't Manufacturer.

Illustrated book of 430 pages and formula for measuring sent free. mula for measur ng sent free.

See illustrated article in Sci. Am.
of August 3, 1895.

A. A. MARKS, 701 Broadway, NEW YORK CITY.

SUPERIOR TO COTTON WASTE • RAW SILK MACHINERY WIPERS •



THE OBER LATHES



For Turning Axe, Adze, Pick, Sledge, Hatchet, Hammer, Auger, File, Knife and Chisel Handles, Whiffletrees, Yokes, Spokes, Porch Spindles, Stair Balusters, Table and Chair Legs and other irregular work.

For Turning Axe, Adze, Pick, Sledge, Pick, Adze, Pick, Sledge, Pi

The Ober Lathe Co., Chagrin Falls, O., U.S.A.




NORWICH LINE

WENGLAND

The AIR LINE LIMITED The AIR LINE LIMITED

New York and Boston.





MESSRS. MUNN & CO, So icitors of Patents, have had nearly fifty years continuous experience. Any one may quickly ascertain, free, whether an invention probably is patentable by writing to Munn & Co. Communications, strictly confidential. A handbook of patents and how to obtain them sent free.


taken through Munn & Co. receive special notice in the Scientific American. This splendid weekly paper, elegantly illustrated, has the largest circulation of any scientific work. \$3 a year. Specimen copies free.

Address MUNN & CO., dress MYNN & CO., New York, 381 Broadway.





d Engineer or Pilot required. Speed and Safety ed. No Dangerous Naphtha or Gasoline used. Marine Vapor Engine Co., Jersey City, N. J.





THE FISHER Patent Steam Pump Governors

For Steam Pumps Working under Pressure and the FISHER PATENT GRAVITY GOVERNORS



Stereopticons, Lantern Slides.

WE ARE MAKERS. Write for Catalogue M.
McINTOSH BATTERY and OPTICAL CO. CHICAGO.

Ten years with best results, is the reason why the OLDS CASOLINE

take the lead and have so great a sale. Send for Catalogue.

P. F. OLDS & SON,



SINTZ GAS ENGINE CO. GRAND RAPIDS, MICH.,

Manufacturers of the Sintz Stationary and Martine fans and Gasoline Engines. Especially adapted for Bosts and Electric Lighting. Runs with manufactured or natural gas—Bosts and launches. Prices within the reach of all. 137 Send for Catalogue, Mention this paper.



BOAT and SOLINE ROAD CARRIAGE ENG MONITOR VAPOR ENGINE AND POWER CO., GRAND RAPIDS, MICH.





MACHINES. Corliss Engines. Brewers' and Bottlers' Machinery. THE VILTER Mrg. Co., 899 Clinton Street, Milwaukee, Wis.


BI-SULPHIDE for use in the arts, Killing Insects in Grain, Killing Burrowing An-OF CARBON imals, etc. Manufactured by E. R. TAYLOK, Cleveland, Ohio



Experimental & Model Work E. V. BAILLARD, 106 Liberty Street, N. Y.



How To Make a Dynamo OR MOTOR. 4 horse power size, illustrated with full working drawings. By Edw. Trevert. Price 10c. Bubier Publishing Co., Lynn, Mass.



TO MARINE WORK IRON FOUNDERS.— Wanted, by the Patentee of a Propeller Wheel Molding Machine, floor room in a foundry with proper facilities for demonstrating the capacity of this machine, which will not only make propeller wheels, but is also suited for striking up any kind of bed in sand, besides making a good many different kinds of cores. Address LOUIS HIS, 326 South Part Street, ELIZABETH, N. J.



PURPOSES. . Send for Prices and Catalogue.

88 Van Dyke Street, BROOKLYN, N. Y.

BROOKLYN FIRE BRICK WORKS





The CAPO-FARAD is the smallest of its power ever made. Requires neither care nor attention. Not affected by climate. Always ready, and mails under a 2c, stamp. Price. \$1.15 each, by mail.

JAS. J. PEARSON, 27 Thames Street, New York, U. S. A.



BRASS BAND Instruments, Drums, Uniforms, Equipments for Bands and Drum Corps. Lowest prices ever quoted. Fine Catalog, 400 Illustrations, mailed free; it gives Band Music & Instructions for Amateur Bands.

SCIENTIFIC AMERICAN SUPPLE-MENT. Any desired back number of the SCIENTIFIC AMERICAN SUPPLEMENT can be bad at this office for 10 cents. Also to be bad of newsdealers ir. all parts of the country.

And STEREOPTICONS, all prices. Views illustrating every subject for PUBLIC EXHIBITIONS, etc. (17- A projudable business for a man oth a small capital. Also, Lanterns for Rome Anusement. 220 page Ostalogue from McALLISTER, Mig. Optician, 47 Na3820 Sts., Nay.



By Richard A. Proctor, F.R.A S. * * **

A series of twelve elegantly printed Maps of the Heavens, one for every month in the year. Specially prepared for use in North America. With descriptions companying each map, giving the names of the principal stars and constellations, showing their relative ositions at given hours and days of the month.

st beautiful and convenient work, adapted for the use of those who desire to acquire general knowledge of the starry realms.

To which is added a description of the method of

preparing and using artificial luminous stars as an aid in fixing in the mind the names and places of the various stars and constellations, by Alfred E. Beach. Altogether this is one of the most popular, useful and valuable works of the kind ever published. One quarto volume, elegantly bound in cloth. Price

\$2.50; postpaid. MUNN & CO., Publishers, 361 Broadway, New York.

Advertisements.

ORDINARY RATES.

Inside Page, each insertion, - 75 cents a line Back Page, each insertion. - - \$1.00 a line For some classes of Advertisements, Special and Higher rates are required.

The above are charges per agate line—about eight words per line. This notice shows the width of the line, and is set in agate tyre. Engravings may head acvertisements at the same rate per agate line, by measurement, as the letter press. Advertisements must be received at Publication Office as early as Thursday morning to appear in the following week's issue.



HALF A CENTURY OF CYCLES.—AN interesting history of the cycle from its origin up to the present time. The first crank-driven bicycle. The "bone-shaker" and its successors. The tricycle. The modern wheel. Cycle building a science. Points of improvement. The pneumatic tire. A hand and foot cycle. With 9 illustrations. Contained in Scientific American Supplement, No. 1012. Price 10 cents, To be had at this office and from all newsdealers.



. . WE ARE BUILDING . . .

The Celebrated-

"HORNSBY-AKROYD"

The De La Vergne Refrigerating Machine Co. FOOT E. 138TH STREET, NEW YORK.



ACCOUNTANTS

who use the Comptometer who use the Comptometer have no trouble with their trial balance. Has it ever occurred to you that by getting one you might save lots of time, avoid mistakes and not ruin your nerves?

Write for Pamphlet.

FELT & TARRANT MFG CO.
52-56 ILLINOIS ST. CHICAGO.

The American Bell Telephone Company,

125 Milk Street, Boston, Mass.

This Company owns Letters-Patent No. 463,569, granted to Emile Berliner November 17, 1891, for a combined Telegraph and Telephone, covering all forms of Microphone Transmitters or contact Telephones.

KALMOID

TANITE

MORGAN EMERY WHEELS

For Wet Use-MORGAN, For Rough Grinding-KALMOID. For World-wide Use-TANITE. Grinding Machines from \$7.50 to \$500. Emery by the 10lb. tin, and by the carload.

THE TANITE CO. STROUDSBURG, PA. NEW YORK, N. Y.

Quick Process, Large Stock,

Prompt Delivery



THE BICYCLE: ITS INFLUENCE IN Health and Disease.—By G. M. Hummond, M.D. A valuable and interesting paper in which the subject is exhaustively treated from the following standpoints: 1. The use of the cycle by persons in health. 2. The use of the cycle by persons diseased. Contained in SCIENTIFIC AMERICAN SUPPLEMENT, No. 1002. Price 10 cents. To be had at this office and from all newsdealers.



RELIABILITY Motor of 19th Century

How do these look together? References.-Hundreds of happy men all over the U. S. Furthermore, we have not changed the principle or construction of the "Charter" since Jan 1, 1890. Behind the times? Not a bit of it! Have not found where we could improve or simplify, that's all. CHARTER GAS ENGINE CO., P. O. Box 148, Sterling, III.

AGENTS WANTED FOR FINE TOOLS IN EVERYSHOP. CATALOGUE C.H.BESLY&CO.

The Scientific American Reference Book.

A most useful little bound book of 150 pages, con prising, probably, the most extensive variety of standectical, condensed information ever furnished to the public for so small a price, only 25 cents.

Among its contents are: The Last Census of the United States (1890), by States, Territories, and Counties; Table of Cities having over 8,000 inhabitants Map of the United States—miniature outline; The Patent Laws full text); The Trade Mark Law (full text); The Copyright Law (full text); The Principa Mechanical Movements—illustrated by 150 small diagrams—of value to inventors and designers of mechanism: Medallion Portraits of Distinguished American Inventors; Valuable Tables relating to Steam, Electricity, Heat, Mctals, Weights, and Measures.

Sent by mail to any address on receipt of price

MUNN & CO., Publishers, 361 Broadway, New York



CAUSE OF LUMINOSITY IN THE Flanes of the Hydrocarbon Gases.—By Prof. Vivian B. Lewes. An important paper in which the author endeavors to show that the luminosity of hydrocarbon flames is due to the localization of the heat of formation of acetylene in the carbon and hydrogen produced by its decomposition, and the cause of such localization. Contained in SCIENTIFIC AMERICAN SUPPLEMENT, Nos. 1012 and 1013. Price 10 cents each. To be had at this office and from all newsdealers.



Four assortments for ach holder, holding up o and including 14 sizes.

Send for fully illus-

WELLS BROS. & CO., P. O. Box B, Greenfield, Mass

Starrett's Universal Surface Gauge



This gauge has joint at base allowing spindle and scriber to be moved back and forth and placed in any position from upright to norizontal, to reach over, back of, and underneath.

The L. S. Siarrell Co., P.O., Box 13, ATHOL, MASS. bad at this office and from all newsdealers.

100% Profit

No Humbug. New Fall and Winter Goods. Agents wanted in every city and town in U.S. Catalogues Free.

THE BOLGIANO WATER MOTOR CO. Box 13, Baltimore, Md.



A NEW PIPE WRENCH
Grips Quickly and Firmly, GALVANIZED
as well as other Pipe, and will Not Crush
it. Won't lock on pipe. Does not mar nut or highly polished Send for Little Book, Free.

SAMUEL HALL'S SON, 229 West 10th St., New York.

PRIESTMAN SAFETY OIL ENGINE enally low in cost of operation.

NEITHER Kerosene, NOT Gasoline NOT AND COMPANY, Inc. Front and Tasker Streets, - - Philadelphia

A.W. FABER Manufactory Established 1761.

LEAD PENCILS, COLORED PENCILS, SLATE PENCILS, WRITING SLATES, STEEL PENS, GOLD PENS, INKS, PENCIL CASES IN SILVER AND IN GOLD, STATIONERS' RUBBER GOODS, RULERS, COLORS AND ARTISTS' MATERIALS

78 Reade Street, - - '- New York, N. Y. Manufactory Established 1761.



EASTMAN KODAK CO., ample photo and booklet for two 2-cent stamps. ROCHESTER, N. Y.

AUTOMOBILE CARRIAGES: THE AULUMODILLE CARRIAGES: THE Paris-Bordeaux Paris Race of.—Brief account of the performance of the vehicles that obtained the prizes in the competition instituted by the Petit Journal. With 9 illustrations. Contained in SCIENTIFIC AMERICAN SUPPLEMENT, No. 1023. Price 10 cents. To be had at this office and from all newsdenlers.

JESSOP'S STEELTHE VERY FOR TOOLS, SAWS ETC. WM JESSOP & SONS LE 91 JOHN ST. NEW YORK

We manufacture Tents of every variety and size, for all conceivable purposes.

We have been in the business for fifty-four years and know bow to make them properly.

We have made fents for the Wak Department of the U.S. Government for many years.

We see now quoting the lowest prices ever heard of, of the four following the lowest prices ever heard of, of the four orders large or small, and will lend our lilustrated Catalogue of Tents and Catalogue of Ten

GEO. B. CARPENTER & CO. 202-208 So. Water St..



ELECTRO-CHEMISTRY, RECENT ADvances in.—By J. W. Richards, A.C., Ph.D. A very exhaustive and interesting paper on the progress that has recently been made in the apparatus for and methods of

WANT A LAUNCH? YOU

That you can run vourself. That is Clean and Safe.



That requires neither Licensed Engineer nor

Send 10 cent stamp for Illustrated Catalogue of

THE ONLY NAPHTHA LAUNCH.

GAS ENGINE AND POWER COMPANY, 185th St., Morris Heights, New York City.

ENGINES, Boilers and Machine Tools. New "Machinery & Supplies." W. P. Davis, Rochester, N. Y.

EMERY Emery Wheels, Grinding Machines and Grinders' Supplies, Quick process and large stock. When in a hurry, buy of THE TANITE CO. NEW YORK CITY, CINCINNATI, and STROUDSBURG, PA.

Free Catalog. Geo. R. Fuller, Box 2150, Rochester, N. Y.

CIDER & WINE PRESS MACHINERY.

POWER AND HAND PRESSES. (Capacity, 10 to 120 Bbls. in ten hours.) Send for 50-page Catalogue. Empire State Pulley and Press Co. FULTON, OSWEGO Co., N. Y.

At 4 Price Bicycles, Watches Gurs, Puggies Harness, Sewing Machines Organs. Planos Asles, Tools Seedes of all virieties and 1000 other articles. Lists free. Chito'do Scale Co., Chicago. Ill.

- - THE - -



DET ESTABLISHED 1845.

The Most Popular Scientific Paper in the World Only \$3.00 a Year, Including Postage.

Weekly--52 Numbers a Year.

This widely circulated and splendidly illustrated paper is published weekly. Every number contains sixteen pages of useful information and a large number of original engravings of new inventions and discoveries, representing Engineering Works, Steam Machinery, New Inventions, Novelties in Mechanics, Manufactures, Chemistry, Electricity. Telegraphy, Photography, Architecture, Agriculture, Horticulture, Natural History, etc. Complete list of Patents each week.

Terms of Subscription.—One copy of the Scien-

TIFIC AMERICAN will be sent for one year - 52 numbers—postage prepaid, to any subscriber in the United States, Canada, or Mexico, on receipt of Three Dollars by

the publishers; six months, \$1.50; three months, \$1.00.
('lubs. - Special rates for several names, and to Postmasters. Write for particulars.

The safest way to remit is by Postal Order, Draft, or Express Money Order. Money carefully placed inside of envelopes, securely sealed, and correctly addressed, seldom goes astray, but is at the sender's risk. Address all letters and make all orders, drafts, etc., payable to MUNN & CO., 361 Broadway, New York.

Scientitic American Supplement

This is a separate and distinct publication from ${\bf THB}$ SCIENTIFIC AMERICAN, but is uniform therewith in size, every number containing sixteen large pages full of engravings, many of which are taken from foreign papers and accompanied with translated descriptions. THE SCIENTIFIC AMERICAN SUPPLEMENT is published weekly, and includes a very wide range of contents. It presents the most recent papers by eminent writers in all the principal departments of Science and the Useful Arts, embracing Biology, Geology, Mineralogy, Natural History, Geography, Archæology, Astronomy, Chemistry, Electricity, Light, Heat, Mechanical Engineering, Steam and Railway Engineering, Mining, Ship Building, Marine Engineering, Photography, Technology. Manufacturing Industries, Sanitary Engineering, Agriculture, Horticulture, Domestic Economy, Biography. Medicine, etc. A vast amount of fresh and valuable information obtainable in no other publication.

The most important Engineering Works, Mechanisms, and Manufactures at home and abroad are illustrated and described in the SUPPLEMENT.

Price for the SUPPLEMENT. for the United States, Canada, and Mexico. \$5.00 a year; or one copy of the SCIENTIFIC AMERICAN and one copy of the SUPPLEMENT, both mailed for one year to one address for \$7.00. Single copies, 10 cents. Address and remit by postal order, express money order, or check,

MUNN & CO., 361 Broadway, New York.

Building Edition.

THE SCIENTIFIC AMERICAN BUILDING EDITION IS sued monthly. \$2.50 a year. Single copies, 25 cents. Thirty-two large quarto pages, forming a large and splendid Magazine of Architecture, richly adorned with elegant plates and other fine engravings; illustrating the most interesting examples of modern Architectural Construction and allied subjects.

A special feature is the presentation in each number of a variety of the latest and best plans for private residences, city and country, including those of very moderate cost as well as the more expensive. Drawings in perspective and in color are given, together with Floor Plans. Descriptions, Locations, Estimated Cost, etc.

The elegance and cheapness of this magnificent work have won for it the Largest Circulation of any Architectural publication in the world. Sold by all

newsdealers. \$2.50 a year. Remit to MUNN & CO.. 361 Broadway, New York.

of the SCIENTIFIC AMERICAN, with which is incorporated LA AMERICA CIENTIFICA E INDUSTRIAL," or Spanish edition of the SCIENTIFIC AMERICAN is oublished monthly, and is uniform in size and typography with the SCIENTIFIC AMERICAN. Every number contains about 50 pages, profusely illustrated It is the finest scientific, industrial export paper published. It circulates throughout Cuba, the West Indies, Mexico, Central and South America, Spain and Spanish possessions—wherever the Spanish language is spoken. THE SCI-ENTIFIC AMERICAN EXPORT EDITION has a large guaranteed circulation in all commercial places the out the world. \$3.00 a year, postpaid, to any part of the world. Single copies, 25 cents.

Manufacturers and others who desire to foreign trade may have large and handsomely displayed announcemen's published in this edition at a very moderate cost. Rates upon application.

MUNN & CO., Publishers 361 Broadway, New York.

PRINTING INKS,

The SCIENTIFIC AMERICAN is printed with CHAS ENEU JOHNSON & CO.'S INK, Tenth and Lombard Sts., Philadelphia, and 47 Rose St., opp. Duane, New York