



# SCIENTIFIC AMERICAN



AN ILLUSTRATED  
JOURNAL OF SCIENCE MECHANICS AND THE ARTS



Vol. XCV.

MUNN & CO. NEW YORK

PAID BY MAIL



# SCIENTIFIC AMERICAN


Vol. XCV.—No. 1.  
ESTABLISHED 1845.

NEW YORK, JULY 7, 1906.


10 CENTS A COPY  
\$3.00 A YEAR.



Peterborough Lock in Course of Construction.



A General View of One of the Peterborough Locks.



View on the Opening Day. The West Chamber is Elevated to Full Height. The East Chamber Contains a Steamer About to be Raised.

THE PETERBOROUGH LIFT-LOCK OF THE TRENT VALLEY CANAL.—[See page 8.]

## SCIENTIFIC AMERICAN

ESTABLISHED 1845

MUNN &amp; CO. - - Editors and Proprietors

Published Weekly at

No. 361 Broadway, New York

## TERMS TO SUBSCRIBERS

One copy, one year, for the United States, Canada, or Mexico.....\$3.00  
 One copy, one year, to any foreign country, postage prepaid, 40 lbs. 5d. 4.00

## THE SCIENTIFIC AMERICAN PUBLICATIONS

Scientific American (Established 1845).....\$3.00 a year  
 Scientific American Supplement (Established 1876)..... 5.00  
 American Homes and Gardens..... 3.00  
 Scientific American Export Edition (Established 1878)..... 3.00  
 The combined subscription rates and rates to foreign countries will be furnished upon application.  
 Remit by postal or express money order, or by bank draft or check.  
 MUNN & CO., 361 Broadway, New York.

NEW YORK, SATURDAY, JULY 7, 1906.

The Editor is always glad to receive for examination illustrated articles on subjects of timely interest. If the photographs are sharp, the articles short, and the facts authentic, the contributions will receive special attention. Accepted articles will be paid for at regular space rates.

## VOLCANIC ACTIVITY AND RADIUM.

Were it not for the fact that Major C. E. Dutton is considered one of the foremost authorities on earthquakes and volcanic activity in this country, his new theory of volcanic activity, published in the pages of a monthly scientific review, would probably be received with scant attention, although his arguments are both ingenious and plausible. Almost every natural phenomenon which has been inadequately explained by the theories at present in vogue, has latterly been attributed to some form of radio-activity.

Major Dutton starts with the fundamental proposition that our present conception of a volcano, which is that of a safety-vent, is inapplicable to the conditions which we know exist. The earth is no longer regarded as an immense sphere of liquid or semi-liquid material surrounded by that solid crust of indeterminate thickness which constituted the interesting but unconvincing teachings of our schools and colleges some twenty years ago, but as a fairly solid globe. Furthermore, the discharged masses of any single volcano are hardly sufficient to bear out the existing theory, which can be proved simply enough. Draw a segment of a section of the earth, and plot upon it to scale a section of a volcanic lava reservoir. Severe as many eruptions concededly are, it will be found that the quantity of lava discharged from the plotted volcano will only in exceptional cases be more than two or three cubic miles. To be sure, masses as high as six cubic miles have been estimated, but such a discharge is unusual. An investigation of this character must show how small, indeed, is the amount of lava expelled for the amount of activity manifested.

If we conceive a volcano to be nothing more or less than the geological safety valve of our schooldays, why is it that one eruption does not immediately reduce the internal pressure and render the volcano dormant? We find, on the other hand, that eruptions constantly recur before and after an outburst of maximum force.

If we may judge from a study of the relative intensity of the disturbances caused by eruptions, we are more or less justified in holding, as Major Dutton states, that a lava reservoir is very shallow, perhaps rarely more than three miles deep. When we consider the fact that seismic disturbances, as a general rule, increase to a certain point and then subside, we may assume that there is a gradual development of volcanic heat and a gradual diminution. At the point of maximum temperature the steam invariably contained in lava exerts its greatest pressure, and forces out the lava in an eruption of more or less violence.

Dismissing the old conception that the material discharged was maintained in a molten condition for ages after the earth cooled down; dismissing, too, the idea that the lava reservoirs are but the projections of a central molten mass, because such projections would have solidified millions of years ago; and dismissing further the doctrine that the cause of volcanic activity is steam generated at great depths, because steam would be unable to lift the thousands of tons of rock above it, Major Dutton holds that the heat must be generated in or surrounding molten lava.

The next step is to ascertain what may be the cause of this internal heat. Major Dutton finds in radium a substance which has all the properties that he seeks. It is admitted that the earth contains either radium or radio-active minerals. The calculations which have been made, rough, to be sure, but still sufficiently accurate for the purpose in hand, tend to prove that the heat developed by subterranean radium is far greater than can be radiated into space under normal conditions. The only weak point in the theory is the amount of radio-active material which must be contained in a volcanic reservoir to produce disturbances as violent as those which have been recorded in historic times. Furthermore, there is the difficulty of the

relatively short life of radium; but this, it must be confessed, is overcome by granting its constant reformation from some material such as uranium, a supposition which the latest views of physicists justify.

Whether or not we accept the theories which Major Dutton has advanced, we must at least admit that they are as plausible as the theories which have dominated geological teaching for the last half century.

## THE CAPTURE OF A LIVE OKAPI.

Great interest has been aroused in English scientific circles by the recent communication from Capt. Boyd-Alexander and G. B. Gosling, who are making a tour of exploration through the Congo, that the party has secured a specimen of the okapi. The animal was secured in the district of Angu on the River Welle by the captains' Portuguese collector. The latter made several attempts to obtain the animal by means of the rifle, but it was too wary and nimble. At last the Portuguese resorted to the native trapping methods, by digging a pit in which a specimen ultimately fell. Capt. G. B. Gosling has also gathered some definite data concerning the somewhat speculative nature and habits of the okapi. He states that it is generally found singly and sometimes in pairs, but according to the Mombatti hunters, groups of three have been seen on rare occasions. He also remarks that the okapi frequents haunts where there is a small stream of water surrounded with muddy and swampy ground. In such regions there thrives a certain plant with a very large leaf, growing on a single stalk, and which invariably attains a height of some ten feet. This leaf constitutes the favorite food of the creature, and Capt. Gosling ventures to suggest that the animal is only to be found in those districts where this plant exists. The creature feeds and prowls around through the swamps during the night, since it is never observed in the daytime. It has, however, been seen feeding by the natives up to as late as eight o'clock in the morning, but very rarely. During the day the animal lurks in the fastnesses and seclusion of the forest, venturing abroad in search of food at dusk. Capt. Gosling on three occasions observed the animal busily feeding, and was able to approach quite close to it without frightening it away, so that he was able to follow its movements and habits among the swamps with perfect ease. Capt. Gosling is the first white man to see the okapi alive, and it is anticipated as the result of his close observations, that he will be able to contribute extensively to our meager knowledge of the animal. On these occasions at first it could hardly be discerned, so carefully was it concealed in the swamp vegetation. The animal is possessed of remarkably acute hearing, and on this account the Mombatti natives class it among the bush-buck, the local name of which is "bungana." Owing to its extreme wariness, even the natives, who are born hunters, very rarely succeed in running it to earth, the most successful methods of securing it being by means of the pit trapping. The dead specimen that has been procured will probably be forwarded to one of the English museums, since it is stated to be in excellent condition.

## A NEW BLOWPIPE WELDING PROCESS.

One of the most recent improvements in the use of the blowpipe on an industrial scale for the melting and welding of metals and performing different operations at a high heat has been brought out at Paris by the Société l'Oxyhydrique. For a long time inventors sought for a good system of blowpipe which would give a complete combustion of the hydrogen, acetylene, or other gas in the oxygen, and especially to form a homogeneous flame. But the fear of explosion prevented them from operating the mixture of the two gases before burning them, and the gases were brought by two separate tubes, either parallel or converging. Under these conditions the flame was composed of regions having quite a different nature. In the present case, the inventors succeed in mixing the two gases in the body of the blowpipe itself, before the burning. Completely mixed the molecules of oxygen and combustible gas arrive at the flame in the proper proportions for a complete combustion. As to how the inventors were able to prevent the explosion of the mixture which is thus formed, we find that it is by giving to the gas mixture a speed which is higher than the rate of propagation of the flame. Since the researches of the Fire-damp Commission, we find that an explosive mixture inclosed in a tube does not inflame at once throughout the entire tube. From one end of the tube, the ignition goes to the other at a certain speed which increases as the square of the tube section. If the gaseous mass moves toward the ignition point at a higher speed than this, the fire will not reach the inside of the tube. The application of this discovery to a blowpipe is very simple, but it required some one who should think of it, as always happens. That the idea is new is evidenced by the patents which the company has obtained in the leading countries. It has been using the apparatus for the last few years with great success. This latter is of simple form, and the

blowpipe consists merely of a long conical nozzle at the large end of which the gases are introduced by two openings. A rubber tube passes from each inlet to a gas cylinder provided with valves and pressure gages combined with gas-expanders. Oxygen and hydrogen are used. In the larger form, the rubber tubes go from the cylinders to a common mixing chamber and from this a single tube passes to the blowpipe. The lighter form of blowpipe weighs only half-a-pound, while the acetylene blowpipes weigh several times this. The new system is specially useful for welding tubes, sheet steel pieces, boiler work, etc. A remarkable application is that of cutting metals, and a round piece is cut out by the flame from a one-inch steel plate at the rate of one foot per minute. By using a compass-like device which brings the flame down on the plate and rotates it around, the circular disk is cut out of the thick plate like a saw cutting a soft plank, and the gap which it leaves is scarcely wider than a saw-cut. The outlying metal is not affected, as the blowpipe action is quite local.

## THE VAGARIES OF WELLS.

According to the observation of M. Grosseteste upon some of the wells which are situated in the canton of Geneva, it appears that the wells have the remarkable property of drawing in air at certain times and of blowing out air at other periods. These wells are considered by the inhabitants of these districts as very exact indications of the weather. When the wells blow out air, it is a sign that rain is to follow, and when air is drawn in, it is a sure indication of fine weather. Since the wells are covered with a flat stone having a hole in it, according to the custom of the region, it is easy to observe the direction which is taken by the current of air. Some observers installed upon one of the wells a pressure-gage of U-form and were thus able to find some interesting points about the air-currents. Thus they find that a well is very seldom in a state of equilibrium. It blows out when the barometer falls, and sucks in air when it rises. These variations do not exceed a height of one inch on the gage. As to the theory of the action of these wells it is to be remarked that they lie in strata of alluvial gravel covered with vegetable earth which is quite or nearly impervious to water. We may therefore admit that owing to the spaces which exist between the stones of the gravel, these strata form a reservoir of great capacity in which the water circulates. The water comes into the cavities when the atmospheric pressure is lowered, and it leaves them when the pressure rises. The effect of these movements is thus felt within the well, inasmuch as the latter forms the connecting point with the outer air. This phenomenon may be said to have a considerable analogy with the emission of gases by certain hot springs, to caves where a current of air circulates upon the ground, to the variations in the flow of springs, and other phenomena of a like nature.

## NERVE IMPULSES AND THEIR PROPAGATION.

In a paper on the propagation of nerve impulse, published in the American Journal of Physiology, W. Sutherland gives it as his opinion that the electrical properties of nerves have received much attention, and the present hypotheses of nerve impulse propagation, though seemingly purely mechanical, are in reality to be regarded as electrical also. For though he refers the "conductivity" of nerve to the rigidity of its substance, he has previously given electrical explanations of cohesion and rigidity. Two lines of thought lead to a conception of the possible importance of rigidity in the phenomena of nerve and muscle. In the first place it is known that a jelly offers but little more resistance to the passage of a small ion than does pure water at the same temperature, despite the enormous difference in the large-scale viscosities of the two media. This proves that in a jelly the molecules of the gelatine form a mesh dividing the jelly into compartments with network walls which confine the molecules of water in batches. The cellular structure gives to the jelly its rigidity, yet the meshes are so open that an ion urged forward by electric force has little difficulty in passing from one compartment to another, and encounters most of its resistance in passing through the batches of water molecules. Thus the jelly has rigidity on the molar scale, and fluidity on the molecular. Just as an ion moves through the jelly almost independently of the presence of the network, there ought to be phenomena of the jelly confined to the network as regards cause and effect. How would it be possible to propagate disturbance through a jelly without appreciably affecting its contained water, as a diver signals by his rope to the man in charge of the air pump. It seemed to Mr. Sutherland that muscular contraction and nerve conductivity might be physiological answers to this query. The second line of thought regards the slowness of the propagation of nerve impulse as probably connected with the small rigidity of the soft tissues in the animal body.

**STATISTICS OF TURBINE-PROPELLED VESSELS,  
MAY 1, 1906.**

In 1894 a small vessel of astonishing speed made its appearance among the British fleet in the harbor of Spithead. This was the experimental turbine steamer "Turbinia," of about 100 feet length and 44 tons displacement, and driven by Parsons turbines. The construction of that vessel marks the beginning of the contest between the marine reciprocating engine and the marine turbine, in which the latter has been steadily gaining.

The reciprocating engine has about reached the limit of its efficiency, and is susceptible of little further improvement. The "Kaiser Wilhelm II.," one of the newest of the four great German steamers which have held the speed record since 1897, has four quadruple-expansion engines, yet she is little faster than the oldest of the four, the "Kaiser Wilhelm der Grosse," which has only two triple-expansion engines.

The turbine, especially the Parsons turbine, possesses the merit of comparatively small height—a great advantage in warships, where the height of the engine is limited to a maximum of about 26 feet by the necessity of putting it under the armored deck. Consequently, turbines appealed strongly to naval constructors, despite the waste of fuel and other defects observed in the earliest turbine vessels.

But there were dissenting voices. Chief Constructor Melville, of the U. S. navy, pointed out, in 1901, the excessive vibration of the turbine steamer "King Edward," while in 1905 the chief constructor of the North German Lloyd, after crossing the Atlantic in the turbine steamer "Victorian," reported that turbines were unsuitable for large vessels, that they saved neither space, weight, nor fuel, and possessed only one advantage—that of diminishing vibration!

After making numerous experiments, neither systematic nor very thorough, England has taken the bold step of equipping her newest and largest warships and auxiliaries—the battleship "Dreadnought" and the subventioned Cunard liners "Lusitania" and "Mauritania"—with Parsons turbines. The Cunarders, with a length of 790 feet, 40,000 tons displacement, 60,000 horse-power, and a speed of 25 knots, will be the largest and swiftest merchant vessels afloat; while the "Dreadnought," which was launched in February, 1906, and will have a displacement of 18,289 tons, engines of 23,000 horse-power, a speed of 21 knots and a battery of ten 12-inch guns, will be the largest, swiftest, and most formidable of warships. It is rumored that the British Admiralty intends to equip all new warships with turbines. The only large turbine vessel now in the British navy is the 3,000-ton cruiser "Amethyst." There are also two turbine-driven destroyers, "Velox" and "Eden," while two others, "Viper" and "Cobra," have been wrecked. The merchant fleet of England includes many turbine vessels, nearly all of which have Parsons turbines. The oldest is the Clyde passenger steamer "King Edward," built in 1901. Three years later appeared the "Manxman," of 2,100 tons, 8,500 horse-power, and 23 knots, and the Allan liners "Victorian" and "Virginian," of 11,200 tons. In 1905 the Cunarder "Carmania," 675 feet and 30,000 tons, was launched. Two more 11,000-ton turbine vessels are being constructed for the Allan Line, and the royal turbine yacht "Osborn" is also under construction.

In Germany the Parsons turbine was adopted for the 3,000-ton cruiser "Lübeck," launched in 1904, and torpedo boat "S 125." The performances of both have been satisfactory, though not startling, and in December, 1905, Parsons turbines were ordered for another torpedo boat and the cruiser "Ersatz Wacht," of 13,600 horse-power. The government has also chartered the Hamburg-American liner "Kaiser," which has Curtis turbines.

France has been still more cautious. An experimental vessel, the "Libellule," built in 1905, and torpedo boat "No. 243" have Rateau turbines, while "No. 293" has Parsons and "No. 294" has Laval turbines. No larger naval vessels have been equipped with turbines.

In the United States the scouts "Salem" and "Chester" and the Pacific liner "Creole," of 10,323 tons, have turbines. Italy is building a turbine-driven armored cruiser, the "St. George," and Russia has an experimental 160-ton vessel with Rateau turbines. Japan, confidently following England's lead, has ordered in England Parsons turbines for two new battleships, the "Satsuma" and the "Aki."

It appears, therefore, that turbines have not yet replaced marine cylinder engines extensively except in England, but the reduced height and bulk and other advantages of turbines, together with the impossibility of improvement in cylinder engines, must eventually cause England's example to be followed by other nations.

Within three weeks nearly thirty tons of gold specie have been transferred from England to America.


**A CASE OF ALLEGED REASONING IN A DOG.**

Wilhelm Ament in Arch. f. d. ges. Psychol. relates an anecdote concerning the behavior of a dog, a two-year-old "Zwergpinscher." According to Ament, the dog was accustomed to sit on a chair in front of a window overlooking neighboring houses and yards. One cold day the window was so thickly coated with frost that the dog could not enjoy his customary view. Confronted with this situation, the dog proceeded to lick the frost until a round area about the size of a plate had been cleared away with some difficulty. The dog then took up the more natural canine occupation of watching the cats in the adjoining yard. Several times during the winter the window was similarly cleaned for the same purpose.

Ament, being a psychologist, endeavors to explain this interesting bit of natural history. In very dignified and involved German he concludes that by means of the experience of wiping with its snout, the dog hit upon the licking away of at first the softened layers of ice, and later of the more solidly frozen ones. That the dog straightway hit upon the method of licking Ament does not consider surprising when we remember how often during the day a dog licks himself, everybody, and everything. Ament believes that, all things considered, we seem to have here the correlation of the series of experiences or ideas partly different from one another (wiping with the snout, licking with the tongue), partly analogous (licking away of other things and the licking away of frost on the window) with an end in view (namely, looking through the window).

**JAPANESE EARTHQUAKE THEORIES.**

While appreciating the value of the researches of Nagaoka, Kusakabe, and Otani, F. Omori, in an article published in the Physico-Mathematical Soc., Tokyo Proc., cautions one against applying the results of their experiments on the elastic and other properties of rocks to the explanation of earthquake phenomena. Kusakabe argues that earthquake vibrations of small amplitude should travel faster than those of larger



THE VISIBLE HEAVENS.

amplitude. But the velocity of the third phase of the prominent portion of earthquake motion is always 3.3 km. sec., be the earthquake small or large, the vibrations sharp or slow and insensible. According to Nagaoka's views on secondary vibrations the periods of earthquake vibrations should always become longer with increased amplitude; but this the author shows, by examples, does not hold either, the periods remaining practically constant during the principal and the end portions. Moreover, the displacements would be very small and within the elastic limit of rocks. Nagaoka replies to Omori. Static and kinetic experiments must be distinguished. The quantity, displacement-wave-length, referred to by Omori is arbitrary in vibrating systems, and the objection meaningless. By tapping prisms of sandstone periodically, Kusakabe had obtained summation frequencies up to the eighth order, and difference frequencies up to the seventh order.

**HOW ENGLAND DISPOSES OF OLD SHIPS.**

The extent to which British shipowners dispose of old vessels to foreigners is shown in statistical tables published in Lloyd's Register of Shipping. The tonnage cleared off in this way last year was 512,701 tons, comprising steamships of 422,395 tons, and sailing vessels amounting to 90,306 tons. By these sales, which are the largest since 1900, Germany acquired 101,903 tons, Italy 78,671 tons, Japan 66,328 tons, and Norway 59,702 tons. It must be a very considerable advantage, from a British point of view, to have a market like this for "second-hand" vessels. Tables which are included in the registrar general's returns indicate that about 18 per cent of the tonnage removed from the Register because of foreign transfer was built before 1880, nearly 43 per cent before 1885, 62 per cent before 1890, 78 per cent before 1895, and over 90.6 per cent before 1900. In addition to the second-hand tonnage transferred to foreigners, 52,464 tons were transferred to British colonies during 1905, as compared with 37,464 tons in 1904, 62,907 tons in 1903, and 32,603 tons in 1902.

**THE VISIBLE HEAVENS.**

BY FREDERICK R. HONEY.

Probably the ordinary observer of the heavens does not realize how large a portion of the celestial sphere comes within the range of vision every twenty-four hours during the year. The popular impression in the minds of persons living in either hemisphere is that about one-half of the heavens (possibly a little more) is visible; whereas, at different points on the earth's surface, the proportion varies between one-half at either pole and the whole of the celestial sphere at the equator.

The circle *CPEP'*, Fig. 1, represents the celestial sphere, on the surface of which we may conceive that the stars are situated; *P* and *P'* being respectively the north and south poles of the heavens, and *CE* the celestial equator. The small circle may be taken to represent the earth, with the understanding that it is entirely out of proportion to the celestial sphere, i.e., it should be represented by a mere point. It is enlarged to illustrate the horizon of each pole, which is drawn parallel to *CE*. When the earth is represented by a point, these parallel lines coalesce and become coincident with the celestial equator. The reader will see that by an observer at either pole nothing can be seen beyond the celestial equator; one-half of the heavens, i.e., *CPE*, being continually within the range of vision of the observer at the north pole, while the observer at the south pole is limited to the other half, *C'P'E*.

In Fig. 2 the drawing of the earth is enlarged, in order to exhibit clearly the range of vision of an observer residing in any latitude, e.g., *ab*, which represents the parallel of New York. The circle representing the celestial sphere is drawn within the limits of this page, in order that the reader may understand the explanation which follows. It will be evident, however, that the earth as well as the vertex of the cone touching it along the parallel *ab* would be reduced to a point in comparison with the celestial sphere. The size of the circle representing the latter, however, does not affect in any way the consideration of the proportion which is visible or invisible at a given latitude.

If we draw tangents to the circle at the points *a* and *b*, they will meet on the earth's axis produced at *v*; and if these lines be prolonged in the other direction, they will intersect the circle representing the celestial sphere at *c* and *e*. The horizon of *a* is *cav* produced until it intersects the celestial sphere at the point opposite to *c*; and the horizon of *b* is *ebv* prolonged to the point opposite to *e*. During one revolution of the earth the tangent *vac* generates a conical surface, which intersects the celestial sphere in the circle represented by the chord *ce*, and which is the limit of a zone of the heavens which is never visible to an observer residing at the latitude *ab*. The

area of this zone is very small as compared with that of the entire heavens. The area of the zone *cde* is equal to that of a circle described with a radius equal to the chord *cd*. The latitude  $\phi$  is equal to  $\frac{\phi}{2}$ , which subtends

$$\text{this chord; therefore } cd = 2 \sin \frac{\phi}{2} R; \text{ and the area of}$$

$$\text{the zone} = \pi (2 \sin \frac{\phi}{2} R)^2 \text{ The area of the surface of}$$

$$\text{the celestial sphere} = 4\pi R^2. \text{ Comparing these areas, the}$$

$$\text{area of the zone} = \frac{\pi (2 \sin \frac{\phi}{2} R)^2}{4\pi R^2}, \text{ which reduces to}$$

$$\sin^2 \frac{\phi}{2}.$$

$$\text{At the pole } \phi = 90 \text{ deg.; and } \sin^2 \frac{\phi}{2} = \sin^2 45 \text{ deg.} = \frac{1}{2},$$

i.e., one-half of the heavens is invisible. At the

$$\text{equator } \phi = 0, \text{ and } \sin^2 \frac{\phi}{2} = 0; \text{ in other words, no por-}$$

tion of the celestial sphere is beyond the range of

$$\text{vision. At latitude } 60 \text{ deg. } \sin^2 \frac{\phi}{2} = \sin^2 30 \text{ deg.} = \frac{1}{4},$$

or one-fourth is invisible. At the latitude of New York

$$\phi = 40 \text{ deg. } 45 \text{ min. } \sin^2 \frac{\phi}{2} = \sin^2 20 \text{ deg. } 22.5 \text{ min.} = \frac{0.12+}{2},$$

or about  $\frac{1}{8}$ ; i.e., seven-eighths of the heavens is within the range of vision every twenty-four hours throughout the year.

A good cement for switchboard repairs, where iron has to be fastened to marble, is said to consist of 30 parts plaster Paris, 10 parts iron filings, and half part of sal-ammoniac; it is mixed with vinegar to a fluid paste for use and made freshly, for it solidifies if allowed to stand.

### AN ELECTRO-MECHANICAL COIN COUNTING AND WRAPPING MACHINE.

BY A. FREDERICK COLLINS.

Of the many labor-saving devices introduced into banking and business methods in recent years certainly not one of them is more successful in reducing to a minimum the amount of work involved than the coin counting and wrapping machine. Where a large number of coins have to be counted and wrapped by hand those who do the work must be highly skilled or there will be numerous errors, and this is especially true when the operators become fatigued. The machine illustrated in connection with this article was constructed by Edward Van Winkle, an electrical engineer, of New York city, and the speed and accuracy with which it counts and wraps coins is a matter of no little surprise to one who sees it in action for the first time.

A conception of what the machine can do can perhaps best be conveyed by comparing it with hand labor. The most proficient manual expert can count and wrap without error not more than one package of coins per minute, while the machine will wrap from eight to twelve packages per minute, depending upon the size of the coins. It is evident, therefore, that the machine will duplicate the work of eight or twelve persons, with the added advantage of absolute accuracy.

The machine, which is driven by an electric motor, is as nearly automatic as human ingenuity can make it, and its speed is limited only by the ability of the operator to scrutinize the coins and feed them into a hopper, and actual working tests have shown that at least three hundred coins can be looked over, and bad ones eliminated, every minute by a fairly rapid operator. A reference to the illustration will enable the reader to form a good general idea of how the money is counted and then wrapped, not by electricity exactly, but rather by a mechanism driven by an electric motor.

Flush with the top of the elongated hopper is a small table and on this the coins are placed. The operator spreads them out so that they may be quickly observed, individually and collectively, and in case there are any mutilated or counterfeit pieces among them they can be thrown out. This preliminary work accomplished they are merely pushed into the hopper and left to the machine to do the rest. From the hopper they are conducted by and through a conduit to a reciprocating push-bar, and here, regardless of thickness and diameter, they are brought together in a row preparatory to being wrapped. When the number of coins required to make a bundle, of say twenty half-dollars, are brought forward the last one registers the fact, and also sets the wrapping mechanism, inactive until now, into operation.

The coins, now counted and bunched, are carried by means of a holder from the buncher to the wrapper, the holder returning to its first position into which the coins are deposited ready for the next package. While the coins are thus being carried to the device which rolls them into packages the holder picks up and takes with it the end of the paper to be used in wrapping and which has been conveniently left behind by the package wrapped before it. At the same instant with this action the lower coin roll is thrown out of its normal position forming in consequence a recess or pocket with the two upper rolls, and into this the row or bunch of coins is transferred.

The roll returning to its first position, it, with the others, begins to revolve and the band of wrapping paper is drawn by friction around the bundle of coins, between it and the rolls, by the motion of the latter. Making two complete revolutions, the paper is wound tightly around the coins twice and projecting beyond them allows enough for the crimp. When the paper has been wrapped around the coins a V-shaped knife severs it from the roll of paper.

The final process consists of crimping the edges of the package, and this is done by turning them inwardly by the crimpers, these drawing the converging edges of the paper, made by the knife, in opposite directions, the result being a clean, smooth and mechanically perfect package in which neither paste nor glue is required as a fastener. Since all coins are not of the same thickness, naturally the length of the package varies

for different coins; but whatever may be the length, the crimpers force the edges of the paper up tightly to the surface of the coins. When the crimping is completed the package resembles somewhat a cart-ridge, when it is ejected from the machine into a box, which may then be detached and carried wherever the packages of coin may be needed. One of the clever

while his family were industriously wrapping in order to swell his bank account sufficiently to pay his rent, that he invent a way to count the coin by machinery and thus save the tedious hand labor."

Acting upon this suggestion he invented a machine, patented it and then built it, only to find on completion that it would not do the work commercially as it should. His general idea was good but the mechanical movements he utilized in developing it were not the proper ones. Instead of the three rotary rolls as now employed he used a loose belt to form a pocket; instead of crimping the ends he used glue to fasten the package, and finally instead of feeding the paper from below he fed it from above. Under more scientific treatment, however, all the defects were eliminated and a perfect coin counter and wrapper resulted. Thus a machine of great value has been brought about in one that otherwise would have ended in flat failure, and all due to simple but necessary changes.

The electric motor for running the new machine consumes but three-tenths of an ampere at 110 volts and connection is easily made by means of a light socket and a plug. A turn of a button switch starts or stops it as desired.

### THE TAMENESS OF WILD ANIMALS.

BY CHARLES FREDERICK HOLDER.

That wild animals become extremely tame is well known. The wild quail of Southern California will enter gardens, and nest there; and in the protected season I have seen a flock standing in a country road, a jaunty male between them and my horse, not twenty feet away; moving only when I moved, and then with reluctance. Several years ago some residents on one of the


channel islands of Southern California introduced a number of black-tailed deer which were protected to such extent that in time they discovered that they were privileged characters, and assumed nearly the absolute contempt for human beings held by the sacred bulls of India, that crowd men and women from the road. They persisted in entering gardens, day and night, destroying the plants, and finally to locate them the dwellers on the island had bells fastened to them. One buck made his home near the town of Cabrillo and walked about the place and over the hills with the freedom of a dog. When a boat landed off the pier the buck ran down to greet the newcomers and share their lunch, and became a welcome guest at barbecues and lobster and clam bakes. As time went on this deer through attention became extremely arrogant and began to resent any lack of attention; in a word, like many persons, he could not stand prosperity; and one day when an old lady refused to allow him to eat her lunch, the buck drew off and bowled the lady over. This seemed to open up a new field of pleasure to the deer (and women particularly appeared to be the object of his enmity), which at last became so pronounced that the animal had to be placed in

confinement. Nearly all animal life is protected at this island. I have counted half a hundred bald eagles in an eleven-mile run; have seen them take a large fish from the water within easy gunshot, and they build their nests on pinnacles that are not difficult of approach. The sea birds are equally tame. Gulls gather in flocks a few feet from those who feed them; in the winter flocks of cormorants swim into the bays and are so tame that they merely divide when a boat passes, and fishermen often find that the cormorants take off bait almost as fast as they can put it on. Gulls dash at bait, and I have seen a long-winged, petrel-like bird follow my line under water at a cast, using its wings to fly along, and take the bait; and at times scores of sea birds are seen inshore feeding upon small shrimps, paying no attention to observers photographing them.

The most remarkable illustration of tameness to be seen here is that of the sea-lions, the story of which is so graphically told in the accompanying photograph. For

ages the animals have held possession of a mass of rock on the shore of the island. A few years ago many were killed by vandals, but laws were passed and for a number of years the sea-lions have been protected and the rookery has increased in size until a split has recently occurred and another settlement


(Continued on page 8.)



AN ELECTRO-MECHANICAL COIN COUNTING AND WRAPPING MACHINE.

features about the machine-made wrapper is that, like a good safe, it is burglar-proof; that is to say, it is quite impossible to break into it and extract a coin without completely destroying the paper case in which it is wrapped. As the ends of the package are not sealed, it is unnecessary to write or print on the wrapper the value of the coin inside, as the denomination can be readily seen; if, however, such markings should be desired the roll of paper can be printed before it is put into the machine. The longest wrapper measures  $7\frac{3}{4}$  inches long by  $2\frac{3}{8}$  inches wide, while the shortest wrapper is  $4\frac{1}{8}$  inches long by  $2\frac{7}{8}$  inches wide. The long wrappers are adapted to twenty-five-cent pieces, and the short ones to fifty-cent pieces. It is pointed out that the economy of paper can only be realized when one attempts to wrap the coins by hand in a wrapper that has been cut off by the machine.

While Mr. Van Winkle designed and constructed the machine described, he was not the inventor, but developed it for one of his clients. He gives us this excellent version of its origin: "The inventor of the device had been connected with a 'penny-in-the-slot' machine company and was dependent for his living upon returns from several of these vending machines;



Copyright 1906 by Ironmonger.

WILD SEA-LIONS COMING OUT UPON THE BEACH TO BE FED AT AVALON, CAL.

his revenue was all in coin and he came to dislike the sight of it. He had three nail kegs in his room in which he deposited his daily collections, and if perchance he wanted to pay some bill by check he and all his family would have to stay up all night counting and wrapping these coins so that he could deposit them in the bank. His wife suggested in fun one evening,

**WELLMAN'S AIRSHIP FOR HIS NORTH POLAR EXPEDITION.**

BY THE PARIS CORRESPONDENT OF THE SCIENTIFIC AMERICAN.

The airship in which Walter Wellman, accompanied by three other men, expects to make a dash for the North Pole from Tromsø, Norway, next month, has been designed and constructed with very great care by Louis Godard at his aeronautic establishment near Paris. The balloon itself is a remarkable piece of work, aside from the fact that it ranks among the largest airship balloons that have ever been built. The most casual observer will notice its substantial construction, and it seems likely to weather the severest shocks which it may receive in the voyage toward the Pole. No less than seven thicknesses have been used by M. Godard in making the canvas. The principal novelty lies in the use of layers of pure Para rubber, which are placed between the layers of silk and cotton canvas. This is the first time that a light, as well as a strong, envelope has been secured in this way. Starting from the inside, we have first a layer of strong and specially woven French silk fabric; then on the silk is applied a layer of rubber, and on top of this comes a layer of cotton canvas. A thinner layer of rubber comes next, and then a second layer of cotton. Over this and forming the outer coating of the balloon is a thin layer of rubber. Such a combination of layers is very resistant, both to the pressure of the gas and to the moisture, which is one of the well-known features to be met with in the Polar regions. Seeing that the rubber is attacked by the atmosphere, it is not a usual thing to place it on the outside of the balloon; but in the present case it has been used for a number of reasons, the principal ones being that the airship will be in use but a comparatively short time, and that it was desired to have a smooth surface and especially to avoid the penetration of moisture into the tissues of the balloon, which would weight it down.

What is striking about the whole construction is the practical ideas which prevail in the design of all the parts. Thus instead of using a long cigar-shaped body, M. Godard preferred to shorten up the balloon considerably, and give a length which is only three times the largest diameter, so as to make it quite steady and easy to handle in the filling operations as well as in the actual flight. Thus we have a balloon whose total length is 160 feet and greatest diameter 52 feet. The large diameter lies near the front and in the proportion of 2 to 5. The cubic volume is 8,200 cubic yards, and the total surface of the balloon 2,400 square yards. A long guide-rope will trail upon the ice so as to steady the airship's flight. For these different reasons it will be seen that the chances of accident are very much lessened.

The car (body part) of the new airship, while it is built along the general lines which have now become familiar, has many new points when we come to examine it in detail. Credit must be given to the well-known engineer, H. André, for much of its design. Suspended

below the balloon body by steel piano wires, the nacelle, which measures about 50 feet long by 6 feet wide and 4 feet high in the middle part, is tapered out at both ends, with the longer taper in front and the shorter toward the back. A slight change has been made over the first design of the nacelle, and it now tapers down both on the top and bottom of the


with the machinist Colardeau. Inside the cabin Mr. Wellman and Major Hersey will have their quarters.

The main beams of the nacelle, which run from end to end, are formed of timbers of rectangular section reinforced by an angle piece in aluminium, which is placed on the outside and nearly covers the beam. The upper and lower beams are joined by a series of light wood braces placed vertically and spaced about 5 feet apart. At the middle part the height of the frame is about 4 feet. A set of wood braces run across between the two lower beams and serve to support the flooring, which is a continuous platform running from one end of the nacelle to the other, so that it is easy to circulate upon it. The main cabin, made of osier, is somewhat above a man's height and covers the whole width of the nacelle, having almost a cubical form. On either side are six windows of a light basket work, and other windows are made in the front and rear of the cabin. A complete set of wireless telegraphy apparatus is to be installed in the cabin. The mast wire is formed by the steel guide-rope cable which trails upon the ice. Thus the party will be able to keep up a constant communication with the base of operations at Spitzbergen and from there with Hammerfest, so that if all goes well we will constantly have news of the expedition.

The question of providing the motive power which is to propel the great airship has been solved in the most practical manner by the use of two gasoline motors and two separate propellers, so that if anything should happen to the principal motor, the second one will be sufficient to run the airship by means of the smaller propeller. Toward the front part of the main platform is mounted the 60-horse-


power motor of the automobile type, constructed by the well-known Clement firm, of Paris. This motor will be observed in the foreground of our illustration, together with the gearing which connects it with the main shaft of the larger propeller. Above the motor is placed a set of radiating coils consisting of 24 flanged tubes. The radiator has piping which runs to both of the motors. As regards the Clement motor, it is of the most recent design and has four vertical cast-steel cylinders mounted on an aluminium crankcase. Both the inlet and exhaust valves are cam-operated. On the front side is a water pump and on the rear a magneto, both geared to the main shaft.

The second gasoline motor, which is placed near the cabin, is of smaller size, being but 25 horse-power. It was furnished by the Turgan Company, of Paris, and has two separate cylinders. The magneto and water pump are both located at the rear. Single-reduction gearing is used to connect each of the motors to their respective propeller shafts, each motor being used exclusively for its own propeller. The pinion is mounted outside the flywheel of the motor and upon a triangular frame made of steel tubes is supported an outer ball-bearing for the motor shaft. At the top of the frame is a second ball-bearing for supporting the main shaft of the large propeller, which is about three inches in



Front End of the Airship Body. The Man in Black is Walter Wellman.

frame, ending in a portion about 18 inches square which is formed of an aluminium frame containing the propeller-shaft bearing. At each end of the nacelle is a propeller driven by a separate motor. At the rear of the middle platform is situated the main cabin for the aeronauts, which is formed of basket work. In front of it is the 25-horse-power motor for the rear propeller, while still further forward is the main motor for the front propeller. The space lying around and between the two motors forms the main platform or deck of the airship, and here will be stationed the aeronaut Hervieu, whose long experience led him to be chosen as second in command, along



Center of Body, Showing Cabin on the Left, the Two Motors and Radiator, and the Gears Which Drive the Forward Propeller Shaft.

diameter. On one end of the latter shaft is placed the large gear wheel which meshes with the pinion. The front propeller works at the rate of 260 R. P. M., while the smaller one runs at 280 revolutions. By running both propellers at the same time we obtain a total of 85 horse-power for the airship. As it is not desired to travel faster than about 15 miles an hour the large propeller alone will generally suffice. With both motors the speed will be 20 miles an hour. Steel-tube framing covered with stout canvas is used for both propellers. The diameters are 18 and 15 feet respectively.

Next to the rear motor is mounted a small five-horse-power motor of the Werner two-cylinder motorcycle type. It is used for driving the air blower which fills out the inside air-bag, or balonette, contained in the balloon.

At the rear end of the balloon is a vertical rudder, and a horizontal frame runs under the balloon for some distance in order to steady it. On the nacelle is placed a 20-gallon gasoline tank of flat form and a 10-gallon water tank. The main gasoline supply is carried in a set of long cylinders. Under the nacelle will be hung a large, flat basket or car which will hold all the supplies and provisions. One of the features is an automobile sled which contains provisions for 75 days, and is designed to run on the ice by means of a cylindrical roller provided with points.

By the time this article appears, the material will have already been packed up and sent to Spitzbergen, and Mr. Wellman, along with his aids, will have arrived on the spot, where Major Hersey has been erecting a great balloon shed along with annex buildings, a meteorological station, and a hydrogen plant.

#### THE TAMENESS OF WILD ANIMALS.

(Continued from page 6.)

has been established half way up the island. It has been the custom for years for fishermen in cleaning their fish to toss the refuse into the bay, and the sea-lions formed the habit of coming down to the bay at this time to dine thereupon. At first only one or two came; now a band of two large bulls and several females make their headquarters at the bay, or spend most of the time there, constituting a valuable sanitary corps, as they eat every fragment of fish, the gulls joining in the feast. When not feeding, the sea-lions pass the time lying within a few feet of the beach, sleeping or playing, the females and young leaping from the water and going through various tricks of interest to the looker-on.

But a few feet away from the sea-lions are the boat-stands of the fishermen and boatmen, and boats are moving out and over the sea-lions constantly; yet they are apparently oblivious to the men, who never molest them. This has had a peculiar result. The enormous animals have become so tame that they almost allow the men to touch them, and readily come out upon the shore to feed from their hands. It so happened that I was upon the sands when no sea-lions were in sight, and upon asking a boatman where they were, he began to whistle, as though calling for a dog, and to call, "Here, Ben!" repeating the call several times, whereupon out from among the anchored boats appeared not only Ben, but two large bull sea-lions, which must have weighed half a ton, followed by two or three smaller females. The boatman tossed some pieces of albacore into the water, which the sea-lions dashed for, and down upon their heads plunged several score of gulls, paying not the slightest attention to the huge animals cavorting about. The sea-lions seized the dead fish under water, brought it to the surface and with a violent swing back and forth, tore the fish in pieces, the birds taking the debris, while several large pelicans floated in the immediate vicinity ready to pounce upon any fragment that came their way. Not ten feet from this interesting scene floated several boats containing spectators, yet the wild animals paid no attention to them, affording a remarkable illustration of the tameness of animals when protected. When this fish was disposed of the boatman took a large albacore by the tail and walked down the beach, calling the sea-lion by name. The animal responded at once, coming inshore with a rush, followed by two others. The boatman gradually retreated up the beach, the huge animals following, in their clumsy waddle, resembling gigantic slugs more than anything else, finally taking the fish from the man's hands. The scene was so remarkable, the confidence in the man so complete, that I requested a local photographer, Charles Ironmonger, to photograph the group, and the accompanying illustration is the result, showing a dramatic situation that occurs daily at Avalon Bay on the main street of the little town, affording a free show to visitors and sojourners on the island. The rookery where the animals make their headquarters is about two miles distant, and the sea-lions are so tame here that they can be approached with ease, and are the constant objects of amateur photographers who visit the locality in yachts and boats of various kinds.

#### THE PETERBOROUGH LIFT-LOCK OF THE TRENT VALLEY CANAL.

For many years great interest, particularly in Canada, has attended the construction of the Trent Valley canal project, to join Georgian Bay with Lake Ontario by means of a waterway, partly artificial, partly using natural watercourses, across the Province of Ontario. By means of this canal the long detour through Lakes Huron, St. Claire, and Erie is avoided, and the distance from the upper lakes to the eastern end of Lake Ontario is shortened by about 250 miles. In the total distance of 203 miles there are only about 20 miles of actual canal, the remaining portion of the waterway being through lakes and river stretches rendered navigable by dredging or by building dams. It is intended that the waterway shall have an ultimate depth of 8 feet, though at present the depth is but 6 feet. The configuration of the territory through which the waterway runs necessitates thirteen locks of the ordinary type, 134 feet by 33 feet, and three hydraulic lifts. Two of the latter are as yet but partially completed, though the third, near the town of Peterborough, has recently been opened to traffic. The construction of the Peterborough lift is of interest for various reasons; primarily, because it is the largest structure of this character in existence, and because concrete has been almost exclusively used in building it.

All the more recent structures on the Trent Valley are of concrete, and this material has been used wherever possible, in high-level bridges, swinging bridges, dams, culverts, and locks. The waterway is a barge canal, and when the 8-foot depth has been reached vessels of 800 tons burden may be used. The time for a tow to reach Montreal from Georgian Bay is estimated at six and a half days, employing steam barges as tow-boats as well as freight carriers. The entire cost of the canal when completed will be under \$10,000,000.

The hydraulic lift-lock at Peterborough is on a four-mile section of the canal, and overcomes an elevation of 65 feet in a distance of 800 feet. The hydraulic lift-lock is theoretically automatic in principle, and is of great value where considerable differences of elevation are found in comparatively short distances, or where water available for canal use is scarce. The lift is operated on the principle that as a loaded vessel descends in one chamber of the lock, an empty one ascends in the other chamber, an additional volume of water in the lifted chamber being raised to the upper reach as the difference between the weights. A novel feature of value in the lift-lock is that it is double, permitting two vessels to be locked up and down respectively at the same time.

The Peterborough lock, as in other similar structures, consists essentially of a pair of watertight steel boxes, or chambers, carried by heavy trusses which are supported by two rams, each of which works in a steel press under each chamber. In the present instance the rams are 7 feet 6 inches in diameter, and the presses are connected by a 12-inch pipe, provided with a regulating valve governing the flow of water from one press to the other. The chambers are provided with swinging doors at each end, hinged at the lower edge and swinging outwardly, to permit the ingress or egress of the vessels raised or lowered. The gate construction of the Peterborough lock is a departure from the usual form of sliding gate heretofore employed, and is said to be a distinct improvement over the older form. By means of the lift-lock the operation is materially shortened, as it takes but three minutes to raise or lower the lock chambers, and from twelve to fifteen minutes to pass one or two vessels through the lock. As a further precaution, a hydraulically-operated gate is placed on the upstream of the lock.

The lock is built upon a mixture of hard clay, stone, and bowlders overlying a limestone rock, which forms the foundation for the substructure, built wholly of concrete. This substructure includes the main or breast wall, the wings, the side walls, and three towers, as well as the walls which terminate the lower reach. The main wall serves as a retaining wall for the upper reach, while the wings serve to hold the side embankments. The structure has been carried out in pleasing architectural effect by means of moldings and pilasters formed in the concrete.

The towers are approximately 100 feet high from the rock, and some 30 x 40 feet at the base. These towers contain the guides for the chambers, and the central one has, on its top, the cabin from which the lock operator controls the mechanism. The main wall is 126 feet long at the base, 80 feet in height, and 40 feet thick. It is pierced by a roadway, and thereby obviates the necessity of a swinging bridge. In the main wall, too, is a chamber in which the turbines and pumps are installed. The chamber pits are kept dry by the side walls which, as mentioned above, form the retaining walls for the earth alongside the waterways. The pits under the chambers are separated by a 12-foot wall.

The lock chambers are of large size, having clear inside dimensions of 139 x 33 feet, with a height of 9 feet 10 inches. The trusses which carry the chambers

are of the double cantilever style, while four plate girders 9 feet in depth bring the load directly on the top of the ram columns. Each chamber weighs 800 tons empty, and 1,700 tons when filled with water. The pressure on the rams is nearly 600 pounds to the square inch. The rams are hollow and of cast iron, about 3¾ inches thick. The presses in which the rams work are steel castings having an internal diameter of 92½ inches and 3½ inches thick, the space between the rams and the presses being 1¼ inches. Each press was tested to a pressure of 2,000 pounds to the square inch; and the stuffing box at the top, filled to a depth of 9 inches with braided hemp held in place by a steel gland, does not leak under a pressure of 1,200 pounds to the square inch. The press wells are 18 feet deep, 16 feet 6 inches in diameter, lined with concrete to a finished depth of 14 feet 2 inches. To take the heavy load at the bottom of the presses, estimated at 2,000 tons, large blocks of granite were employed as foundations.

The lock is operated by placing the lower chamber with its bottom level with the bottom of the canal, thus allowing it to contain an 8-foot depth of water, while the bottom of the upper chamber is 10 inches lower than the bottom of the canal above, and thus contains water to a depth of 8 feet 10 inches. This gives the upper chamber an approximate weight 100 tons greater than the lower one. When the vessel has entered the lower one, the gates are closed and the valve of the connecting pipe is opened. The extra weight in the upper chamber causes that chamber to descend, forcing the water from the press below it into the other press, and causing the other chamber to rise with the rams that bear it. The weights of each chamber will be the same, whether merely filled with water or bearing a vessel, for, as is well known, a floating body displaces exactly its own weight of the liquid.

It is, of course, necessary to form a watertight joint between the end of the chamber and the end of the reach of the canal, the distance between the two being a little less than 2 inches. The joint is accomplished by means of a rubber hose fastened to the face of the reach along the sides and bottom, which is inflated with compressed air. The tube is flat and lies along the frame of the gate, and requires little air pressure to make a tight joint. Large rubber strips are employed within the chambers to prevent water leakage along the rims, the edges of the gates being machined to true surfaces which press against the rubber strips.

Various devices, including pumps and an accumulator having a ram, are used to remove casual water in the lock chambers and to supply water losses arising from the operation of the lock. Certain of the pumps are operated by turbines working under a 65-foot head in a chamber in the substructure.

#### The Death of George J. Snelus.

George J. Snelus, the metallurgist, vice-president of the Iron and Steel Institute, died on June 20 at the age of 69 at his residence, Ennerdale Hall, Fritzington, Cumberland.

The family of George James Snelus was impoverished when he was but seven years old, but the mother succeeded in giving the boy a good education and he was trained for a teacher at St. John's College, Battersea. After teaching several years he studied sciences at Queen's College, Manchester, and the Royal School of Mines, for which he gained a free scholarship. At the latter he had a brilliant career, carrying off medals and scholarships, and upon graduation securing appointment as chief chemist at the Dowlais Works, a post he filled for four years and a half. In 1871 he was made a member of the scientific commission sent to the United States to investigate steel-making processes, and on his return to England he announced the discovery of a process which enabled the making of pure steel from impure iron in a Bessemer converter lined with basic materials. This discovery of the basic steel process gained him the gold medal of the Iron and Steel Institute in 1883 and revolutionized the steel-making industry, as phosphoric iron, theretofore useless in steel making, could be used. His processes are employed in all countries.

A large roundhouse, with locomotive drop-pits of novel design, and equipped with an overhead traveling crane, has been built in connection with two new yards of the Pennsylvania Railroad at East Altoona, Pa. The roundhouse is a complete circle 395 feet in diameter, with fifty-two stalls 90 feet deep, and is served by a turntable 100 feet in diameter. The main portion is 65 feet wide, with a 60-foot 12½-ton crane, while parallel with this is a lean-to span in which the smoke outlets are placed. There are four drop-pits, one large enough to take all driving wheels at once, two for single pairs of driving wheels, and one for truck wheels. The table of each pit is operated by vertical screws working in nuts revolved by worm-wheel gearing, the screws descending into iron pipe sunk below the floor of the pit.

Correspondence.

Flying Machines and Wind Resistance.

To the Editor of the SCIENTIFIC AMERICAN:

In a letter from Mr. George T. Tomlinson, published in your issue of June 9, under the title of "Flying Machines and Wind Resistance," I notice the following statement: "If an airship pitches more when running to the wind than when running away from it, it must be due to the fact (I do not know the authority) that the wind is in waves, still this should be felt just as well going with the wind."

According to the best information that I have seen on the subject, the observed pitching of airships and balloons is seldom very great. When pitching does occur, it must be due to the wind coming in puffs, as Mr. Tomlinson suggests. That such puffy winds are common is well known to all sailors. As the natural period of pitching for an airship is probably considerable, the puffs which would affect it most would not, unless of great intensity, be readily detected by an observer on an airship except by its pitching. They would not be felt directly as variations in the velocity of the ship through the air; hence Mr. Tomlinson's apparent uncertainty as to whether they really do occur.

The amount of pitching of any ship or floating body in a medium in which waves or "puffs" (as of wind) exist depends on its own natural period of vibration, rolling or pitching, which may be calculated from the dimensions of the body and the density of the medium. If the period of vibration and the interval between puffs are nearly the same, the pitching or rolling will be violent; if they differ considerably, it will be very slight. Hence anything which alters the interval between puffs as felt by the ship will affect its pitching. When an airship is running into the wind, the effective interval between puffs at the airship is: (Actual interval at a fixed point) ×

$$\frac{\text{Velocity of wind} - \text{Velocity of ship}}{\text{Velocity of wind}}$$

When an airship is running before the wind, the effective interval is: (Actual interval at a fixed point) ×

$$\frac{\text{Velocity of wind} + \text{Velocity of ship}}{\text{Velocity of wind}}$$

Hence, subtracting, we find that the difference between the effective interval running before the wind and that running into the wind is: (Actual interval at a fixed point) ×  $\frac{2(\text{Velocity of ship})}{\text{Velocity of wind}}$ . (The velocity of wind

and of the ship are those relative to a fixed point on the earth.) Obviously this difference may be considerable, and may, therefore, cause the ship to pitch more either when running into the wind or when running before the wind. As the interval between puffs is usually large compared with the period of pitching, the effective interval between puffs when the ship is running into the wind, being much less than that when the ship is running away from the wind, is most likely to coincide with the period of pitching of the ship, so then in general, airships pitch most when running into the wind. Similarly, most vessels pitch when running into a head sea, and captains are sometimes forced to alter their course in such circumstances in order to make repairs, get out anchors, or do other things which violent pitching renders difficult.

W. W. AMMEN.

U. S. Patent Office, Washington, D. C., June 16, 1906.

The Magic Sphere and the Gravitational Sense Organ.

To the Editor of the SCIENTIFIC AMERICAN:

In the current issue of your valuable paper you publish an article by Dr. Alfred Gradenwitz, entitled "The Magic Sphere." The author prefaces his discussion of the sphere by some very pertinent observations in regard to the sense of the vertical in connection with the power of vision.

You have seen fit to affix exceptions in a subsequent note, in which you discredit the idea of any gravitational sense organ, and also disagree with the author in his deduction that diametrical walking would be difficult on a rotating floor of the kind described.

I am not a scientist nor a mathematician, but I nevertheless am decidedly of the opinion that the author is correct in both these matters. First, in regard to the gravity sense organ, I have long been of the opinion that such a thing existed. This was first called to my notice in the following way:

I noticed, when seated below in a small sail yacht, that every time the boat came about, I seemed to see the walls of the cabin in a state of rotation around me. I repeatedly watched the phenomenon, and tried in vain to ascribe it to the working of any known sense or senses. This set me to thinking, and I soon took up the matter of the sense of the vertical, with similar results. This sense of sudden change of direc-

tion is closely correlated with the sense of the vertical, or of gravity, for an organ sensible of gravity would quite likely be sensible of change of motion, or inertia. It will be observed that no sense of rotation exists, *per se*, but it is only during the state of change that it can be perceived, and then only when the change is rapid. Just as the plumb-bob will remain in its former position if its support is suddenly rotated, and thereby indicate the change of direction, just so the organ or whatever it may be to which we owe this sense, operates under similar conditions. It does not seem credible to me, at any rate, that the impression of what constitutes an upright position is derived from external ocular observations. I once stood on the outermost edge of the overhanging rock that tops the outward-leaning wall of Glacier Point, which rises nearly half a mile from the floor of the Yosemite. I noticed then that all ocular means for determining a vertical were lacking. When viewing the earth from a height, slopes are not perceptible, and hills of considerable size are not recognizable. Therefore, with all objects removed to such a great distance, there remained to a person standing on the end of this rock only the sense of the vertical derived from gravity, to keep in an upright position. Indeed, how does this sense remain even when the sight is destroyed? If a person is revolved, or other means are used to put him in that dizzy condition where it is difficult to stand erect without staggering, and then the light is suddenly extinguished, the person is sure to fall, i.e., if the subject is really sufficiently disturbed to lose all sense of the vertical. To my mind, this is a strong argument for the gravitational sense organ. This is put out of working order by the treatment to which the subject is subjected, and the eyes are all that remain to guide him. Under these conditions, he sees objects about him rocking like a ship at sea, and attempting to follow the motion, he staggers. If the light be extinguished, he has no guide, and he falls.

In regard to the second point, viz., that diametrical walking would be difficult on a parabolic floor in a state of rotation, it is only a matter of figures to prove this to be correct. Let us suppose that the magic sphere in question is rotating at the rate of 14 revolutions per minute. Now, suppose an occupant, standing some distance from the center, approaches the axis at the leisurely rate of three miles per hour. At this rate he will shorten the diameter of the circle he is making about the axis by 8.8 feet in one second. This occasions a change of velocity of 6.4499 feet in a second. This acceleration is positive when the occupant moves centrifugally, and minus when he moves centripetally. Now, this acceleration is approximately one-fifth gravity, which is (for convenience) 32 feet per second. Therefore, if the speed of rotation be increased, a point may be reached where the occupant, in order to approach the axis at the moderate rate of three miles per hour, will have to exert a force equal to his own weight. This point would be attained at 69½ revolutions to the minute. Under these conditions the occupant would be obliged to lean far to the side in the direction of the rotation when walking centrifugally, and opposite to the direction of rotation when walking centripetally.

If I am laboring under any delusion in forming these conclusions, I should thank you for setting me right. As I said near the outset, I am neither a scientist nor a mathematician. BENJ. S. DEAN.

Philadelphia, Pa., June 16, 1906.

Interesting Papers on Dynamic Flight.

Two interesting and valuable pamphlets on dynamic flight have just been published in this country. These are entitled "Resistance of Air and the Question of Flying" and "Flight Velocity." They are from the pen of Herr Arnold Samuelson, engineer, of Schwerin in Mecklenberg, Germany, and they give the results of his work, both experimental and speculative, in this line for the past thirty years. The first-mentioned pamphlet gives the author's experiments and theories, and in the second, which was written after he heard of Langley's experiments, he compares his own experiments with those of Prof. Langley, and points out wherein they agree and disagree. Samuelson disagrees with Langley in several important points, such as in claiming that the center of pressure of an aeroplane is always one-third of the way back from the front edge, no matter what the angle of incidence, and also that the pressure perpendicular to the plane is independent of the angle of inclination. He ends by stating that the aeroplane is not the proper form of dynamic flying machine after all, and by giving it as his opinion that the flapping wing idea is the only one that will succeed. He has constructed and experimented successfully with a model of this type, and he gives working drawings of it in the pamphlet on "Flight Velocity," besides stating his willingness to send gratis to anyone interested full directions for building a motor-propelled, man-carrying machine of this type. All of his aeroplane experiments were made with small models similar in form to Langley's, although very much smaller and propelled by elastic bands.

Automobile Notes.


With the running off of the Grand Prix race in France on June 26 and 27, the first great road race of the year was successfully completed. This race, which was substituted for the Bennett Cup race by the French constructors in order to allow a greater number of French cars to compete, was run on two successive days over a triangular course some 60 miles in length, the total distance being about 750 miles. Out of 32 starters but 16 finished the first day's race, and 11 the second. Szisz on a 105-horse-power light-weight Renault machine was the winner, his total time being 12 hours, 14 minutes, and 7 seconds, corresponding to an average speed of over 63 miles an hour. Nazzaro, on a 135-horse-power Italian Fiat, was second in 12:45:25; and Albert Clement, on a 125-horse-power Clement-Bayard machine, third in 12:49:46. Barillier, on a 105-horse-power Brazier, was fourth in 13 hours and 53 minutes, Lancia on a Fiat fifth in 14:22:11, and Heath, on a 130-horse-power Panhard, sixth in 14:47:45. Three Brazier machines formed the only team that finished, these gaining fourth, seventh, and ninth places respectively. Two 125-horse-power German Mercedes cars were the last to finish, the best time of the two being 16:18:42, made by Alex. Burton's machine. The success of the winner is said to be largely due to a new detachable rim, by means of which a punctured tire is removed complete with the rim and a new, fully-inflated tire is quickly slipped on. Szisz is said to have changed tires no less than nineteen times during the race, and to have been able to change a tire in four minutes instead of requiring fifteen or twenty.

The American Automobile Association's tour for the Glidden Trophy, which starts from Buffalo on July 12 and ends at Mt. Washington, N. H., on the 28th, is to be one of the simplest reliability runs that have ever been held in this country. The cars will be run on a schedule, and checkers will be located about 25 miles apart, for the purpose of keeping tab on the contestants. The latter will be given the time at which they must pass the checkers and arrive at the finish. One point will be deducted for every minute they are behind time, and two points for every minute they are ahead. An average speed of from 15 to 17 miles an hour will probably be required. All repairs, adjustments, filling of tanks, etc., must be made each morning after the car has been officially started, though an allowance of 10 or 15 minutes will doubtless be made for this. The winner of the trophy will be the car which loses the least number of points from being behind or ahead of time from any cause whatsoever. The route of the tour extends through one of the most picturesque sections of the United States and Canada. Three days will be consumed in making the run from Buffalo to Saratoga, with stops at Auburn and Utica. Sunday, July 22, will be spent in Saratoga. The next day's run will be to Elizabethtown, in the heart of the Adirondacks. July 19 will be spent in Montreal, July 22 and 23 in Quebec, and July 27 at the Rangeley Lakes in Maine. These days for resting and sight-seeing will no doubt be greatly appreciated by all who participate in the tour. Elaborate preparations have been made for the successful conducting of this event. Accommodations have been provided by the committee for the accommodation of 400 people at the different stopping points. In some places tents will be used, and at Three Rivers, in Canada, one of the St. Lawrence steamers will accommodate the tourists over night. One and a half tons of confetti will be used by the pilot car in marking the route. From present indications, about fifty cars will be entered. Most of these are four-cylinder touring cars of 24 horse-power or over. Although there was a protest at the idea of not admitting light cars to the contest, which resulted finally in the admission of the same, very few of the entrants have cars of this class.

The Current Supplement.

The current SUPPLEMENT, No. 1592, opens with an excellent article by the English correspondent of the SCIENTIFIC AMERICAN, describing the difficult feat of transporting by rail the huge stern frame and brackets which now form part of the Cunarder "Lusitania." Excellent illustrations accompany his text. Dugald Clerk continues his illuminating exposition of internal combustion motors. The æsthetic versus the economical value of Niagara Falls is discussed. The grains used for breakfast foods are made the subject of a short but interesting article. Now that the law has been passed which renders it possible to make alcohol for industrial purposes tax free, we hope to publish, from time to time, exhaustive articles on the manufacture of industrial alcohol and the methods by which it is denaturized. The first of these articles appears in the SUPPLEMENT, and is entitled "Alcohol from Sawdust." It describes very fully the results which have been obtained in Germany with an experimental plant producing alcohol in this way. Wellman's huge Polar airship is also described.

## FROM THE TOBACCO LEAF TO THE CIGAR.



ALTHOUGH we are a nation of smokers, many will learn with a shock of surprise that the annual estimated expenditure in this country for cigars alone reaches the stupendous figure of \$300,000,000.

It must be admitted that an industry whose total revenue is written in nine figures possesses an interest which demands for every question affecting it the most thoughtful consideration.

The present article deals with the technical side of the cigar industry; and it will be shown that in the manufacture of this, as of many another familiar luxury of our modern life, there is involved a variety of delicate processes and a range of technical skill, far greater than the average citizen would suppose. Ask the man on the street if he knows how cigars are made, and he will probably tell you that he does, having frequently watched the process in some one or other of those shop-window exhibitions, which form a favorite method of advertising the stock of goods within. Yet it is a fact that if the cigar is being carefully and properly made, the man who rolls it is merely performing the last operation in a succession of carefully-considered and carried-out processes which, as in the case of the American Cigar Company, whose plant and methods are described in the present article, will extend over a period which must be measured by months and, in the case of some brands of cigars, even years of time. We have often pointed out in the columns of the SCIENTIFIC AMERICAN that, as far as the merely technical side of any industry is concerned, there are undoubted advantages to be gained from the combination of a large number of factories and industrial plants under a common management. We have often shown that not only does it become possible to introduce economies both in management and labor, but that the shop traditions and special methods of manufacture peculiar to each of the factories thus brought together enable the consolidated concern to produce an article embodying all the points of excellence, or as many as it may wish to incorporate, of these hitherto separated and opposed interests. As an immediate result, the consolidated interests are in a position not only to turn out a superior product, but to produce it at lower cost.

Although the methods by which the cigar leaves are rolled up into the cigar and covered with the wrapper are, except for the introduction of cigar-making machinery, the same to-day as they have been from time immemorial, there has been great progress made in the art of preparing the leaf for the cigar roller, and this is particularly true of the company whose plant forms the subject of the accompanying illustration. In fact, if they were asked to indicate where they had been enabled to make the greatest advance in the art of cigar manufacture, they would undoubtedly point to their large stemmeries, located chiefly in the moist southern climate, where new and elaborate methods have been introduced for subjecting the tobacco leaf to a thorough curing and blending process, intermediate between the curing at the leaf houses and the working up into the finished cigar. Broadly speaking, all cigars may be divided under three heads, according as they are imported cigars, domestic cigars, and little cigars. The term imported cigars is universally recognized as applying only to those which are made in Havana. As the strictest laws are enforced against the importation of tobacco to Cuba, it follows that all genuine Havana cigars are made of Cuban tobacco. For the birthplace of the cigar, we must go to Havana, Cuba, and for centuries the word Havana has stood for the highest quality. The Havana Tobacco Company controls 260,000 acres of the best tobacco lands in the Vuelta Abajo district, and they have twenty-five factories in Havana. Here Havana cigars are made in all grades, from the cigar which may be purchased on any stand at two for 25 cents up to the most expensive brands which, if bought at retail, would cost about \$2 apiece. The high quality of the most expensive Havana cigar is due to the very careful selec-




Fig. 1.—Tobacco is Unloaded from Cases in Which It Comes from the Leaf Houses, Placed on Trucks and Sprayed with Water Preparatory to Sweating.

tion of the tobacco—tobacco which is grown in limited quantities in specially-favored districts; secondly, to the perfect curing and blending of the leaf and to the high wages which are paid to the best cigar makers; and lastly, to the fact that in making the most expensive grades, these men are allowed to take all the time they consider necessary.




Fig. 2.—Selecting and Blending the Fillers. Poor Tobacco is Thrown Out; That of Good Quality is Placed on the Belt Conveyor.

Domestic cigars are made either from imported Havana tobacco, or from tobacco grown in this country, or from a combination of both. The domestic cigars, from the five-cent cigar upward, are made by hand in various factories of the American Cigar Company, to the number of twenty-five or more, which are scattered among the various cities of the United States. Quite a few cigars, below five cents in value, and all little




Fig. 3.—Spraying and Blending the Tobacco in the Mixing Cylinder.  
FROM THE TOBACCO LEAF TO THE CIGAR.

cigars, cheroots, and most of the stogies manufactured by this company, are machine-made.

In the manufacture of all cigars, whether they are made by hand or by machine, whether they are made to sell for five cents or two dollars apiece, perfect sanitary cleanliness is maintained, because a better product is thereby obtained, and the factory conditions are rendered pleasanter for the operatives.

THE LEAF HOUSES.—As soon as the tobacco crop has been gathered and stored in the barns, which is done in the fall of the year just before the coming of the frost, the company's agents select from their own farms, or purchase from the tobacco farmers, leaf tobacco suitable for various brands of cigars that are to be made. The tobacco for small cigars, cheroots, and all the cheaper brands is grown in the States of Wisconsin, Connecticut, New York, Pennsylvania, Ohio, and Florida. That for the more expensive brands is grown, as we have already noted, in Cuba, and the wrappers in Sumatra. The leaf tobacco as thus selected and purchased is delivered to the various leaf houses of the company. Here it is classified according to the brand for which it is to be used; is packed in cases, and shipped to large storage houses, where it is kept for twenty-four months and subjected to natural fermentation or sweating, the object of which is to sweeten and mellow the leaf, which otherwise would be strong and rank, and also to give it a uniform color.

At the time of purchase, the tobacco is classified according as it is to be used for wrappers, binders, or fillers. Contrary to the popular belief the wrapper has practically nothing whatever to do with the quality of the cigar, which is determined almost entirely by the filler. As a matter of fact, the filler constitutes about 94 per cent of the weight of the cigar, and it is questionable whether the average wrapper constitutes more than 2 per cent of its weight. Consequently, the color of the wrapper

can have but little effect upon the strength of the cigar; for the mildest cigar may be covered by a dark wrapper, and *vice versa*.

THE STEMMERIES.—In the ordinary process of cigar manufacture, it is customary for the buyers to ship the leaf tobacco to the various factories, where two or three grades will be placed on the cigar-maker's bench; and in making up the filler he will select a certain number of leaves from each grade, and roll them together in the cigar, thus making what is called a blended cigar. The American Cigar Company, however, consider that it is only possible to get a perfect blending of several different grades of tobacco if, after they have been mixed together, they are subjected to a second and artificial sweating or fermentation, and it is largely due to the thoroughness with which this process is carried out in their stemmeries that they attribute the excellence of their output. The accompanying illustrations are taken at the company's large stemmery in

Richmond, and the process as here illustrated and described may be taken as representative of their system.

CASING ROOM.—The tobacco is shipped from the leaf houses to the stemmeries in large cases, which are received in the casing room, opened, and inspected by the superintendent. The tobacco as it arrives is very dry and crisp, and if handled in this form is liable to break up and make a large amount of scrap. It is, therefore, opened out, bundle by bundle, and placed on large trucks where it is sprayed with water (Fig. 1) to make it pliable for handling. As the tobacco comes from the leaf houses, it will be of various qualities, and in loading it upon the trucks, the various qualities are taken, say from as many as eight different cases, so that each truck-load represents a blend of many varying grades. After being sprinkled on the trucks, it is taken to the sweat room, where it is kept at a temperature of 94 degrees and in a humidity of 95 per cent for a period of from two to four weeks. The trucks are then brought back to the casing department, where they are drawn up, six at a time, in front of what are known as the picking tables (Fig. 2). Here one man distributes the leaves from the trucks to the tables, where women untie the bundles, spread them out before them, pick out the inferior tobacco, which is used for a cheaper



Fig. 4.—Stemming the Leaf by Hand.



Fig. 5.—Stripping by Machinery. Operator Withdrawing Stripped and Booked Leaves.




Fig. 6.—Cutting Binders into Lengths to Suit Different-Sized Cigars.




Fig. 7.—Packing Tobacco in Cases at the Stemmy for Shipment to Cigar Factories.




Fig. 8.—Rotating Cylinder in Which the Scrap Is Dried After It Has Been Cut to Suit Size of Little Cigar or Cheroot.




Fig. 9.—Cheroot Bunch-Making. Girl Lays Binder on Rolling Apron, Filler Drops from Hopper Above.




Fig. 10.—Making Cheroots. Wrapper Being Transferred by Suction from the Die to the Cigar.




Fig. 11.—Pressing 5,000 Bunches for Cheroots in Molds at One Time in 30 Seconds.




Fig. 12.—Automatic Machine for Making Cups in Which Cheroots Are Packed. Capacity, 75,000 per Day.




Fig. 13.—Wire Bins into Which the Cups Fall by Gravity from the Cup-Making Machines. Capacity, 75,000 Each.

FROM THE TOBACCO LEAF TO THE CIGAR.

grade of cigars, and throw the good tobacco onto an endless traveling belt or conveyor.

**CASING MACHINE.**—The selected tobacco thrown on the belt is deposited in a copper-lined rotating cylinder (Fig. 3), where it is rolled over and over and sprayed with fine jets of water, to give it the proper amount of moisture for fermentation. It is then pitchforked into a truck, where it is packed down tightly, and taken to the sweat room, where it undergoes fermentation until it has thrown off all the sap and rankness, and has reached the best smoking condition. It remains here for a period of from three to four weeks. When this process is complete the leaf tobacco, still on the truck, is brought up to the third floor again and undergoes another process of blending, sometimes as many as five different grades being mixed together. This blending takes place in a revolving screen cylinder where, in addition to the blending, sand, soil, and any other substance from the farm are removed, and the tobacco is thoroughly cleaned. It is then loaded onto the trucks again, where it stays packed for two or three days, the purpose being to secure a thorough exchange of aroma between the different grades of leaf, and to draw the leaves to a uniform condition for stemming.

It should be understood that the process of artificial fermentation has a double result, each of which is vitally important to the quality of the tobacco. In the first place, as seen above, it serves to sweat out the rankness, removing the sap and gummy substances; and secondly it serves to secure a thorough exchange of flavor of aroma from leaf to leaf, various leaves giving and taking from one another, and securing, so the experts of the company claim, a blend greatly superior to that which can be obtained when a cigar is made up of leaves that come direct from the leaf houses and have not been subjected to artificial fermentation.

**STEMMING DEPARTMENT.**—The blended tobacco leaves are now wheeled on trucks to the stemming department, where the stems are removed. In stemming by hand, as shown in our illustration Fig. 4, the stem is torn from the leaf by the operator, who commences stripping from the tip, and by a deft movement strips it clear, leaving the leaf in two parts. In the illustration the stem is shown half torn away, the leaf being separated into two halves or strips, as they are called. The strips are neatly arranged, one above the other, in two piles, or "books," of fifty leaves each. The books of strips are taken from the stripping benches and placed on wire trays, 14 inches wide by 3 feet long. There are eight piles to the tray. The trays are loaded into the shelves of large trucks, ninety-six trays to the truck, and brought down to the drying department.

**DRYING DEPARTMENT.**—In the drying department the strips are allowed to dry out naturally for a period of twenty-four hours. They are then placed in the dry room, where a current of warm air, at a temperature of 95 deg. to 100 deg. Fah., is driven through them until it has taken off all the surplus moisture, the process of drying occupying from four to five hours, according to the grade of tobacco. The trucks are then drawn out, and the tobacco allowed to cool out for twenty-four hours.

**ORDERING ROOM.**—The process of drying out is liable to have left the outside leaves of the tobacco a little too dry for packing, and, therefore, the trucks with their load are taken out and placed in what is known as the ordering room, as shown in Fig. 15. Here the tobacco strips are subjected to a current of humid air at a temperature of from 92 to 95 degrees, for a period of from fifteen minutes to half an hour. The trucks are then wheeled out and the contents removed and packed in paper-lined cases (Fig. 7), after which the cases of tobacco are placed in storage for from three to five months, in order to allow the tobacco to make a further exchange of aroma. The product is then ready for shipment to the various cigar factories.

A most notable feature in this stemmery is its absolute cleanliness, the free circulation of fresh air, the absence of dust, and the clean personal appearance of the people who are employed. Another feature that will be appreciated by smokers is the fact that the tobacco leaf in the stemmery rarely comes in contact with the hands of the workmen. Machinery takes the place of human hands wherever possible, and this of course aids in keeping the finished product free from anything objectionable.

**THE OLD VIRGINIA BRANCH.**—One great advantage of the widely-extended operations of the American Cigar Company is that, making such a great variety of cigars, and of such widely different grades, it becomes

possible not only to secure great economy by using up all of the tobacco in some one grade or other, but it also becomes possible to use these various grades of tobacco in the particular quality of cigar to which they legitimately belong. Moreover, the company claims that by virtue of this variety and these economies, it is able to put a higher quality of tobacco into a given grade than could be put in that grade by a manufacturer whose operations were carried out on a less extensive scale. Interesting proof of this is shown in what is known as the Old Virginia Branch, which is devoted to the manufacture of what are known as "scrap filler" cigars; that is, little cigars, the fillers of which are made of high-grade, short-length tobacco from the factories which make the higher grades of cigars by hand. This branch handles all by-products, such as wrapper and binder cuttings, and short pieces of tobacco too short for long-filler cigars. The material is brought to this factory from the various fac-




Fig. 14.—Sorting for Color and Packing Little Cigars.

ories of the company in America, Cuba, and Porto Rico; and here it is cut up, hand-picked, thoroughly cleaned, sweated, and put through curing and blending processes analogous to those already described in the treatment of the stemmery.

The cases are opened, inspected, and graded. The tobacco is then sprinkled, allowed to stand for twenty-four hours, and then carefully picked over on tables to remove any foreign matter. It is then bulked in bins, and allowed to stand for twenty-four hours to draw it to a uniform condition. It next passes through a machine, where it is subjected to a further process of cleaning by means of an air blast, where all fine substances are blown away. Next it passes through a




Fig. 15.—Ordering Room in Which Fillers After Being Stripped, Booked and Dried Are Again Put in Condition for Shipment to Factories.

#### FROM THE TOBACCO LEAF TO THE CIGAR.

sieve, in which it is still further cleaned and graded as to size. It next passes down to a steam drier (Fig. 8), a large rotating cylinder in which the tobacco is thoroughly dried out. From the drier it falls down through chutes to another floor, and direct into hogsheads, in which it is pressed down and snugly packed under a 750-pound press, ready for shipment to the little-cigar factories.

**CIGAR-MAKING MACHINERY.**—The illustrations of the manufacture of little cigars by machinery were taken at the Whitlock branch, which employs 1,750 hands, and is the largest single cigar factory in the world. It is chiefly occupied in the manufacture of Old Virginia cheroots and the Royal Bengals little cigar. As in the hand-made cigar the whole operation is performed by hand, so here it is done entirely by machines, which handle the tobacco and go through the operations of bunch-making and wrapping with more than human dexterity and accuracy. The total annual output of

this one factory reaches the figure of 250,000,000 cigars and cheroots.

The raw material which is brought to this factory from the various farms and stemmerys, etc., of the company, consists of long fillers and short fillers (the latter consisting of the cut-up leaf as prepared in the Old Virginia plant) and of binders and wrappers which have already been sweated and blended in the stemmery. As the tobacco reaches the factory in a comparatively dry condition, it is taken from the cases, dipped in water, and set upon a casing board to drain. It is left in this condition over night to insure distribution of the moisture, and is then shaken out and taken to the stemming department, where nearly 200 stemming machines are employed, one of which is illustrated in Fig. 5. In this machine the stems are stripped from the leaf. It consists of a pair of rotating cylinders, of the same diameter and carried on the same shaft, which are so placed that their abutting inner ends leave just sufficient space for the stem of the tobacco leaf to pass through. Engaging and projecting through the abutting edges is a circular rotary knife, which, as the tobacco leaf is drawn over the cylinders, neatly cuts out the stem, the two halves of the leaf or "strips" being wound on the cylinder. The process is repeated until fifty leaves have been passed through the machine and neatly laid one above the other in two piles or "books," as they are called, of fifty leaves each. The stems drop into a box below, and are ultimately sold as fertilizer. Both the binders and wrappers are stripped by this method. The books of fifty binders are now cut up into suitable lengths for the particular size of cigar that is to be made.

**AUTOMATIC BUNCH MACHINE.**—In making the "bunch" (the rough cigar, before the wrapper is rolled on) in the ingenious machine shown in our illustration (Fig. 9), the binders are carried in a box in front of the operator, and the filler (in this photograph consisting of the product of the Old Virginia branch) is loaded into the large circular hopper seen at the back of the machine. The girl spreads two pieces of binder on a horizontal rubber rolling belt, and the requisite amount of filler falls from the hopper and is pushed down into the binder by means of a rectangular plunger. Then the belt, by a swift movement, rolls the bunch, which is picked up by the girl and placed in a wooden mold, which is provided with pockets for twenty bunches.

The bunches are then loaded in their molds onto trucks, each of which carries 250 molds, or 5,000 bunches. The trucks are wheeled to a hydraulic press and subjected to a pressure of 1,500 pounds to the square inch, the whole time occupied in pressing this number being half a minute. The capacity of the bunching machine may be understood from the fact that these 5,000 cigars represent about one day's output of a single bunch-maker. The molds are now taken to a machine, which cuts off the long ends of the bunches, after which they are carried, still in the mold, to the automatic rolling floor.

**AUTOMATIC ROLLING FLOOR.**—The most ingenious invention in this establishment is the machine for rolling the wrappers on the cigars, which is shown in Fig. 10. The wrapper is spread over a die and held down upon it by suction, acting through a large number of holes with which the die is perforated. A knife, formed in the peculiar cucumber-like shape of the wrapper, rises through the die, and a roller passes over the wrapper, pressing it on the knife and cutting out the desired piece. Then another arm or carrier, which is connected by a flexible air hose with the curved suction pipe, which is seen standing at the center of the machine, picks up the wrapper by air suction. As it does so, a loop of wire rises from a little pot of paste, and pastes the end of the wrapper. Meanwhile another arm has brought over a bunch and placed it within a nest of three rotating rollers, which open to receive it. Next a needle comes forward, disengages one end of the wrapper from the carrier, and holds it against the large end of the bunch until the latter has made a turn and a half. Then, as the traveling carrier sweeps across the roller nest with its contained bunch, the wrapper is transferred and rolled on the bunch. Next the arm which brought over the bunch picks up the finished cigar, and places it between two rotary knives which cut it to length. As each cigar is rolled, the bunches, which have been placed on a feeding chain, are moved forward by the space of one bunch; and each bunch is picked up by mechanical fingers, taken over to be wrapped, and returned to the chain, without any human handling whatever. Here again ma-

chinery performs even more perfect work than is possible by human hands, and absolute cleanliness of the finished product is insured.



**HUMIDORS.**—A marked feature in the manufacture of the product of this factory is the care that is taken to keep the cigars in the proper moist condition, which is done by storing them for a certain length of time in humidors. The humidor is a room of special construction, with brick floor and walls, in which the temperature and humidity are maintained at a desired degree. Cigars are liable to become too dry in the process of manufacture, hence, as soon as the wrapping has been done they are taken to the humidor, where they are drawn back to perfect packing conditions. From the humidor they are taken to the cigar packers, where they are carefully sorted according to color and packed in boxes of twenty-five, fifty, and one hundred. The packed boxes are placed in large presses, and left there over night. The next morning they are returned to the humidor, where they remain for a period of from three to six weeks, at the end of which time they are ready for shipment to the dealers.

**A MECHANICAL PRIZEFIGHTER.**

To accommodate the needs of the professional boxer, as well as to instruct the novice in the "noble art of self-defense," Mr. Charles Lindsey, of 58 Glen Street,



**A MECHANICAL PRIZEFIGHTER.**



**THE MECHANISM OF THE SPARRING MACHINE.**

New Britain, Conn., has invented an automatic sparring machine. This machine is really a formidable fighter, and has already gained quite an enviable reputation in the many encounters it has had with local talent. Not only does it deliver straight leads and counters, but it varies these with an occasional uppercut, and its blows are rained with a speed and power that are the envy of the professional boxer. The machine does not "telegraph," that is, it does not give a warning of a coming blow by a preliminary backward jerk, which is so common to all but the best of boxers. Nor can the opponent escape these blows by side-stepping, because the automaton will follow him from one side to the other. At each side of the opponent is a trapdoor, connected with the base of the machine in such a way that when he steps on one or other of these doors, the machine will swing around toward him. The arms of the mechani-

cal boxer are fitted with spring plungers, which are connected with crank handles turned by machinery. Separate crankshafts are used for the right and left arms, and they carry pulleys between which an idle pulley is mounted. These pulleys are connected with the main driving pulley by a belt which is shifted from side to side, bringing first one and then the other of the boxing arms into action. The belt-shifter is operated by an irregular cam at the bottom of the machine, and this gives no inkling as to which fist is about to strike. Aside from this, the body of the boxer is arranged to swing backward or forward under the control of an irregular cam, so that the blows will land in different places on the opponent; for instance, a backward swing of the body will deliver an uppercut. The machine is driven by an electric motor, and can be made to rain blows as rapidly as the best boxer can receive them, or it may be operated slowly for the instruction of the novice. As the machine is fitted with spring arms and gloves, an agile opponent can ward off the blows and thus protect himself.

**AN IMPROVED TURBINE.**


Turbine engines of the Parsons type, in which the steam passes continuously through the engine in the general direction of the axis, are formed with a series of circumferential enlargements of both the shaft and the casing, in order to provide for the expansion of the steam. This construction offers the objection that each enlargement of the shaft or spindle presents a shoulder or abutment, on which the steam acts to produce a powerful end thrust. In order to balance this thrust, it is customary to provide the spindle with a series of thrust rings, against which the steam presses in the opposite direction. In the accompanying engraving we illustrate an improved form of turbine, in which the steam acts upon the center of the spindle out toward the opposite ends, so that the thrust of one half of the spindle will counterbalance that of the other. Furthermore, to allow for expansion of the steam, the cylinder is formed of two frusto-conical sections with their smaller ends connected. The shaft is of uniform diameter throughout, but beginning at the center the blades of each row are made longer than those of the preceding row, to correspond with the conical casing. Near the ends of the spindle, where the blades would be dangerously long if they extended all the way to the casing, a circular flange is used, which divides the blades into two concentric rings. Instead of feeding the steam from a single point through the entire series of blades, means are provided for admitting steam to each row of blades individually. It will be observed that the turbine is formed with two casings, namely, an outer one, *A*, and an inner one, *B*; reference has already been made to the latter as being formed of two frusto-conical sections. The space between the two casings forms a steam reservoir for a series of stationary inlet tubes, *D*, which project inward between the rows of blades on the spindle, *C*. These tubes are slotted at the forward side, and through these slots the steam is directed against the blades. Each tube is also provided with a wing extending rearwardly, and serving as a stationary blade to direct the steam from one row of movable blades to another. Thus, aside from receiving a fresh supply of steam from its own series of tubes, each row makes use of the steam passing through the preceding rows. The inner rows of blades are designated at *E* in the engraving, while the outer double-decked rows are indicated at *F*. The tubes which supply the rows *F* are short and feed steam mainly to the exterior blades of these rows, being practically cut off from the interior blades by a ring or circular bottom wall. Within the ring are a series of stationary blades, *G*, which serve to conduct the steam from the blades *E* to the interior blades, *F*. A patent on this improved turbine has been secured by Mr. George L. Mundigler, of West Allis, Wis.

A new process of manufacturing hollow tin soldiers so popular a toy with children has been successfully devised by an English firm. Hitherto this product has been practically a German monopoly, the soldiers being cast solid. By means of this new process, however, the toys are cast hollow, and are some sixty per cent lighter than the German article, while owing to the reduction in the amount of metal and the speed with

which the work can be carried out, the articles can be produced much below the German figure. As a result of this discovery the German trade with England which has hitherto been of great proportions is rapidly declining, while the toys are of stronger construction owing to the utilization of a more stable metal.

**IMPROVED RAIL BOND.**

A patent has recently been secured by Edwin W. Robinson, of Punxsutawney, Penn., on an improved rail bond for electric railways. The new bond is arranged to insure an exceedingly firm electrical con-





**AN IMPROVED RAIL BOND.**

nection between adjacent rails, and in a very simple and economical manner.

The invention will be clearly comprehended by a glance at the accompanying engraving. It comprises a conductor in the form of a rod, which is bent to enter holes in the webs of two adjacent rails. The ends of the rod are threaded to receive a pair of nuts, which enter the holes in the webs. The nuts are formed with frusto-conical ends, and as the nuts are screwed up on the rod, they not only draw the rod into close contact with the webs of the rails, but also wedge their frusto-conical ends tightly into the holes in the webs. This insures an exceedingly good electrical connection between the adjacent rails. It will be evident that the new rail bond can be applied to rails as now constructed,

**Wanted: A History of Physics.**

There are great histories of mathematics and great histories of astronomy, but no history of physics on a grand scale. Some serviceable manuals there are, as well as monographs on particular topics; what seems to be lacking is some comprehensive and comparative survey of the whole range. The history of any of the natural sciences, like the history of human activity, is not merely an encyclopedic record of past facts; it reveals both the spirit and the wealth which the past has bequeathed to the present, and which, in due course, the present will influence before transmission to the future. Perhaps all our physicists are too busy to spare the labor needed for the production of a comprehensive history; yet such a contribution to the subject would be of great value, not to physicists alone.



**AN IMPROVED TURBINE.**

Business and Personal Wants.

READ THIS COLUMN CAREFULLY.—You will find inquiries for certain classes of articles numbered in consecutive order. If you manufacture these goods write us at once and we will send you the name and address of the party desiring the information. In every case it is necessary to give the number of the inquiry.

MUNN & CO.

Marine Iron Works. Chicago. Catalogue free. Inquiry No. 8194.—Wanted, machinery for making wooden toothpicks.

For mining engines. J. S. Mundy, Newark, N. J.

Inquiry No. 8195.—Wanted, electric welded wire hoops, galvanized gas pipe crosses large enough to receive 3/8-inch pipe with one end cast heavy enough to turn a ball race around the opening to receive the gas pipe and large enough to retain 3/16-inch ball, also steel plate 3/16 inch thick.

"U. S." Metal Polish. Indianapolis. Samples free.

Inquiry No. 8196.—Wanted, manufacturers of chest handles, hinges for washing machine, also gas pipe.

Handle & Spoke Mch. Ober Mfg. Co., 10 Bell St., Chagrin Falls, O.

Inquiry No. 8197.—For manufacturers or dealers in wire for making ornamental novelty.

I sell patents. To buy, or having one to sell, write Unas. A. Scott, 719 Mutual Life Building, Buffalo, N. Y.

Inquiry No. 8198.—Wanted, manufacturers of charcoal burners, for making charcoal out of refuse wood; also for makers of stump pullers.

FOR SALE.—Water front in New York harbor with upland and riparian right. Address X. Y. Z., Box 773, New York.

Inquiry No. 8199.—Wanted, the manufacturer or dealer in the patented device for recording notes of music.

The celebrated "Hornsby-Akroyd" Patent Safety Oil Engine is built by the De La Vergne Machine Company, Foot of East 138th Street, New York.

Inquiry No. 8200.—For manufacturers of knuckle-joints or device used in a similar manner.

Manufacturers of patent articles, dies, metal stamping, screw machine work, hardware specialties, machinery tools, and wood fiber products. Quadriga Manufacturing Company, 18 South Canal St., Chicago.

Inquiry No. 8201.—Wanted, manufacturers of centrifugal gas-cleaning apparatus, of the Edward Thiesen type, such as used in Europe.

Automobile experts are in constant demand at high salaries. Our seven weeks' course is the most thorough and practical, fitting men to drive, handle and repair. Day and evening classes. Special course for owners New York School of Automobile Engineers, 146 West 56th Street, New York.

Inquiry No. 8202.—Wanted, dealers in pearl-bearing mussels, also in asbestos.

Inquiry No. 8203.—Wanted, makers of "hollow wire" such as used for heating and ventilating systems.

Inquiry No. 8204.—Wanted, names of manufacturers of soda fountain globes.

Inquiry No. 8205.—Wanted, manufacturers of filling machines for beer.

Inquiry No. 8206.—Wanted, manufacturers of cash registers.

Inquiry No. 8207.—Wanted, manufacturers of fancy bands and moulding of britannia metal.

RECENTLY PATENTED INVENTIONS.

Of General Interest.

HEADWEAR.—J. U. ADAMS, New Orleans, La. This invention has reference more especially to hats, caps, and the like of the types embodying a sweat-band; and one of the principal objects is to provide the sweat-band of the article with means for enabling the same to be loosened (expanded) or tightened (contracted) within certain limits to thereby adapt the article to fit the head of the wearer thereof.

PAPER-LIFTING DEVICE FOR PAPER-ROLLS.—E. S. BROWN, Washington, D. C. The parts are so arranged that the device may be readily secured to any of the ordinary frames now in common use, it being preferred to place the bracket with its top or lug against the front edge of the top bar of the frame and to secure the said bracket by screws passing through its top plate. This facilitates the application of the improvement to devices already in use and also enables its ready connection with the frames in course of manufacturing the same.

DOOR CHECK AND CLOSER.—G. T. SHEETS, Salt Lake City, Utah. The object in this instance is to provide a device with special means for regulating the action of the dash-pot and for facilitating the disconnection of the device from the door. Arrangement is made for regulating the tension of the spring which is used in connection with the closer and for attaching the device for operation with or without the dash-pot.

Household Utilities.

FURNITURE.—G. H. ABERCROMBIE, Poughkeepsie, N. Y. The invention relates particularly to combined screens and washstands, the object being to provide a device particularly adapted for use in small rooms or where furniture-space is limited, the device being so constructed that the shelving and other parts will fold closely against the screen convenient for storage or placing closely against a wall.

COOKING UTENSIL.—R. A. W. KRAMPITZ, Valdez, Alaska. In this invention the improvement is in culinary utensils especially designed for use in camping-outfits and the like, but which may be employed whenever desired. The utensil comprises three different camp utensils—one a mixing-pan for mixing bread, etc., a bread-pan in which biscuits and other bread may be baked, and a frying-pan which may co-operate with the mixing-pan and bread-pan.

VENTILATOR.—H. L. MORRILL, Monticello, Maine. In practical use this ventilator is in-

serted in the corner of a window-pane, a triangular section of glass being removed for reception thereof. The edge of the glass rests against the flange and is maintained in contact therewith by means of the cover on the opposite side. By manipulating the latch on the cover the same may be adjusted to give any desired degree of opening, or the opening may be entirely closed.

Machines and Mechanical Devices.

PRINTING MECHANISM FOR WARP-PRINTING DEVICES.—F. SCHMIDT, 7 Edisonstrasse, Oberschoneweide, near Berlin, Germany. Besides the advantage of using thin liquid color this apparatus offers many others. Printing can be done much quicker than with the old apparatus as lifts or throws are very light. As when printing the drum can make no lateral movements, printing-strips become sharply defined. Much time is saved, engagement being effected by simple movement of a lever. As the color-boxes may be situated on the endless chain below the printing device—the warp-printing drum—and do not require to change position, they do not stop the work and cannot be so easily mistaken one for the other as formerly. Fewer assistants are required for this new apparatus.

NOTE.—Copies of any of these patents will be furnished by Munn & Co. for ten cents each. Please state the name of the patentee, title of the invention, and date of this paper.

INDEX OF INVENTIONS

For which Letters Patent of the

United States were Issued


for the Week Ending

June 26, 1906.

AND EACH BEARING THAT DATE

[See note at end of list about copies of these patents.]

Table listing inventions with patent numbers and dates. Includes items like 'Adding machine attachment', 'Advertising device', 'Aerial tramways', 'Alarm signal', 'Alloy', 'Alloys', 'Ammonia from gases', 'Ammonia, regenerating and purifying of', 'Amusement apparatus', 'Animal trap', 'Arch construction', 'Artographic register', 'Automatic sprinkler', 'Automobiles change speed and reversing gear', 'Baling press', 'Bank and feeder', 'Bank, savings', 'Bath tub', 'Bath tub seat', 'Bearing', 'Bearing, roller', 'Bed and chair', 'Bed and table', 'Bed, davenport', 'Bed spring', 'Bell, push button', 'Belt', 'Belt, waist', 'Belting and preparing and treating the same', 'Bin, Hopkins and Canfield', 'Blade, stiffening', 'Blast furnace', 'Blind, apparatus for producing literature for the', 'Blind slat fastener', 'Blind, laundry', 'Boiler cleaning compound', 'Boiler safety attachment', 'Bolt and nut lock', 'Book mark and page holder', 'Books, papers, or cards, machine for holding, cutting, and ornamenting the edges of', 'Bottle, R. Sauer', 'Bottle, W. F. Smart', 'Bottle closure', 'Bottle, non-refillable', 'Bottle, non-refillable', 'Bottle stopper', 'Bottle stopper', 'Bottle stoppers and the like, binder for', 'Boxes from hot forming dies, appliance for stripping pasteboard', 'Bracelet', 'Bracelet, slide', 'Bread and similar cake, mold used in the manufacture of', 'Breeching brace, harness', 'Brick, interlocking', 'Bridge, bascule', 'Bridge, ferry', 'Broiler, gas', 'Brush filling machine', 'Brush, fountain', 'Brush holder', 'Brush, tooth', 'Buckle, C. A. Brewer', 'Building construction', 'Bung, faucet', 'Burner, for liquid hydrocarbons', 'Burglar alarm', 'Burglar alarm', 'Burglar alarm, detonating', 'Butter cutter', 'Calculating furnace', 'Calculating machine', 'Candlestick, miner's', 'Car body bolster and draw bar spring pocket, combined', 'Car brake', 'Car brake', 'Car coupling', 'Car coupling', 'Car, dumping', 'Car fender', 'Car fender', 'Car for railways', 'Car, freight', 'Car, passenger', 'Car, railway', 'Car roof, metallic', 'Car unloading apparatus', 'Car wheel', 'Carbureted air burner', 'Card support', 'Carpet cleaner', 'Carriage, child's', 'Carriage-top stop', 'Caring machine', 'Case, See Syringe case', 'Casing spear', 'Cask support', 'Casket', 'Caster', 'Caster, T. & A. E. Bourne', 'Cattle guard', 'Cattle guard', 'Cell cases, machine for making', 'Cement cisterns, extensible dome form for', 'Chair fanning attachment', 'Chariot seat', 'Chip sorting apparatus', 'Chisel, hollow mortising', 'Christmas tree attachment', 'Churn', 'Churn dasher', 'Churn operating mechanism', 'Churning machine', 'Clinker catcher', 'Clock, A. D. Gary', 'Clock, intermittent alarm', 'Clots and similar instruments, leveling device for', 'Clutch, friction', 'Coffee apparatus, jacket or hood for use in connection with the exhaust heads of hot water urns of', 'Coffee, refining and cleansing', 'Coin operated mechanism', 'Coin register tapes, means for keeping records of', 'Coke briquettes, manufacture of', 'Collar pad, horse', 'Collar, shirt', 'Compasses, adjusting device in', 'Composition of matter', 'Compositions in stick form, receptacle or holder for', 'Concrete mixing machine', 'Concrete steel construction', 'Concrete steel construction, supporting device for reinforcing bars of', 'Concrete wall constructions, mold for', 'Concrete wall construction, core for', 'Mueller', 'Condenser', 'Condiment holder', 'Cooking utensil', 'Cooler', 'Coop, chicken', 'Copy holder', 'Core making machine', 'Cork fabric and making the same', 'Sechiarl', 'Corset, apparel', 'Cotton gin', 'Cotton gin, roller', 'Couplings, pivot pin support for', 'Coffin', 'Cradle', 'Crane, portable traveling', 'Crate, shipping', 'Cream pasteurizer and cooler', 'Cue holder', 'Cue rack', 'Curtain', 'Curtain frame', 'Curtain roller cap', 'Cuspidor attachment for bars', 'Cuspidor, flushing', 'Cut-out, automatic safety', 'Cutting machine', 'Dauber', 'Decorticating machine', 'Dental articulator', 'Dental devices, making', 'Desk and typewriter stand, roller top', 'H. O'Keefe', 'Detecting mechanism', 'Detector bar clip', 'Die stock', 'Die, See Screw threading die', 'Directory device', 'Dish scraper and cleaner', 'Distilling apparatus', 'Door and shutter and certain connections therefor', 'Door closer', 'Door lock, emergency exit', 'Draft equalizer', 'Drawer, desk', 'Dredging and excavating machine', 'Coffey', 'Driving gear, roller tooth variable', 'Golden', 'Driving mechanism, Driver & Mansmith', 'Duster, feather', 'Eaves trough', 'Ejector mechanism', 'Electric meter, coin fed', 'Electric time sign', 'Electrical machines, brush holder for, Siegfried & Storer', 'Electricity, removing static', 'Elevator device, safety', 'Elevator driving mechanism', 'Elevator safety apparatus', 'Elevator safety mechanism', 'Embroidery machines, reader or machine for perforating paper to be used with the jacquards in automatic', 'Embossing, tube or net', 'Engine speed regulating mechanism, gas', 'G. H. Ellis', 'Eraser tip for lead pencils, penholders, pencil point protectors, and the like', 'McIntyre', 'Excavating machine', 'Exhibition and amusement apparatus', 'E. Pester', 'Explosion engine', 'Explosive engine', 'Extension table, folding', 'Eyeglass mounting', 'Eyeglasses, E. C. Bernheim', 'Fabric, former for tubular', 'Fanning mill', 'Faucet, fluid measuring', 'Fence post', 'Fence post, E. S. Hiltner', 'Fence post, I. N. Miller', 'Fertilizer', 'Fertilizing material, making', 'Fibrous st.lks, treating', 'Filter, W. B. Klein', 'Filter for feed water heaters', 'Fire alarm boxes and for other things, gural for door keys of', 'Fire extinguisher, automatic', 'Fire, means for protecting ships from', 'H. W. McKinn', 'Firearm', 'E. E. Neal', 'Fireproof floor construction', 'Fireproof safe', 'Fish line reel', 'Fluid fuel burner', 'Fluid pressure motors, governor for', 'C. H. Johnson', 'Fly trap', 'Frame structure', 'Fruit picking bag', 'Fruit receptacle', 'Fruit weighing and packing machine', 'C. S. Cox', 'Fuel feeding device', 'Furnace, J. F. Senter', 'Furnace grate', 'Furnaces, carbon holder for electric', 'G. O. Seward', 'Furnaces, water cooled door frame for', 'L. Knox', 'Furniture, insecticide holding attachment for', 'T. Alexander', 'Gage, See Measuring gage', 'Game apparatus', 'Game board', 'Game device', 'Gardening tool', 'Garment, J. Walter', 'Garment class', 'Gas apparatus, the generation of acetylene', 'A. Rosenberg', 'Gas burner', 'H. W. O'Dowd', 'Gas generating furnace', 'C. A. Buzzell', 'Gas heating apparatus', 'A. C. Carey', 'Gas meters, prepayment attachment for', 'R. I. Fersenheim', 'Gas producer', 'H. Gerdes', 'Gas producer, R. Hilprecht', 'Gas producer, E. Sandner', 'Gas producer, suction', 'E. Higgins', 'Gas regulator', 'G. E. Crookshank', 'Gasket removing tool', 'J. H. Optenberg', 'Gate, Moch & Mendenhall', 'Generator', 'C. A. Lingman', 'Gear wheel tooth, detachable', 'F. L. Morse', 'Gong, electric', 'W. F. Word', 'Governor, engine', 'P. Mohrdeck', 'Grader, road', 'A. L. Donogh', 'Grain moving apparatus, pneumatic', 'Rieth & Chamberlain', 'Grain weigher', 'E. J. Vraalstad', 'Grate, chain', 'J. P. Barnes', 'Grinding mill', 'M. F. Abbe', 'Gum from vegetable matter, obtaining', 'E. Heber', 'Gun firing mechanism, Meigs & Jakobsson', 'Gun, magazine', 'P. W. Wiswell', 'Gun stock, jointed', 'H. W. Munson', 'Hand protecting device', 'R. M. & F. E. Clark', 'Hardware, device for fastening cabinet', 'C. S. Barnard', 'Hardware, device for fastening cabinet', 'E. W. Bassick', 'Harvester, beet', 'N. B. & W. A. Sebring', 'Hasp fastener', 'S. J. McClung', 'Hat', 'J. Banks', 'Heating device, electric', 'Gretlum & Young', 'Hinge, flush butt', 'A. G. Lamb', 'Hoist catching device', 'Betz & Holliday', 'Hoist stop, automatic', 'F. H. Kohlbraker', 'Hoisting apparatus', 'W. W. Miller', 'Hook and eye', 'A. H. Michaelis', 'Horizon, artificial', 'H. A. Gadsden', 'Horseshoe calk and fastener', 'Bogear & Tompkins', 'Hose coupling', 'J. F. McElroy', 'Hose supporter', 'E. Johnson', 'Hub, vehicle', 'M. A. Elliott', 'Hydrocarbon burner', 'McGahan & Flager', 'Igniter, sparking', 'C. M. Huey', 'Incubator', 'C. A. Lingman', 'Injecting needle', 'C. T. Daniel', 'Insecticide', 'P. A. Cadogan', 'Insulation cutter', 'W. Chausse', 'Ironing board', 'W. Bremer', 'Jar opener', 'H. M. Hartsborn', 'Jar wrench, fruit', 'E. W. Macauley', 'Jelly press', 'M. S. Schayer', 'Jig ore concentrator', 'A. C. Campbell', 'Joints, apparatus for reducing dislocated', 'R. W. Bartlett', 'Journal bearing, self-lubricating', 'J. B. Curtis', 'Journal box', 'H. C. Buhour', 'Journal box, J. S. Patten', 'Journal box dust guard', 'G. L. Mansfield', 'Journal boxes, apparatus for cooling hot', 'D. H. Fairbanks', 'Kite which can be taken to pieces, tailless', 'A. J. Bergeron', 'Knitting machine', 'M. Boas', 'Knitting machine power mechanism', 'T. F. Morris', 'Knuckle sleeve, emergency', 'W. F. Taylor', 'Labeling machine', 'W. C. Gillette', 'Labeling machine, bottle', 'N. Muslar', 'Lace cabinet', 'J. R. Wilson', 'Lamp burners, flame regulator for', 'H. R. White', 'Lantern holder', 'J. G. Dittmer', 'Latch, H. H. Engebretson', 'Latch, gate', 'N. A. McPhail', 'Lathe, C. G. Richardson', 'Leather board making machine', 'Alvord & Knox', 'Leather stretching machine clutch', 'E. L. Post', 'Lens drilling machine', 'E. T. Waite', 'Level, ditching', 'O. Halvorsen', 'Level, spirit', 'A. T. Gibson', 'Life preserver', 'G. Krieger', 'Lifting jack', 'B. R. Beaver', 'Line connecting device', 'J. H. Warren', 'Linotype machine', 'D. S. Kennedy', 'Liquid level apparatus', 'Reeve & Noyes', 'Loading apparatus', 'C. M. Watson', 'Loading apparatus, H. T. & S. G. Washburn', 'Lock, See D. McCoy', 'Lock, P. Magaro, No. 3', 'Lock, H. P. Townsend', 'Lock, J. Herzog', 'Lock setting implement', 'B. K. Means', 'Locomotive and means for controlling the same, electric', 'F. L. Sessions', 'Locomotive cab windows, hood or shield for', 'E. W. Payne', 'Loom beating-in device', 'J. K. Dalkranian', 'Loom for weaving tubular fabrics', 'C. Alvord', 'Loom pattern resetting mechanism', 'H. W. Owen', 'Loom stop mechanism', 'J. W. Bridge', 'Lubricating device', 'W. B. Lowe', 'Mail bag crane', 'J. Cole', 'Mail catcher', 'W. W. Sykes', 'Mail catching device', 'J. Ryan', 'Mail pouch catcher', 'J. E. Smith', 'Match box and lighter', 'E. Walder', 'Measuring gage, trousers', 'W. Leigh', 'Measuring instrument, alternating current electrical', 'E. E. Lehr', 'Measuring instruments, bearing for electrical', 'W. B. McCoy', 'Meat cutting or slicing machine attachment', 'F. W. Margetts', 'Meat tenderer, Tolen & Hostetter', 'Mechanical implement, C. F. P. Warner', 'Mechanical lubricator', 'G. R. Welch', 'Mercerizing, W. Mather, et al.', 'Mercury column, MacMahon & Wesler', 'Metal structure, tubular', 'E. Malloy', 'Metal trimming and slitting machine', 'W. W. Irwin', 'Metallic leaf, package roll of', 'W. H. Coe', 'Micrometer gage', 'G. A. Fisk', 'Microphone', 'F. T. Crover', 'Mine cage', 'F. N. Wilson', 'Miter box', 'J. N. House', 'Mitten, J. Gulick', 'Mold, W. H. Lucas', 'Molding machine', 'H. Tabor', 'Money box', 'W. E. Cleveland', 'Mop wringer', 'J. V. Cook', 'Mortise or hinge gage', 'G. D. McLeod', 'Motor control system, electric', 'Dean & Tschentscher', 'Motor controller, electric', 'H. E. Dubois', 'Motor controller, warning signal for electric', 'W. W. Martin', 'Motor starter, automatic', 'A. W. Darby', 'Mud guard, R. Newman', 'Music rolls for self-playing piano attachments, device for perforating', 'A. Rothermundt', 'Music stand', 'J. A. Smith', 'Musical instrument, self-playing', 'H. W. Shonnard', 'Musical instrument, stringed', 'L. C. Smith', 'Musical instruments, expression mechanism for mechanically operated', 'G. H. Davis', 'Naphtha, etc., from oil or other liquids, apparatus for separating', 'E. R. Edson', 'Nebulizer', 'C. Eggers', 'Nut lock', 'J. W. Gilbert', 'Nut lock, Di Vito & Meyn', 'Ore roasting furnace', 'C. H. Rider', 'Ores, reduction of', 'W. Koehler', 'Ornamental material', 'J. Schurek', 'Oscillation responsive device', 'L. De Forest', 'Oven stop mechanism, baker's', 'J. J. Linden', 'Packing, metallic', 'S. T. Hiatt'



These people endure their hardships more easily by chewing Cola leaves daily.

# Coca-Cola

TRADE MARK REGISTERED

## Delicious, Refreshing and Necessary—Why?

Did it ever occur to you that there could be something more than mere thirst-slaking and palate-pleasing in a temperance beverage?

If it could be demonstrated that a drink could fulfill several requisites, wouldn't you be disposed to accept it as a marked advance along the right lines of living?

Coca-Cola comes nearer being the ideal beverage than any other known to man.

This is because the hustle and bustle of the life of to-day is much more wearing than ever before in the history of the human race.

Therefore a beverage that is delicious to the taste, with the additional virtues of increasing brain and muscular force, is calculated to be of the greatest benefit to those whose work requires either

### Sustained Brain Effort or Continued Muscular Exertion

The best way to show that this is so is to gain some idea of the why and wherefore of these statements.

#### COCA

The leaf of the Coca shrub as found on the west coast of South America, has held from time immemorial a remarkable place in the religious, social and physical history of the Peruvians and their immediate neighbors. When Pizarro conquered Peru he found the daily use of the Coca leaf as firmly fixed among the natives as the drinking of tea has always been among the Chinese.

We quote herewith the highest authority upon the subject:



THE BRAIN WORKERS' PANACEA.

*"Coca is unquestionably the agent which has enabled the dwellers in the higher Andes not only to withstand the effects of a high elevation, but to become noted for their physical strength and endurance in spite of them. Foreigners going there have found it possible to gain a similar assistance from its use, and to endure without distress physical trials which are otherwise unendurable. The natives chew the leaves regularly several times during the day. A 'coca-habit' may be said to be unknown even among the people, who chew the leaf from youth to old age without ill effect."*—National Standard Dispensary, Edition 1905.

**COLA.**—It is an unusual coincidence that in the nut or fruit of the Cola Tree the natives of tropical Africa should have discovered much the same properties as the Peruvians secure from the Coca leaves. These nuts are chewed or eaten in their fresh or dried state by the natives and have the effect of increasing muscular ability and nervous force. Henry M. Stanley, the famous explorer, stated that on many occasions his native bearers were only able to make their long, fatiguing marches by chewing Cola nuts en route, which wonderfully revived their flagging powers of endurance.

DELICIOUS **Coca-Cola** REFRESHING

is the result of years of experiment and is the perfectly balanced combination of these valuable tonics in the form of a healthful drink, with a very slight proportion of each in every glass, less in fact than the amount of Caffeine in a cup of coffee or tea.

The Tonic Properties of Coca-Cola are approached by no other beverage, and it may well be called the Brain Workers' Panacea.



Cola Gatherers in Equatorial Africa.

Padlock, F. W. Schroeder ..... 824,593  
 Pall, dinner, A. J. Smith ..... 824,156  
 Paper box machines, measuring attachment for, A. Bell ..... 824,464  
 Paper feeding apparatus, M. Baumgartner ..... 824,401  
 Paper transmitting and controlling device, W. Scott ..... 824,313  
 Parer for apples and other fruit, D. F. Hunt ..... 824,300  
 Photographic plate holder, G. Geiger ..... 824,352  
 Piano, G. W. Weser ..... 824,224  
 Pianos, presser bar for, J. E. & J. W. Matthews ..... 824,498  
 Picture exhibitor, J. J. Todd ..... 824,266  
 Piling, metal sheet, R. H. Stevens ..... 824,513  
 Pin, See Stake pin.  
 Pipe hanger, G. Hossege ..... 824,544  
 Pipe or hose and manufacturing the same, P. Sechiari ..... 824,446  
 Planing machine knife, wood, Ruth & Harden ..... 824,589  
 Planter, P. Owen ..... 824,576  
 Planter, corn, J. F. & N. P. Devenney ..... 824,176  
 Plow, F. H. Nichols ..... 824,136  
 Plug frame and attachment, J. G. Evans ..... 824,633  
 Pocket knife, A. S. Roberts ..... 824,148  
 Pouch, U. D. Ezell ..... 824,634  
 Powder receptacle, toilet, P. A. Toomey ..... 824,391  
 Power transmitting device, speed multiplying, J. K. Stewart ..... 824,216  
 Power transmitting mechanism, C. A. Dahl ..... 824,681  
 Pressure regulator, F. M. Ashley ..... 824,681  
 Price and measure indicator for vessels, H. F. Dunn ..... 824,532  
 Printing machine, S. L. Morgan ..... 824,430  
 Printing press attachment, platen, W. Mayer ..... 824,256  
 Printing press inking mechanism, S. L. Morgan ..... 824,191  
 Printing press registering mechanism, H. A. W. Wood ..... 824,325  
 Pump, automatic boiler, S. A. Beeve ..... 824,142  
 Pyromotor, W. W. French ..... 824,474  
 Rail bond, J. P. Clark ..... 824,625  
 Rail joint, E. L. Cook ..... 824,285  
 Rail joint, W. R. Thomas ..... 824,390  
 Rail joint, H. Allen, reissue ..... 12,497  
 Railway cross tie, L. I. Hart ..... 824,649  
 Railway crossover switch, portable, J. B. & A. L. Aldrich ..... 824,271  
 Railway rail joint, S. S. Deemer ..... 824,099  
 Railway rails, means for supporting and holding, H. Livesey ..... 824,555  
 Railway receiver of stringer, W. J. Wilson ..... 824,324  
 Razor, safety, D. E. Goe ..... 824,691  
 Recording apparatus, electrical, Kenny & Thordarson ..... 824,364  
 Reel for strap iron, F. Gerhard ..... 824,292  
 Refrigerator, Sewall & Abbee ..... 824,387  
 Remedy, making an internal, R. Griese ..... 824,539  
 Roasting furnace, F. Klepetko ..... 824,181  
 Rock breaker, subaqueous, B. H. Coffey, reissue ..... 12,501  
 Rotary engine, R. W. Hamann ..... 824,647  
 Rotary explosive engine, H. L. Maillard ..... 824,648  
 Rule, combination, F. E. Huey ..... 824,039  
 Saddle attachment for harness, J. Bloedel ..... 824,231  
 Safe plate forming machine, Baum & Nutting ..... 824,613  
 Safety gate for hoists, Powner & Thompson ..... 824,381  
 Sandpapering machine, H. F. Holtmann ..... 824,482  
 Sash fastener, G. W. & G. P. Miller ..... 824,667  
 Sash lock, automatic, M. L. Hubermann ..... 824,545  
 Sash operating and locking device, W. R. Renard ..... 824,583  
 Sash weight, window, D. W. Norton ..... 824,198  
 Sawing machine, D. Aleman ..... 824,028  
 Scale, railway track, W. H. Sargent ..... 824,591  
 Scales, extension arm for, P. J. Durbin ..... 824,344  
 Screw threading die, T. R. Leighton ..... 824,697  
 Scrubbing machine, floor, J. W. Howe ..... 824,656  
 Seat spider, H. W. Bolens ..... 824,232  
 Seeding attachment, W. Fetzer ..... 824,106  
 Selective system, S. A. Reed ..... 824,206  
 Settling tank, J. M. Callow ..... 824,279  
 Shaft, vehicle, F. H. Jacobs ..... 824,301  
 Sheet metal elbows, making, W. H. Klauer ..... 824,302  
 Shingle machine, D. F. Baker ..... 824,168  
 Shutter, J. Cahill ..... 824,410  
 Sifter, separator, and grader, E. Hartzell ..... 824,650  
 Sifting device, A. A. Galloway ..... 824,421  
 Sign, electric, G. R. Macomber ..... 824,494  
 Signal apparatus, F. Muschenheim ..... 824,430  
 Signaling apparatus, tide power, E. B. Cade ..... 824,408  
 Signaling device, C. C. Phillips ..... 824,580  
 Siphon, liquid dispensing, A. Kleinfeldt ..... 824,249  
 Skate, roller, W. S. Fulton ..... 824,108  
 Slag granulating apparatus, E. B. Clark ..... 824,340  
 Smelting furnace, J. D. Rivard ..... 824,353  
 Smoke consuming furnace, R. Zeller ..... 824,407  
 Smoke consuming furnace, C. G. Mark ..... 824,469  
 Smoke purifying apparatus, W. Chine ..... 824,179  
 Snap hook, J. Hayes ..... 824,152  
 Soap, cake of, J. Schwechler ..... 824,152  
 Soap, cake of, G. F. Shaver ..... 824,154  
 Soap making apparatus, Alexander & Holsteen ..... 824,167  
 Speeder cone, J. Hearttagen ..... 824,115  
 Spring, See Bed spring.  
 Spring, T. Thorp ..... 824,318  
 Spring motor, H. T. Kingsbury ..... 824,248  
 Stake pin, F. Knoff ..... 824,182  
 Stamping mill, tapper, W. McDonald ..... 824,579  
 Steam trap, J. T. Lindstrom ..... 824,554  
 Steam trap, automatic, Seales & McElroy ..... 824,441  
 Stenciling machine, E. F. Kunath ..... 824,695  
 Stethoscope, T. W. Tallqvist ..... 824,450  
 Stone making mold, artificial, N. L. Damon ..... 824,235  
 Stopper and liquid dropper, combination, J. L. Dunnock ..... 824,631  
 Storage battery, G. A. Ford ..... 824,348  
 Stove, gas, C. H. Hoffstetter ..... 824,180  
 Suit case lock, C. J. Salviole ..... 824,590  
 Swing seats, shelves, etc., support for, C. H. Bosch ..... 824,217  
 Switch, adjustable, F. Green ..... 824,354  
 Syringe case, hypodermic, H. C. Michie, Jr. ..... 824,371  
 Syrup dispensing jar, E. J. Calley ..... 824,468  
 Tablet counting and filling machine, J. W. & A. M. Ayers ..... 824,463  
 Talking machine with rotatable horn, F. & W. Lochmann ..... 824,368  
 Tank indicator, G. W. Roberts ..... 824,672  
 Target sticker, A. Mount ..... 824,307  
 Teeth, making, H. A. Gollubin ..... 824,111  
 Teeth, metallic support for artificial, D. N. Booth ..... 824,465  
 Telegraph system, wireless, H. Shoemaker ..... 824,676  
 Telegraphy, practicing wireless, A. Blondel ..... 824,682  
 Telephone key, automatic, Faller & Danielson ..... 824,291  
 Telephone switch hook, W. A. Fricke ..... 824,351  
 Telephone switchboard, W. E. McCormick ..... 824,431  
 Telephone system, W. Ohnesorge ..... 824,376  
 Telephone system with centrally arranged microphone battery, G. P. Lambert ..... 824,251  
 Thermo electric battery and apparatus, G. H. Cove ..... 824,684  
 Thill and pole support, Brock & Booker ..... 824,620  
 Throwing or projecting apparatus, G. Obiols ..... 824,506  
 Tie plate, A. H. Smith ..... 824,678  
 Tin, producing oxygen compounds of, C. E. Acker ..... 824,398  
 Tire for vehicle wheels, supplemental, C. H. Goodman ..... 824,240  
 Tire, pneumatic, C. R. Twitchell ..... 824,604  
 Tire, wheel, T. Furlong ..... 824,476  
 Tobacco cartridge, J. O. Licey ..... 824,552  
 Tool box, F. G. Marbach ..... 824,495  
 Tool, combination, J. B. Runner ..... 824,264  
 Tool, cutting and punching, A. J. Lewis ..... 824,551  
 Tool holder, B. Bannister ..... 824,275  
 Tool holder, motor, C. B. Hastings ..... 824,480  
 Tool holder, pneumatic, A. E. Knapp ..... 824,250  
 Tool, motor driven, N. W. Fletcher ..... 824,347  
 Tool, rotary, Wilner & Sussman ..... 824,322  
 Trace fastener, H. P. Monserud ..... 824,372  
 Tracing cloth mangle, W. B. Waechter ..... 824,455  
 Track clearer, W. E. Knowlton ..... 824,183  
 Track inspector, automatic, Ellis & Purvis ..... 824,536  
 Track sanding device, A. G. Zamel ..... 824,461  
 Track sanding device, street railway, D. Hogan ..... 824,118  
 Transom, draft sill, and dead wood, combination cast steel, P. M. Kilroy ..... 824,124  
 Trellis, G. D. Basse ..... 824,227  
 Trick device, G. L. Maschin ..... 824,561  
 Trolley for railway vehicles, J. D. Paton ..... 824,201  
 Trolley keeper, B. C. Bartlebaugh ..... 824,611  
 Truck side frame, railway car, O. S. Pulliam ..... 824,437

**"Star" Lathes**  
 Automatic Cross Feed  
 FOR FINE, ACCURATE WORK  
 Send for Catalogue B.  
 SENECA FALLS MFG. CO.  
 695 Water Street,  
 Seneca Falls, N. Y., U. S. A.

**Engine and Foot Lathes**  
 MACHINE SHOP OUTFITS, TOOLS AND SUPPLIES. BEST MATERIALS. BEST WORKMANSHIP. CATALOGUE FREE  
 SEBASTIAN LATHE CO., 120 Culvert St., Cincinnati, O.

**1 1/2 H. P. MARINE ENGINE**  
 \$33.50 Only  
 Engine and Engine Fittings \$37.50  
 For your Row Boat, Sail Boat or Launch  
 No cranks to start—No cams, valves, gears, springs or sprockets. All working parts in full view. We build all sizes Boat Engines.  
 DETROIT ENGINE WORKS,  
 1425 JEFFERSON AVE. DETROIT, MICH.

**Keystone Well Drills**  
 for Artesian and Ordinary Water Wells; Mineral Prospecting and Flouze Testing for Druggists; Deep Drilling for Oil and Gas; Contractor's Blast Hole Drilling, River and Harbor Exploration, etc. Our five catalogs are textbooks in these lines.  
 KEYSTONE WELL WORKS  
 Beaver Falls, Pa.

**FRICITION DISK DRILL**  
 FOR LIGHT WORK.  
 Has these Great Advantages:  
 The speed can be instantly changed from 0 to 1600 without stopping or shifting belts. Power applied can be graduated to drive, with equal safety, the smallest or largest drills within its range—a wonderful economy in time and great saving in drill breakage.  
 W. F. & JNO. BARNES CO.,  
 Established 1872.  
 1999 Ruby Street, Rockford, Ill.

**Asbestos and Magnesia Products**  
 STEAM PIPE AND BOILER COVERINGS.  
 ASBESTOS PACKING (For all purposes).  
 ASBESTOS FIRE-RESISTING CEMENTS.  
 ASBESTOS BUILDING MATERIALS.  
 "J-M" ASBESTOS ROOFING.  
 ASBESTOS FABRICS.  
 KEYSTONE HAIR INSULATOR.  
 ELECTRICAL SUPPLIES.  
 H. W. JOHNS-MANVILLE CO.  
 New York, Milwaukee, Chicago, Boston, Philadelphia, St. Louis, Pittsburg, Cleveland, New Orleans, Kansas City, Minneapolis, Little Rock, San Francisco, Los Angeles, Seattle, London.

**PORTABLE CONCRETE Block Machine**  
 Ambitious young men can start fine business, immediately profitable, easily expanded.  
 Blocks cost 6 cents to make, sell for 18 cents. One man can make 200 blocks per day. Whole outfit costs \$125.00.  
 Sand, water and Portland cement only materials required.  
 Sent on trial.  
 THE PETTYJOHN CO.  
 615 N. 6th St., Terre Haute, Ind.

**PATENTS**  
 Our Hand Book on Patents, Trade-Marks, etc., sent free. Patents procured through Munn & Co. receive free notice in the SCIENTIFIC AMERICAN  
 MUNN & CO., 361 Broadway, N. Y.  
 BRANCH OFFICE: 625 F St., Washington, D.C.

**16 FOOT LAUNCH COMPLETE WITH ENGINE \$96**  
 WE ARE THE LARGEST BUILDERS OF BOATS & LAUNCHES IN THE WORLD.  
 SEND FOR FREE ILLUSTRATED CATALOG. ALL BOATS FITTED WITH WATER TIGHT COMPARTMENTS.  
 WE CARRY A FULL LINE OF BOATS READY TO SHIP.  
 MICHIGAN STEEL BOAT CO., 1425 JEFFERSON AVE DETROIT, MICH.

**Make Your Own Wireless Telegraph**  
 Anyone can make a thoroughly practical wireless apparatus for very little money and can listen to the messages exchanged across the Atlantic. You can quickly become an experienced operator. We will send you, for one dollar, full descriptions and plans to make the modern instruments of Marconi for sending and receiving five miles and upward. Every part clearly described, easy and cheap to make. Individual help by correspondence given to each purchaser. The Wireless Information Bureau, Room 422, 18 Broadway, New York.

**How To Increase Your Business**  
 READ carefully, every week, the Business and Personal Wants column in the Scientific American  
 This week it will be found on page 14.  
 Some week you will be likely to find an inquiry for something that you manufacture or deal in. A prompt reply may bring an order.  
 Watch it Carefully

**Reduced Rates for Telephone Service**  
 CONTRACTS NOW BEING TAKEN  
 Call nearest Contract Office for full information.  
 NEW YORK TELEPHONE COMPANY  
 CONTRACT OFFICES:  
 15 Dey Street  
 115 West 38th Street  
 220 West 124th Street  
 616 East 150th Street  
 TELEPHONE NO.:  
 9:10 Cortlandt  
 9040-38th  
 9000 Morningside  
 9020 Melrose

**Screw Machine Products**  
 in HIGH BRASS, LOW BRASS and STERLING SILVER  
 from 1 inch down.  
 Quotations Made From Model or Working Drawings  
 GEORGE W. DOVER CO.  
 Factory B Providence, R. I.

**Motion Picture MACHINES and FILMS**  
 STEREOPTICONS and SLIDES  
 For Public Entertainments, in Theatres, Halls, Show Tents, etc.  
 Catalogue No. 9 Free  
 KLEINE OPTICAL CO., 52 State St., Chicago, Ill.

**THE MIETZ & WEISS OIL ENGINES**  
 Stationary 1 1/2 to 80 H. P.  
 Marine 3/8 to 100 H. P.  
 Use KEROSENE and FUEL OILS. Direct connected Generators, Pumps, Air Compressors, Hoists, etc. Thousands in use in all parts of the world.  
 AUGUST MIETZ  
 128-138 Mott St., New York, U.S.A.

**Battery Current is Best**  
 for sparking your automobile or motor boat. Keep your storage battery always full of "juice" and ready to furnish fast, hot sparks by installing an Apple Battery Charger. A perfect dynamo that charges your storage battery right on your car while it is running. Write for full information to-day.  
 The Dayton Electrical Mfg. Co.  
 98 St. Clair St., Dayton, O.

**A MOTOR CYCLE AT SMALL COST**  
 by using one of our Attachable Outfits. Can be applied to any wheel. Also a complete line of finished motors and rough castings for Auto, Marine and Stationary. Send stamp for catalogue.  
 STEFFY MFG. CO., 2941 W. Girard Ave., Phila., Pa.

**Miracle Concrete Blocks THE GREATEST BUILDING MATERIAL**  
 FROST AND MOISTURE PROOF  
 Big Opportunities and Big Profits in manufacturing Miracle Double Staggered Air Space Blocks. Miracle Cement Brick and Miracle Cement Sewer Pipe and Drain Tile are superior to clay. They cost less and sell for more money. Our catalog covers completely the great Concrete Industry. It is the largest book of its kind ever published. Ask for Catalog No. 10.  
 MIRACLE PRESSED STONE CO., Minneapolis, Minn.

Used by forty of the leading Automobile and motor boat manufacturers. Suitable for any gas or gasoline engine using make and break or jump spark ignition.  
**EVERY BATTERY GUARANTEED** to give satisfaction or purchase money refunded.  
 WITHERBEE IGNITER CO.  
 27-31 Thames St. - NEW YORK

**American Homes and Gardens**  
 BOUND—VOLUME ONE  
 Profusely Illustrated, Large Quarto. 426 Pages. Green Cloth Covers Produced in Several Colors. A Beautiful Book. Price \$3.50  
 This volume, containing house plans, many suggestions for the decoration and furnishing of the home; also for the improvement of the grounds and the gardens, is indispensable to those requiring such information.  
 MUNN & CO., Publishers of the Scientific American  
 361 Broadway, New York

Truss rod stand and anchor bracket, combined, P. M. Kilroy ..... 824,125  
 Tunnel calling apparatus, F. M. Moir ..... 824,368  
 Turbine engine, J. A. Groshon ..... 824,113  
 Turbine engine, C. J. Stuart ..... 824,449  
 Turbine governing mechanism, O. Junggren ..... 824,546  
 Turbines, bucket for elastic fluid, K. Ahlquist ..... 824,521  
 Turbines, governing valve mechanism for, O. Junggren ..... 824,658  
 Turn table, C. K. Ernst ..... 824,632  
 Twist drill, P. W. Fawcett ..... 824,346  
 Typewriter, J. W. Paul ..... 824,357  
 Typewriting machine, G. H. Smith ..... 824,418  
 Typewriting machine, W. C. Sarnum ..... 824,581  
 Typewriting machine, M. W. Pool ..... 824,582  
 Typewriting machine, R. von Sothen ..... 824,597  
 Typewriting machine paper guide, E. M. Ingersoll ..... 824,362  
 Umbrella, P. M. & J. R. Guiou ..... 824,378  
 Umbrella, D. L. Osborn ..... 824,178  
 Undergarment, C. A. Powell ..... 824,140  
 Universal mill, P. M. Weber ..... 824,518  
 Valve, W. Colina ..... 824,527  
 Valve gear, reversible, H. W. Jones ..... 824,657  
 Valve indicator, E. H. Whitney ..... 824,163  
 Valve reseating machine, H. B. Williams ..... 824,351  
 Valve, reversion, H. Aiken ..... 824,166  
 Valve, stop, G. Schlemmer ..... 824,442  
 Vegetable and fat cutting machine, Ruehs & Weiss ..... 824,587  
 Vehicle attachment, J. E. Blake ..... 824,089  
 Vehicle brake, R. D. Baker ..... 824,400  
 Vehicle brake, motor, C. Schmidt ..... 824,151  
 Vehicle frame, motor, L. Lazerges ..... 824,550  
 Vehicle, milk and cream, C. E. Austin ..... 824,399  
 Vehicle storm front, C. M. Stone ..... 824,515  
 Vehicle, wheel, W. E. Greer ..... 824,241  
 Vehicle wheel, G. R. McAllister ..... 824,571  
 Vehicles, brake rigging for self-propelled, C. O. Snyder ..... 824,215  
 Vending machine, coin controlled, J. L. Simmons ..... 824,677  
 Vine divider attachment, H. Climer ..... 824,282  
 Vise, J. Hornby ..... 824,360  
 Voltage regulator, E. Wikander ..... 824,225  
 Voting machine shutter closing mechanism, W. I. T. Fosdick ..... 824,349  
 Wafer machine, sugar, F. M. Peters ..... 824,202  
 Wagon, dumping, H. S. Long ..... 824,253  
 Wall bracket, A. de Saint Chamas ..... 824,150  
 Wall construction, Smythe & Ayres ..... 824,511  
 Wall structure, L. Millet ..... 824,563  
 Warp supporting and guiding means, O. W. Schaum ..... 824,310  
 Washing machine, J. S. Parrish ..... 824,435  
 Washing machine, C. Dietz ..... 824,529  
 Washing machine, E. Rue ..... 824,674  
 Watch regulator, J. Brun ..... 824,466  
 Watchman's outfit for temporary routes, G. M. Gest ..... 824,478  
 Water and feed trough for fowls, M. C. Rogers ..... 824,508  
 Water level indicator, J. T. Dawes ..... 824,998  
 Water wheel, F. Kirchbach ..... 824,662  
 Watering trough for cattle and horses, automatic, Ruge & Katzenstein ..... 824,588  
 Wedge, Denison & Blake ..... 824,415  
 Wheel, See Car wheel.  
 Whetstone, blotter, and paper weight, combined, E. B. Pike ..... 824,138  
 Whiffletree connection, J. I. Shaw ..... 824,265  
 Window frame and sash, metallic, W. B. Yeager ..... 824,326  
 Window lock, self-acting, J. I. Moss ..... 824,567  
 Window screen, A. J. Dapron ..... 824,238  
 Window screen, W. S. Hood ..... 824,693  
 Wire drawing machine, J. A. Horton ..... 824,654  
 Wire reel, W. E. Eichhoff ..... 824,650  
 Wire stretcher, J. A. Hoyt ..... 824,120  
 Wire stretcher, Lowry & Arters ..... 824,556  
 Wire wrapping machine, A. G. Champlin ..... 824,171  
 Wood ornamenting machine, W. H. Broadway ..... 824,277  
 Wool treating device, T. F. Johnson ..... 824,121  
 Woven fabric, W. T. Smith ..... 824,448  
 Woven fabric, multicolored, J. Szecepanik ..... 824,158  
 Wrench, J. W. B. Turk ..... 824,267  
 Wrench, Matusak & Slaine ..... 824,499  
 Wrench, L. Maier ..... 824,558

**DESIGNS.**  
 Automobile front casing, R. C. Lewis ..... 38,108  
 Fabric, textile, A. F. Papin ..... 38,109  
 Humidifier casing, J. J. Smith ..... 38,107  
 Inkstand, C. H. Numan ..... 38,102  
 Plate, H. Ehrlich ..... 38,104  
 Spoons, forks, or similar articles, handle for, H. W. Hirschfeld ..... 38,103  
 Talking machine horn, H. Sheble ..... 38,106  
 Transfer sheet, F. Markert ..... 38,105

**TRADE MARKS**  
 Agricultural machines, certain named, Fetzer & Co. .... 54,746  
 Ale, New England Brewing Co. .... 54,745  
 Ale, ginger, Holmes & Barber ..... 54,451  
 Analgesic and sedative, Dr. Miles Medical Co. .... 54,274  
 Analgesics, El Zernac Co. .... 54,615  
 Antiseptic compound, Hylin & Co. Fabriks Aktiebolag ..... 54,332  
 Antiseptics and washes for the mouth and teeth, F. A. Schulz ..... 54,583  
 Automobile vehicles, Reo Car Co. .... 54,722  
 Automobiles, Hol-Tan Co. .... 54,281  
 Automobiles, St. Louis Motor Carriage Co. .... 54,552  
 Baking powder, Howell Mfg. Co. .... 54,552  
 Beer, Curran and Joyce Co. .... 54,594  
 Beer, Hoster-Columbus Associated Breweries Co. .... 54,602  
 Beer, Minneapolis Brewing Co. .... 54,642  
 Beer, lager, Peter Schoenhofen Brewing Co. .... 54,644  
 Beer, root beer extract, and dry ingredients for making root beer, root, Charles E. Hires Co. .... 54,465  
 Belting, leather, Republic Belting & Supply Co. .... 54,581  
 Bicycles, tricycles, velocipedes, and parts thereof, Hubbard, Spencer, Bartlett & Co. .... 54,247  
 Biscuits, crackers, and cakes, Crescent Macaroni & Cracker Co. .... 54,545  
 Biscuits, crackers, and cakes, A. J. Medlar Co. .... 54,634  
 Bitters, peach, H. Klas ..... 54,605  
 Boilers for heating purposes, Kellogg-Mackay-Cameron Co. .... 54,714  
 Books for railway employees, educational, Railway Educational Association ..... 54,251  
 Boots and shoes and leather used in their manufacture, leather, Rice & Hutchins Co. .... 54,526  
 Boots and shoes, leather, Lynchburg Shoe Co. .... 54,285  
 Boots and shoes, leather, William Eastwood and Son Co. .... 54,369  
 Boots and shoes, leather, Cambior, Muntaner & Co. .... 54,613  
 Boots and shoes, leather, White-Dunham Shoe Co. .... 54,728  
 Boots and shoes, men's, women's, and children's leather, Thomas G. Plant Co. .... 54,315  
 Boots, shoes, and slippers and leather therefor, leather, Fred F. Field Co. .... 54,707  
 Boots, shoes, and slippers and soles therefor, Morse & Rogers ..... 54,360  
 Boots, shoes, and slippers of leather or textile material, or both, and soles therefor, Morse & Rogers ..... 54,312  
 Boots, shoes, oxfords, sandals, and slippers, leather, Moore-Shafer Shoe Mfg. Co. .... 54,287  
 Boots, shoes, slippers, and insoles, leather, H. H. Roosa ..... 54,367  
 Brakes and parts thereof, back pedaling coaster, Eclipse Machine Co. .... 54,706  
 Brandy, J. Hennessy & Co. .... 54,440  
 Bread, H. S. Levy ..... 54,431  
 Bread and biscuits, Callard, Stewart & Watt ..... 54,373  
 Brooms, American Broom & Brush Co. .... 54,567  
 Brushes, hair, H. L. Hughes ..... 54,282  
 Butter, Scott & Co. .... 54,390  
 Butter, Fox River Butter Co. .... 54,426  
 Butter, H. C. Christians Co. .... 54,495  
 Butter, cocoanut, Oil Seeds Co. .... 54,624  
 Calcimine, Tripod Paint Co. .... 54,486  
 Candy, Hiller Confectionery Co. .... 54,469

Candy, Lipps-Murbach Co. of Baltimore	54,500
Candy, Pepper Co.	54,522
Candy, Reymer & Brothers	54,524
Canned corn, Burnham & Morrill Co.	54,372
Canned corn and sauerkraut, P. Hohenadel, Jr.	54,513, 54,514
Canned corn and succotash, Saco Valley Canning Co.	54,436
Canned fruits, California Canners Co.	54,402
Canned fruits and vegetables, Sprague, Warner & Co.	54,394
Canned fruits and vegetables, Wayne County Preserving Co.	54,399
Canned fruits and vegetables, Abbott Grocery Co.	54,400
Canned fruits and vegetables, Booth Packing Co.	54,410
Canned fruits and vegetables, Platt & Co.	54,523
Canned succotash, Burnham & Morrill Co.	54,482
Capsules, J. M. Grosvenor & Co.	54,599
Cards and posters, pictorial post, congratsula-tory, and fancy, Chromolithographische Kunstanstalt Paul Finkenrath, Gesell-schaft mit beschränkter Haftung	54,653
Cards, playing, New York Consolidated Card Co.	54,451, 54,452, 54,623
Carriages and wagons, I. S. Remson Mfg. Co.	54,711
Cassimeres, James Irving & Son	54,335
Catheters, stomach-tubes, and bougies, John-son & Johnson	54,309
Catsup, relish, and chili sauce, tomato, E. Fritchard	54,628
Cement, hydraulic, Utica Hydraulic Cement Co.	54,487
Cement plaster, J. B. King & Co.	54,517
Cement, Portland, Thomas Millen Co.	54,437
Cement, Portland, Pacific Portland Cement Co.	54,476
Cement, Portland, Vulcanite Portland Cem-ent Co.	54,537
Cement, Portland, Whitehall Portland Cem-ent Co.	54,538
Ceresin, Ernst Schliemann's Export Ceresin Fabrik Gesellschaft m. b. Haftung	54,658
Chain repair links, Diamond Chain & Manu-facturing Co.	54,703
Chains, ornamental watch and neck, O. M. Draper	54,355
Chemical preparations, La-Lo Manufacturing Co.	54,672
Chemicals, certain named, Brunner, Mond & Co.	54,612
Chisels and punches, Whitman & Barnes Manufacturing Co.	54,730
Chlorids and formaldehyde, compounds of, Shoemaker & Busch	54,631
Chocolate, chocolate candies, and prepara-tions of chocolate and cocoas, Russ-Suchard & Cie	54,527
Chocolate, cocoa, and chocolate preparations, M. S. Hershey	54,497
Chocolates and cocoas, Russ-Suchard & Cie.	54,480
Cigarettes, Butler-Butler	54,442
Cigarettes, H. P. Strause	54,484
Cigarettes, Butler-Butler	54,493
Cigars, C. B. Perkins	54,478
Cigars, S. Spiegel	54,483
Cigars, Carreras Limited	54,507
Cigars, cheroots, and cigarettes tobacco Co, cigar tobacco, Cayey-Caguas Tobacco Co.	54,508, 54,544
Cigars, Havana, Havana Commercial Co.	54,496
Closet seat attachment, Specialties Sales Co.	54,726
Coal, E. J. Cummings	54,509
Coal, A. Y. Malcomson	54,640
Coats, vests, overcoats, and trousers, Schwab Clothing Co.	54,237
Coats, vests, trousers, and overcoats, Bro-kaw Bros.	54,542
Cocoa and chocolate, preparations of, Chas. H. Phillips Chemical Co.	54,423
Coffee, W. E. Sibley	54,301
Coffee, Sprague, Warner & Co.	54,392
Coffee, Chase & Sanborn	54,403
Coffee, Merchants Coffee Company of New Orleans	54,520
Coffee, roasted and roasted and ground, En-terprise Coffee Company of Baltimore City	54,547
Collars, Cluett Peabody & Co.	54,225 to 54,233, 54,267 to 54,272
Condensers, surface and jet, Wheeler Con-densers & Engineering Co.	54,316
Containers for oysters, clams, fish, and other sea foods, National Oyster Carrier Co.	54,719
Cordial, Societe Anonyme de la Distillerie de la Liqueur Benedictine de l'Abbaye de Fecamp	54,405, 54,406, 54,416 to 54,418
Cordial, blackberry, H. R. Myers	54,756
Corn cure, Elgin Chemical Co.	54,326
Corn huskers, adjustable, F. D. Kees Manu-facturing Co.	54,755
Corsets, Fellheimer and Co.	54,548
Cotters, spring, Whitman & Barnes Manu-facturing Co.	54,260
Cotton and cotton and silk piece goods, Aus-tin, Poor & Co.	54,319
Cotton piece goods, Tremont & Suffolk Mills	54,296
Cotton piece goods, York Manufacturing Co.	54,301
Cotton piece goods, Massachusetts Cotton Mills	54,558, 54,559
Cough cure, F. L. Gray	54,598
Cream separators, centrifugal, International Harvester Company of America	54,515
Creamers, gravity, J. S. Barth	54,371
Cutlery, certain named, A. J. Jordan	54,754
Damasks, bleached, gray, printed, and fancy, Neuss Hessein & Co.	54,560
Depilatory powders, F. T. Hopkins	54,663
Dress shields, Kora Co.	54,555
Earthenware vessels, E. J. Samson & Co.	54,611
Egg whites, chemical and vegetable substi-tute for, Frostline Manufacturing Co.	54,375
Electric switches, push buttons, and fittings for electric circuits and lights, R. A. Schoenberg	54,725
Engines, center crank steam, A. L. Ide & Sons	54,334
Engines, gasolene, Deere & Webber Co.	54,740
Engines, side crank steam, A. L. Ide & Sons	54,333
Engines, steam hoisting, mining, stationary, and dredging, J. S. Mundy	54,718
Exhibiting advertising and display matter, machines for, F. E. Van Deusen	54,298
Explosives, Masurite Explosive Co.	54,310
Fabrics, bleached, unbleached, dyed, and printed textile, A. G. Hyde & Sons	54,261
Fabrics, certain named dress, O. Seyd	54,562
Faucets, E. Stebbins Manufacturing Co.	54,742
Feed water heaters, Wheeler Condenser & Engineering Co.	54,300
Ferruginous preparation, Nicolay & Co.	54,341
Fertilizers, Virginia-Carolina Chemical Co.	54,407, 54,408
Fertilizers, Georgia Chemical Works	54,411
Fertilizers, Navassa Guano Company of Wil-mington	54,434
Fertilizers, Virginia-Carolina Chemical Co., 54,438, 54,439, 54,455 to 54,457, 54,488, 54,505, 54,648	54,466
Fertilizers, artificial, Cloverine Fertilizer Co.	54,689
Fiber ware, indurated, United Indurated Fibre Co. of New Jersey	54,688
Figs, dried, Protopazzi Brothers	54,580
Finger nail polish, Dr. J. Parker Pray Co.	54,273
Fireworks, hand stick, E. H. Wagner	54,760
Fireworks, torpedo, E. H. Wagner	54,347
Fish, salted and boneless, J. W. Beardsley's Sons	54,554
Flavoring extracts, Oklahoma Wholesale Grocer Co.	54,625
Flour, self-rising, E. G. Richards	54,388
Flour, wheat, Mohns-Frese Commercial Co.	54,381
Flour, wheat, Monarch Milling Co.	54,382
Flour, wheat, Rea-Patterson Milling Co.	54,386, 54,387
Flour, wheat, Topeka Milling Co.	54,396
Flour, wheat, Falk Mercantile Co.	54,404
Flour, wheat, Lawrenceburg Roller Mills Co.	54,470
Flour, wheat, New London Milling Co.	54,502
Flour, wheat, Northwestern Consolidated Mill-ing Co.	54,503
Flour, wheat, John F. Meyer & Sons Milling Co.	54,516
Flours and meals, American Cereal Co.	54,635
Fluid meters, Hersey Manufacturing Co.	54,749
Food for infants and invalids, prepared, Wells & Richardson Co.	54,587
Food, infants', H. Taylor	54,395
Food, wheat breakfast, Pillsbury-Washburn Flour Mills Co.	54,627

If the Owl's Head trade-mark is on the Stock, you may "HAMMER THE HAMMER"



# IVER JOHNSON

without fear of discharge, because the revolver hammer never touches the firing pin. This Safety principle, found only in the Iver Johnson Safety Automatic Revolver, is due to the fact that the lever which transmits the blow from the hammer to the firing pin is never in position to do so except when the trigger is pulled all the way back.

### SEND FOR BOOKLET "SHOTS"

It's full of firearm lore; gives important facts that every owner of firearms should know, and goes into details and illustrates by sectional views the peculiar construction of the Iver Johnson.

**Iver Johnson Safety Hammer Revolver**  
3-in. barrel, nickel-plated finish, 22 rim fire cartridge, 32-38 center fire cartridge - - \$5.00

**Iver Johnson Safety Hammerless Revolver**  
3-inch barrel, nickel-plated finish, 32-38 center fire cartridge - - \$6.00

For sale by Hardware and Sporting Goods dealers everywhere, or will be sent prepaid on receipt of price if your dealer will not supply.

**Iver Johnson's Arms and Cycle Works**  
170 River Street, Fitchburg, Mass.  
New York Office: 99 Chambers St. Pacific Coast Branch: P. B. Bekart Co., 2380 Alameda Ave., Alameda, Cal.  
European Office: Pichhuden 4, Hamburg, Germany.

Foods, certain named cereal, American Cereal Co.	54,541, 54,568
Foods made from oats, cereal, American Cereal Co.	54,401
Foods, poultry, A. E. Tate	54,584
Foods, prepared cereal breakfast, Hygienic Food Co.	54,376
Fruits, dried, L. Otzen & Co.	54,378
Fruits, dried, G. Frank	54,427
Garments, sleeping, Goodwin Durrell Co.	54,330
Gas burners, H. Adler Co.	54,574
Gin, Straus Gunst & Co.	54,636
Gin, Chicago Distilling Co.	54,609
Glass, cut, R. Murr	54,240
Glass cutters, W. L. Barrett	54,504
Gloves, kid, C. Perrin & Cie	54,482
Glue, American Glue Co.	54,467
Glue cement, L. W. Ferdinand	54,645
Golf clubs, metal heads of, T. Stewart	54,454
Graphite, pulverized, United States Graphite Co.	54,454
Guitars and zithers, Lyon & Healy	54,518
Gum, chewing, American Cicle Co.	54,461
Gum, chewing, Bon-Bon Company	54,463
Gum, chewing, American Cicle Co.	54,463
Hair dressing, J. B. C. Balme	54,263
Hair pins, G. Littleford	54,715
Hair pins, S. Beaumont & Pils	54,734
Hair tonic, Weindorf & Co.	54,633
Hats, men's, women's, and children's, You-mans	54,694, 54,695
Heating and cooking appliances, H. Adler Co.	54,278
Holders, certain named, J. P. Eustis Mfg. Co.	54,753
Hops, Chas. L. Kiewert Co.	54,424
Hose, New Jersey Car Spring & Rubber Co.	54,340
Hosiery, Rice, Stix Dry Goods Co.	54,200
Hosiery, Marshall Field & Co.	54,641
Hosiery for both ladies and gentlemen, Wayne Knitting Mills	54,649
Hydrogen peroxid, American Peroxide and Chemical Co.	54,651
Illusion apparatus, mechanical, E. Renton	54,344
Ink eradicators, B. R. Thomas	54,586
Inks and printing ink varnishes and dry colors, printing and lithographing, Jaencke Printing Ink Co.	54,604
Inks, copying, indelible, and writing, S. S. Stafford, Inc.	54,294
Insecticides, B. G. Pratt Co.	54,343
Knitted underwear and hosiery, Marshall Field & Co.	54,674
Knives and razors, Hibbard, Spencer, Bartlett & Co.	54,246
Knives and razors, Wester Bros.	54,458
Knives and razors, A. Baldwin & Co.	54,696
Lamps and lanterns and parts thereof, R. E. Dietz Co.	54,289
Lard, Golden and Co.	54,510
Lards, J. F. Schroth Packing Co.	54,377
Leather, cut and uncut sole, A. F. Schenkel-berger	54,683
Leather for boots and shoes, A. C. Lawrence Leather Co.	54,317
Leather, harness, Chas. F. Stifel Co.	54,352
Leather, sole, Wm. F. Mosser & Co.	54,608
Leather writing sets, blotting and writing pads, Gorham Mfg. Co.	54,597
Lime, chlorid of, A. Mendelson's Sons	54,675
Liniment, F. A. Richter	54,292
Liniment, E. S. Sloan	54,265
Liniment, W. P. Ward	54,600
Lotion, E. J. M. Hart	54,659
Lotion or emulsion for the skin, liquid, A. S. Hines	54,660
Macaroni and spaghetti, Gennerich & Von Bremen	54,549
Matches, Aktiebolaget Sodertelje Tand-sticksfabrik	54,699
Mattresses and pillows, Chittenden & East-man Co.	54,592
Measures of all kinds, lineal, C. Bube	54,702
Measuring tapes, Lufkin Rule Co.	54,338
Medals and badges, C. W. Little	54,958
Medical and surgical plasters, Johnson & Johnson	54,308
Medical compound, certain named, O. P. G. Conley	54,655
Medicated stock and poultry food, Medicura Food Co.	54,339
Medicinal pills, tablets, and capsules contain-ing medicine, Laboratory Co.	54,671
Medicinal plasters, Alcock Manufacturing Co.	54,302
Medicinal plasters, J. Ellwood Lee Co.	54,712
Medicinal preparation, Ferry Drug Co.	54,744
Medicine, antiseptic and emollient, Ineda-Cofpho Co.	54,620
Medicine, diuretic, Actien-Gesellschaft fur Anilin-Fabrikation	54,566
Medicine for appendicitis, C. Weschcke	54,589
Medicine for epilepsy, A. K. Mandis	54,286
Medicine, proprietary, Wilcox & Godding	54,691
Metal polish, P. H. Solomon	54,482
Metals, antifriction or bearing, William A. Hardy & Son's Co.	54,762
Metals, babbit, and antifriction bearing, Palmetto Metal Co.	54,342
Metals or alloys, antifriction, Magnolia Metal Co.	54,717
Milk and dry milk products in powder form, dry, G. Kammermann & Co. Schwei-zerische Trockenmilchgesellschaft	54,708
Milk, condensed, Michigan Condensed Milk Co.	54,380
Milk, condensed, Pacific Coast Condensed Milk Co.	54,383
Milk, condensed, Vermont Condensed Milk Co.	54,398
Motors and motor machinery and parts thereof, gasolene, W. H. Barrege Co.	54,733
Mouth and tooth wash, H. K. Mulford Co.	54,618
Mower, binder, harvester, and header guards, Whitman & Barnes Manufacturing Co.	54,257
Mower, reaper, harvester, and header guard plates, Whitman & Barnes Manu-facturing Co.	54,729
Mowers, lawn, Supplee Hardware Co.	54,254, 54,255
Mowers, lawn, Whitman & Barnes Manu-facturing Co.	54,258
Mucilage, paste, and sealing wax, S. S. Staf-ford, Inc.	54,481
Music boxes, F. A. Richter	54,582
Music, instruction books, and opera scores, sheet, Gus Edwards Music Publishing Co.	54,277
Musical instrument supplies, Lyon & Healy	54,359
Musical instrument supply packages, Lyon & Healy	54,519
Nails, finish, A. J. Chase	54,638
Nails, horse, Capewell Horse Nail Co.	54,637
Neckscarfs, Weber and Heilbronner	54,348
Needles, machine, Union Special Machine Co.	54,759
Newspaper comic sections or pages, New York Herald Co.	54,720
Nuts, track bolt, American Iron & Steel Mfg. Co.	54,732
Oats, rolled, Wilkinson, Gaddis & Co.	54,591
Oil, castor, Lamar & Rankin Drug Co.	54,357
Oil, castor, C. Delacre & Cie	54,656
Oil of orange, bergamot, and lemon, George Lueders & Co.	54,276
Oil, olive, T. Martindale & Co.	54,622
Oils, machine, E. R. Durkee & Co.	54,614
Ointment for the complexion, J. Rowell	54,293
Ointments, P. P. Dietzgen Co.	54,706
Paint in dry powder and in oil, metallic, Prince Mfg. Co.	54,414
Paint, marine, H. Louderbough	54,432, 54,433
Paint, roofing, Asbestos Manufacturing and Roofing Co.	54,409
Paints, fresco, Toch Brothers	54,420
Paints, mixed, Hibbard, Spencer, Bartlett & Co.	54,468
Paints, mixed, Patterson Sargent Co.	54,521
Paper bags, Union Bag & Paper Co.	54,297
Paper, carbon, Carter's Ink Co.	54,571
Paper for process printing, E. Dietzgen Co.	54,706
Paper makers' feltings, J. Porritt & Sons	54,579
Paper or press board, Rogers Paper Mfg. Co.	54,629, 54,682
Paper, toilet, Scott Paper Co.	54,364 to 54,366
Papers, carbon, J. R. Keatinge	54,668
Pastry with a filling of cream or ices, Al-bagli & Avayon	54,370
Pencils, E. Faber	54,354
Pencils, lead, A. W. Faber	54,595
Peptone, non alcoholic solutions of iron manganese, Chemische Fabrik Helfen-berg, A. G. vorm. E. Dietrich	54,266

**IN CONGRESS, JULY 4, 1776**  
The unanimous Declaration of the thirteen united States of America.

**NATIONAL INDEPENDENCE 1776**

**INDIVIDUAL INDEPENDENCE 1906**

## Life Insurance is Freedom

From Present Anxiety and Future Worry

# THE PRUDENTIAL

Policy Provides Family Independence for the future.  
Fund for Education of Children.  
Freedom in use of present Income and Capital.  
Cash for later needs, and many other advantages.

### You Want the Best in Life Insurance

The Prudential Has the Best for You.

Write now, tell us how much you can afford to invest every year in Life Insurance, how much insurance you would like to obtain, and your age, and we will help you to a decision to your advantage. Address Dept. 121

## The Prudential Insurance Company of America

Incorporated as a Stock Company by the State of New Jersey  
JOHN F. DRYDEN, President Home Office: NEWARK, N. J.

**AIR-COOLED MOTOR CO., Lansing, Mich.**

Largest Air-Cooled Stationary Engine made.  
Bore 6 x 6 inches.  
Cools perfectly.  
No engine ever constructed with so few working parts.  
Weight 900 lbs.  
**5 H. P. Gasoline.**

## To Book Buyers

We have just issued a new 48-page catalogue of recently published Scientific and Mechanical Books, which we will mail free to any address on application.

### MUNN & COMPANY

Publishers of SCIENTIFIC AMERICAN  
361 Broadway, New York

## Wilford's Waterproof Cloth

light, strong, soft and durable. Made of twisted pure flax thread. It is pliable—will not crack, and is much stronger than cotton. It is positively salt and fresh water proof. The proper goods for Hatch Covers, Boat Covers, Sail Covers, Tarpaulins, Side Cloth, etc. Ten years of success—Every piece stamped. Test its merits with a trial order.

### EDWARD A. BUNKER

Sole Agent for the United States and Canada  
**P. O. Box 1579 NEW YORK**

**GAS ENGINE DETAILS.—A VALUABLE and fully illustrated article on this subject is contained in SUPPLEMENT No. 1292. Price 10 cents. For sale by Munn & Co. and all newsdealers.**

**THE BARKER MOTOR**  
has from the first shown itself to be of superior design. Mechanical ideas of proven worth, combined with the best materials and careful attention to details make it

**THE LEADER OF ITS CLASS.**  
**C. L. BARKER, NORWALK, CONN.**

### Inexpensive Classified Advertisements

Advertising in this column is 50 cents a line. No less than four nor more than ten lines accepted. Count seven words to the line. All orders must be accompanied by a remittance. Further information sent on request.

#### SALE AND EXCHANGE.

IF YOU WANT to buy a machine, engine, boiler, power equipment, electrical, steam, pneumatic or other machinery—anything in the machine line—Tell Us and we will see that you get full descriptions, prices, catalogs, etc., from all the first-class manufacturers. We charge nothing for the service. Address Modern Machinery Daily News, Security Building, Suite 10, Chicago.

FOR SALE.—Patent No. 817,480, issued April 10. The best Wire Snow Guard ever made. Reason for selling, other business. J. H. Fulmer, Nazareth, Pa.

NEW ENGLAND FARMS, summer homes, hunting camps and country real estate of every description. Circular free upon receipt of address. Dept. 17, P. F. Leland, 113 Devonshire St., Boston, Mass.

MOTION PICTURE MACHINES, Film Views, Magic Lanterns, Slides and similar Wonders For Sale. Catalogue Free. We also Buy Magic Machines, Films, Slides, etc. T. S. Harbach, 809 Filbert St., Philadelphia, Pa.

STATE RIGHTS FOR SALE in new valuable Registering and Canceling Ballot Box patent. For particulars address E. K. Tolman, Worcester, Mass.

WOULD LIKE NAMES of parties who will manufacture and sell on royalty a trousers creaser. Made in steel or steel and wood. Will sell patent. H. McD. Lorain, Phillipsburg, Pa.

MANLOVE AUTOMATIC DRIVEWAY GATE.—Always in order: operated by any wheel. Safe, handsome, valuable. 1000 working. (Canadian rights for sale.) Manlove Gate Co., 272 Huron Street, Chicago, Ill.

#### BUSINESS OPPORTUNITIES.

WANTED.—Buyers for our one and two-seated business and pleasure Concord spring wagons. Send for 80-page carriage and harness catalog, free. Box 525, Kalamazoo Carriage & Harness Co., Kalamazoo, Mich.

HIGH-CLASS PROPOSITION for capital or partner. Several patents and inventions. Applications lithography and photo-engraving to textile, wall paper, oilcloth printing. Liberal N. Y. charter. Louis Long Co., Buchanan, N. Y.

AGENTS EARN \$75 to \$250 a Month Selling "Novelty Knives." Your name, address, photo underneath handles; also emblems, lodges, societies, etc. Finely tempered razor steel blades. Big profits. Good commission paid. Send 2c stamp for great special offer to agents. Novelty Cutlery Co., 2 Bar St., Canton, O.

WOULD LIKE TO BUY OUTRIGHT, or on royalty, good patented article which would not require much capital to manufacture and for which there could be made a big demand. J. O. Stein, 1209 Case Avenue, Cleveland, Ohio.

WANTED.—Names of parties making leather board. Also of manufacturers of cloth made from plantain tree pulp. F. Ranville Leather Belting Co., Grand Rapids, Mich.

WANTED.—Foreman for die sinking and drop forge work, experienced in both lines. Give age, references, etc. Address "Automobile," Box 773, New York.

BARGAIN for one wishing to engage in Sawmill Machinery Manufacturing Business. Machines best on the Market. Protected by Patents. Profits are large, Sole owner retiring. Machinery, Box 773, New York.

THE CONTROLLING INTEREST in Rivet Forge used by the largest Bridge and Structural Companies. A running business that can be increased by right party. Write for particulars. Boston Crude Oil Burner Co., 131 State St., Boston, Mass.

SIGNAL ALARM, pat. Dec., 1905. The simplest device for refrigerators. Repeats every 5 minutes until the pan is empty. Need no battery. No winding. Cost little to manufacture. Rights for sale. For particulars address Theophile Paquette, 108 Lake St., Webster, Mass.

LET US BE YOUR FACTORY. Hardware specialties manufactured under contract, models developed. We are specialists in patent articles. Prompt service, first-class workmanship, reasonable prices. America Company, Mokenca, Ill.

AGENTS WANTED.—Rubber Grip Burner fits any kerosene lamp, prevents breaking of chimneys, smoking or flickering. Send 25c for sample. Rubber Grip Burner Co., 74 Park Place, New York.

#### POSITION WANTED.

DRAUGHTSMAN.—Good positions for first-class architectural, mechanical and structural men in New York, Chicago and other cities. \$1,200 to \$2,500. Call or write us to-day. Haggoods, 305 Broadway, New York.

#### MACHINERY FOR SALE.

BARNES' LATHE FOR SALE.—Swing, 4 1/2 inches; length, 32 inches. Full set of screw-cutting plates. Lathe in perfect condition, been used by a mechanic. Arthur W. Butterfield, Griggsville, Ill.

FOR SALE.—At Taunton, Mass., patterns, patents, drawings; 4 to 25 horse-power gas or oil engines. Ten years test. Can furnish sample. Hadwen Swain Mfg. Co., 505 Sacramento St., San Francisco, Cal.

FINE LITHOGRAPHED LETTER HEADS, Bill Heads, Envelopes and Checks, gives standing. Write to-day for prices, mentioning this paper. Stillwell, 709 Pine St., St. Louis.

#### PATENTS FOR SALE.

I HAVE FOR SALE the U. S. and all foreign rights of new patent improvements in Water Tube Types of Boilers. Great economizer. J. M. Colman, Everett, Wash.

PATENTS.—European Rights. I want sole agency for Europe for good-selling patents, or might buy rights. James R. Moodie, 73 Inverleith Row, Edinburgh, Scotland.

#### PARTNERS WANTED.

WANTED, A PARTNER. I have a complete plan for making an apparatus to be driven by gravity. Wanted a capitalist to develop the invention. D. Gingold, 297 Cherry St., New York City.

#### SITUATIONS AND PROFESSIONAL OPENINGS.

WANTED.—Experienced and Responsible Patent Rights Salesman to sell territory for a new gasoline sad-iron, the only perfect iron and fully guaranteed. A strictly business proposition. America Company, Mokenca, Ill.

#### HOTELS AND RESORTS.

JAMESTOWN, OPPOSITE NEWPORT. Thordyke Hotel and 8 new cottages, furnished. Charming location on shores of Narragansett Bay; 15 minutes to Newport by ferry. P. H. Horgan, Newport, R. I.

#### PROFESSIONAL CARDS.


LANDSCAPE ARCHITECTS. J. H. Shepard & Son, 302 Euclid Ave., Syracuse, N. Y. Twenty-five years' experience.

LANDSCAPE ARCHITECT. Wm. Webster, 500 North St., Rochester, N. Y. Established 1853.

BUILD AT COST. Town or Country. W. H. A. Horsfall, Architect, 18 and 20 East 42d St., New York, N. Y. Tel. 2968—38th.

Perfumes and toilet waters, Lazell, Dalley & Co.	54,764
Periodical, P. Kraatz	54,284
Photographic papers, Farbenfabriken of Elberfeld Co.	54,596
Pianos, W. W. Kimball Co.	54,564
Pianos, M. Stelner & Sons Co.	54,639
Pianos, Kroeger Piano Co.	54,670
Pills, J. Beecham	54,241
Pills, Alcock Manufacturing Co.	54,303
Pincers, nippers, and hoof trimmers, Washington Tool Co.	54,727
Pincers, shoe, F. W. Whitchee	54,256
Plasters and plastic compounds, Paragon Plaster Co.	54,477
Plasters, corn and bunion, Bauer & Black	54,264
Plows, riding and walking, Parlin & Orendorf Co.	54,313
Plumbago axle grease, United States Graphite Co.	54,647
Plumes and boas, muffs, and capes made from ostrich feathers, ostrich, E. Cawston	54,323
Popcorn, candied, W. J. Madden	54,501
Powder, gun and blasting, W. T. Banks	54,320
Powder, toilet, Waltham Novelty Co.	54,632
Powders for indigestion, etc., C. V. Cross	54,593
Printing machines, Addressograph Co.	54,697
Purgative compounds, liquid, California Fig Syrup Co.	54,322
Purse, coin or combined paper and coin, C. E. Albright	54,349
Quilts, Marshall Field & Co.	54,557
Razors, F. A. Clauber & Co.	54,737
Razors, Smith & Hemenway Co.	54,757
Razors and knives, A. Kastor & Bros.	54,356
Razors and pocket, butcher, and table knives, Keith, Simmons & Co.	54,669
Razors and safety razor blades, C. F. Ern	54,327
Refrigerators and ice chests, Indiana Mfg. Co.	54,283
Remedies, catarrh, C. E. Sandler	54,630
Remedies for certain named diseases, H. Law, H. E. Law	54,673
Remedy for certain named diseases, Adal-lem Medicine Co.	54,318
Remedy for certain named diseases, S. H. E. Hayden	54,619
Remedy for certain named diseases, Edward L. Baldwin Co.	54,657
Remedy for chills and fever, J. P. Smith	54,684
Remedy for pneumonia, Gowan Medical Co.	54,617
Remedy for skin diseases, J. P. Morris	54,907
Ribbons, S. Eisenman & Co.	54,243
Roofing compound made from coal tar products, liquid, E. C. Evans	54,444
Rope and twine, fibrous and textile, Plymouth Cordage Co.	54,721
Rope, cord, and twine, vegetable fiber, R. Rochester	54,252
Ropes, cords, twines, and lines, Silver Lake Co.	54,345
Rubber boots and shoes, Goodyear Rubber Co.	54,709
Rubber boots and shoes of all kinds, Rice & Hutchins	54,525
Rubber boots, shoes, and galoshes, Ostasische Handels-Gesellschaft	54,475
Rubber bulb and fountain syringes, soft, American Hard Rubber Co.	54,262
Rubber hose, Gorham Rubber Company	54,550
Rubber syringes, hard, American Hard Rubber Co.	54,350
Safes, Herring-Hall-Marvin Safe Co.	54,280
Salt, Wilkinson, Gaddis & Co.	54,590
Salve for sore eyes, E. E. Sutherland Medicine Co.	54,275
Salves, liniments, and porous strengthening plasters, E. D. Porter	54,304
Sauce, tomato, L. Balbi & Co.	54,560
Saws, Henry Disston & Sons	54,244
Saws, J. N. Eberle & Co.	54,305
Saws of all kinds, E. C. Atkins & Co.	54,741
Scissors and shears, H. Baker & Co.	54,700
Seed, grass and field, L. Teweles	54,585
Seltzogenes and analogous vessels for aerated liquids, Aerators Limited	54,698
Serums, P. Yvon	54,693
Sewing cotton on spools or reels, Jonas Brook Bros	54,665
Sheeting, Minot, Hooper & Co.	54,311
Sheeting and drilling, cotton, Abe Stein Co.	54,540
Sheetings and drills, cotton, K. Iwahara	54,553
Ship logs and sounding machines, Thomas Walker & Son	54,687
Shirts, collars, and cuffs, Hall Hartwell & Co.	54,279
Shirts, collars, and cuffs, International Shirt and Collar Co.	54,664
Shirts, outer, Paul E. Wolf Shirt Co.	54,677
Shirt waists and shirt waist suits, Holzman Mfg. Co.	54,662
Shirt waists, ladies', Belle Waist Co.	54,490
Shirt waists, ladies', E. Fast	54,494
Shirtings, sheetings, cambrics, and long cloth, bleached and unbleached, G. Willis & Co.	54,565
Shoes, leather, James Means Co.	54,248
Shoes, leather, F. Mayer Boot & Shoe Co.	54,306
Shoes, leather, L. W. Franklin	54,329
Shoes, leather, Augustus Wright Co.	54,551
Shoes, leather, Peters Shoe Co.	54,578
Shovels, scoops, and spades, St. Louis Shovel Co.	54,314
Silver hollow, flat, and table ware, Wilcox & Wagoner Co.	54,692
Silver hollow, flat, and table ware, sterling and solid, Gorham Mfg. Co.	54,763
Silver plated flat, hollow, and table ware, Wm. A. Rogers, Limited	54,731
Silver ware, sterling, R. Wallace & Sons Mfg. Co.	54,561
Silverware, plated, Gorham Mfg. Co.	54,331
Skin food or massage cream, E. H. Rice	54,680
Soap, Charles N. Crittenton Co.	54,425
Soap, William Walke & Co.	54,441
Soap, bar, Wiehle Soap Co.	54,421
Soap, cleaning and polishing, Marshall Chemical Co.	54,413
Soap for toilet, laundry, and general use, Procter & Gamble Co.	54,415
Soap, laundry, J. G. Haas Soap Co.	54,429
Soap, laundry, William Walke & Co.	54,539
Solder, National Lead Co.	54,250
Spices and mustard, E. R. Durkee & Co.	54,374
Spices and mustard, Snragee Warner & Co.	54,393
Spices and mustard, E. R. Durkee & Co.	54,546
Stamps for stamping trade marks upon textiles, Kaumergarb Co.	54,575
Starch, laundry, Troy Laundry Machinery Co.	54,563
Starch, laundry, New Orleans Coffee Co.	54,576
Steel, S. & C. Wardlow	54,299
Steel, Howe, Brown & Co.	54,307
Steel, Park Steel Co.	54,361
Steel, Singer, Nimick & Co.	54,367
Steel, Crucible Steel Company of America	54,739
Steel and iron in bar, rod, rail, sheet, and wire, Seebohm & Dieckstahl	54,765
Steel bars, plates, sheets, Hammacher, Delius & Co.	54,748
Steel bars, rods, and wire, Hobson Houghton & Co.	54,661
Steel household and cooking utensils, enameled, Central Stamping Co.	54,572
Steel or iron household utensils, enameled, Hibbard, Spencer, Bartlett & Co.	54,601
Stencil duplicating machines and parts thereof, Neostyle Co.	54,288
Stoves, heating and cooking, Joliet Stove Works	54,621
Sugar and molasses, R. C. Martin	54,379
Suspensory bandages, Johnson & Johnson	54,235
Sweeping compounds, G. E. Cave	54,224
Switches, snap, Perkins Corporation	54,626
Syrup, Penick & Ford	54,385
Syrups and molasses, Penick & Ford	54,384
Syrups and molasses, sugar cane, Penick & Ford	54,577
Tackle and hoisting blocks and sheaves for the same, Boston and Lockport Block Co.	54,636
Talking machine records, Victor Talking Machine Co.	54,368
Tea, S. S. Pierce Co.	54,389
Tea, Chase & Sanborn	54,422
Tea, A. Schilling & Co.	54,528
Tea, A. E. Pratt	54,529
Teeth and curing toothache, compounds for filling, A. E. Pratt	54,679
Thread and darning and crochet cotton, cotton, Clark Mill-End Spool Cotton Co.	54,324

## Quality Counts for Everything in a Revolver



**Price (Nickel) \$2.50**

### H. & R. REVOLVERS

will stand the closest scrutiny. Investigate them and you will try no other. The H. & R. Revolvers are known around the world for their safety, accuracy, durability, perfect design, and general superiority. Only the most skilled mechanics and only the finest quality of material employed in their manufacture. Every piece is finished to the 1000th part of an inch and its perfectly "H. & R." such as a quick shake reveals in its guaranteed perfect. Barrel and cylinder drilled from solid piece of finest forged steel, solid steel frame, handsome rubberstock, affording good grip. Noted for smooth action, perfect accuracy and power. Don't experiment with an unreliable make because low price is offered as a tempting bait. The H. & R. Model 1905 Double Action Revolver is medium in size, weight and price, but an effective weapon. .32 caliber. 5 shot C. F. S. & W. cartridge. 2 1/2 in. barrel, nickel finish, \$2.50. 4 1/2 in. barrel, \$3.00. 6 in. barrel, \$3.50.

For blue finish add 50c. to either size. Greatest value ever offered for the price. Sold by all dealers in reliable sporting goods. If not sold in your town, we will ship direct prepaid on receipt of price.

**HARRINGTON & RICHARDSON ARMS CO., 228 Park Ave., Worcester, Mass.**  
Send for catalog of our full line including our famous Safety Hammerless.

## Your Vacation

may be spent in one of Nature's playgrounds, where buoyant, clear air, 1,200 closely linked lakes and streams, genial sunshine, virgin woods and highlands, splendid trout-fishing, cooking that will make you fat, canoeing, loafing, and running across mighty nice people will re-create you in mind and body.—Algonquin Park and surrounding district in Ontario, Canada, is the place, and the Grand Trunk Railway System is the way. Through car connections from Boston, New York, Buffalo and Chicago. Write for our resort booklets on Algonquin Park, Muskoka Lakes, Georgian Bay, and Temagami Region to

**T. H. Hanley, N. E. Pass. Ag't GRAND TRUNK RAILWAY SYSTEM, 360 Washington St., Boston**

### It's Easy to Keep Cool!

The simplest, smallest, safest, neatest and most successful Motor Fan made is the **Rawlings Patent High-Speed Water Motor Fan**. Can be installed in a few minutes. No operating expenses. Made of high-grade brass. Price 14-in. Fan with complete couplings, \$10.00.

**E. GINTZEL**  
150 Nassau St., New York City




CANTON, Mich., Dec. 21, 1905.

BRENNAN MOTOR CO., SYRACUSE, N. Y.

GENTLEMEN—The 30 H.P. Motor I bought of you three years ago, to run my ice harvester, is a dandy. It is simple, easy to control and cheap as to fuel. I did my threshing with it, running a large separator, with blower for stacking, and it seemed to run with as much power, if not more, than the large steam engine. Crowds of people came to see the little thing run such a large machine and do the work so easily. It took about three hours to thresh over 400 bushels of grain and we did not stop once.

Any one wanting a motor will make no mistake if they get a J. B. HAUSE.

Yours very truly,  
**BRENNAN STANDARD MOTOR**  
Mounted with Individual Clutch Gear, also Furnish Sliding Gear  
Motors from 6 to 80 Horse Power.



Just \$94.50 for this complete launch. This is not a small rowboat with an engine, but a full sized modern power boat. We are the largest manufacturers of power boats, canoes and dinghies in the world. Write to-day for catalog.

**Just \$94.50**

**DETROIT BOAT CO.** 1302 JEFFERSON AVE. DETROIT, MICH.  
MEMBERS N.Y. ASSN. BOAT & ENGINEERS

## ELECTRICITY

Oldest and best school in world teaching ELECTRICITY exclusively. Course complete **IN ONE YEAR**

Students actually construct Dynamos, Motors and electrical instruments. Graduates hold good positions. *Fourteenth* year opens Sept. 26. Send for free Catalog to **Bliss Electrical School, 214 G Street N. W., Washington, D. C.**

### Scientific Color Printing

We have added to our large printing establishment, and now have in successful operation, a most complete **Photographic Color Department** equipped with the largest cameras, best possible instruments and printing machinery for making **Fine Colored Reproductions** by our Photo-Color Process.

Paintings, Objects of Art, Rugs, Carpets, Commercial Designs, and articles of merchandise faithfully reproduced in all their natural colors, in any quantity.

Periodical Covers, Artistic Book and Catalogue work, Calendars are among our specialties.

**The SPARRELL PRINT**  
265 CONGRESS STREET BOSTON

### Wonder Lighting Outfits

FOR FARM, SHOP, COTTAGE or PRIVATE RESIDENCE

We manufacture the only small outfit for this purpose. Think of it, less than one-sixth cent per hour for each 16 c.p. lamp. Why pay many times this amount for a poor light? If you want to make the home cheerful, at the same time save money, send for our new 50-page catalogue. Outfits from \$125 up; 6 to 60 lights.

**THE R. M. CORNWELL CO.**  
406 South Salina Street Syracuse, N. Y.  
New York Office, 454 Park Row Building



### ELECTRICAL APPARATUS REPRESENTED BY CONVENTIONAL DIAGRAMS IN DRAWINGS.—Fifty diagrams showing the usual method of illustrating electrical apparatus in drawings. A labor saving paper. Contained in SUPPLEMENT 1106. Price 10 cents. For sale by Munn & Co. and all newsdealers.

## Concrete, Reinforced Concrete AND Concrete Building Blocks

Scientific American Supplement 1543 contains an article on Concrete, by Brysson Cunningham. The article clearly describes the proper composition and mixture of concrete and gives results of elaborate tests.

Scientific American Supplement 1538 gives the proportion of gravel and sand to be used in concrete.

Scientific American Supplements 1567, 1568, 1569, 1570, and 1571 contain an elaborate discussion by Lieut. Henry J. Jones of the various systems of reinforcing concrete, concrete construction, and their applications. These articles constitute a splendid text book on the subject of reinforced concrete. Nothing better has been published.

Scientific American Supplement 997 contains an article by Spencer Newberry in which practical notes on the proper preparation of concrete are given.

Scientific American Supplements 1568 and 1569 present a helpful account of the making of concrete blocks by Spencer Newberry.

Scientific American Supplement 1534 gives a critical review of the engineering value of reinforced concrete.

Scientific American Supplements 1547 and 1548 give a resume in which the various systems of reinforced concrete construction are discussed and illustrated.

Scientific American Supplement 1564 contains an article by Lewis A. Hicks, in which the merits and defects of reinforced concrete are analyzed.

Scientific American Supplement 1551 contains the principles of reinforced concrete with some practical illustrations by Walter Loring Webb.

Scientific American Supplement 1573 contains an article by Louis H. Gibson on the principles of success in concrete block manufacture, illustrated.

Scientific American Supplement 1574 discusses steel for reinforced concrete.

Scientific American Supplements 1575, 1576, and 1577 contain a paper by Philip L. Wormley, Jr., on cement mortar and concrete, their preparation and use for farm purposes. The paper exhaustively discusses the making of mortar and concrete, depositing of concrete, facing concrete, wood forms, concrete sidewalks, details of construction of reinforced concrete posts.

Each number of the Supplement costs 10 cents.

A set of papers containing all the articles above mentioned will be mailed for \$1.80.

Order from your newsdealer or from

**MUNN & CO.**  
361 Broadway, New York City

# Dixon's MOTOR Graphite

Smooths every bearing—every difficulty. If your car loses compression use Dixon's Motor Graphite. If you would develop more power and greater speed; if you would preserve the life of your machine and multiply the pleasures of motor-ing lubricate with Dixon's Motor Graphite.

We have a special booklet on motor lubrication which all motorists should have. Address Dept. W.

**JOSEPH DIXON CRUCIBLE CO.**  
Jersey City, N. J.




**SWIFT SAFE DETROIT CANOES STRONG DURABLE**

"The kind you always thought would be built some day"  
Write to-day for our Free Illus'd Catalog.  
We are the **WORLD'S LARGEST BUILDERS** of canoes and launches.

**DETROIT BOAT CO.** 1312 JEFFERSON AVE. DETROIT, MICH.

**Andrew Carnegie, Thomas A. Edison** and many other successful men began their careers at Telegraph Operating. Why don't you learn? For \$1.75 we will send you a complete N. D. outfit with book of instructions, by express (not pre-paid). Send for catalog of electric apparatus, supplies and novelties.



**J. H. BUNNELL & Co., Inc.**, 20 Park Place, New York

## The Thousand Islands

are more attractive than ever this season. The New York Central Lines Four-Track Series No. 10, "The St. Lawrence River from the Thousand Islands to the Saguenay," contains the finest map ever made of this region. Copy will be sent free, postpaid, on receipt of a two-cent stamp by George H. Daniels, Manager, General Advertising Department, Room 26, Grand Central Station, New York. THE



**"AMERICA'S GREATEST RAILROAD"**

REACH THE THOUSAND ISLANDS FROM EVERY DIRECTION.

C. F. DALY, Passenger Traffic Manager, New York.

# PATENTS

60 YEARS' EXPERIENCE

TRADE MARKS  
DESIGNS  
COPYRIGHTS & C.

Anyone sending a sketch and description may quickly ascertain our opinion free whether an invention is probably patentable. Communications strictly confidential. **HANDBOOK** on Patents sent free. Oldest agency for securing patents. Patents taken through Munn & Co. receive special notice, without charge, in the

**Scientific American.**  
A handsomely illustrated weekly. Largest circulation of any scientific journal. Terms, \$3 a year; four months, \$1. Sold by all newsdealers.  
**MUNN & Co.** 361 Broadway, New York  
Branch Office, 625 F St., Washington, D. C.

Thread, cotton, Jonas Brook & Bros.	54,236
Thread, cotton, Clark Mile-End Spool Cotton Co.	54,443
Thread, cotton, Jonas Brook & Bros.	54,666
Threads of all kinds, cotton, Clark Thread Co.	54,654
Tobacco, chewing and smoking, Smith & Scott Tobacco Co.	54,532
Tobacco "in the hand," leaf, J. M. Buckner, Jr., & Co.	54,543
Tobacco, leaf, smoking, and chewing, Independent Tobacco Manufacturers Promoting Company	54,447
Tobacco smoking, Blackwell's Durham Tobacco Co.	54,491
Tobacco, smoking and chewing long cut, Hansen-Schmitt Co.	54,445
Tobacco, smoking, chewing, and cigarette, A. A. Kohary	54,499
Tobacco, smoking or chewing, Nashville Tobacco Works	54,474
Toilet articles, certain named, J. C. Dowd & Co.	54,325
Tonic beverage, carbonated, Boonville Mineral Spring Co.	54,464
Tonic beverage, carbonated, J. Ries	54,610
Tonic beverage, carbonated, non-intoxicating, Heinzerling & Co.	54,511, 54,512, 54,600
Tonic for rheumatism, Feeney & Palotto	54,328
Tooth paste, C. M. Dunne	54,704
Trees, peach, M. E. Fowler	54,573
Turpentine, Standard Oil Co. of New York	54,533
Turpentine, spirits of, Georgetown Chemical Works	54,428
Typewriter ribbons, Carter's Ink Co.	54,670
Typewriters, inked pads for, J. R. Keatinge	54,713
Underwaists for women and children, T. B. Fitzpatrick	54,234
Underwear, dressed skin, T. C. Jones	54,667
Underwear, woven and knitted, G. W. Schlichten	54,253
Varnish hardeners, Touzey Varnish Co.	54,485
Veterinary gall ointments, healing powders and liniments, C. L. Rea	54,362
Wagons, Eagle Wagon Works	54,743
Waists, ladies' dress, Juda Bros.	54,498
Wall coating, Toch Brothers	54,534
Wall ties, Braun Manufacturing Co.	54,701
Washbasins, stationary, Cahill Iron Works	54,265
Watches, W. C. Ball	54,239
Watches and parts thereof, A. Schwab	54,331
Watches, watch movements, cases, and parts, W. F. Doll	54,353
Whiskies, pure rye and malt, Meadville, Pennsylvania Distilling Co.	54,450
Whisky, J. F. Sinnott	54,419
Whisky, M. Lange	54,448
Whisky, J. & E. Mahoney	54,449
Whisky, T. E. O'Keefe	54,453
Whisky, William H. Lee & Co.	54,460
Whisky, W. M. Guggenheim Co.	54,650
Whisky, Brown-Forman Co.	54,652
Whisky, E. Oppenheimer	54,676
Whisky, Richardson Brunsing Co.	54,681
Whisky, Straus Gunst & Co.	54,685
Whisky, M. S. Lowenthal	54,716
Whisky, C. H. Ross & Co.	54,723
Whisky, T. J. Ryan	54,724
Whisky, C. Bruml	54,735
Whisky, Clover Leaf Wine Co.	54,738
Whisky, Four Oaks Distilling Co.	54,747
Whisky, S. Hirschhorn	54,750
Whisky, E. Hirschhorn	54,751
Whisky, E. Hyman & Son	54,752
Whisky, Weiss, Eichold, & Liquor Co.	54,761
Wine, J. Wile Sons & Co.	54,459
Wine, I. Goldoft	54,616
Wire hat frames made without tie wires, ladies', Totem Machine Co.	54,646
Woolen dress goods, bolted, J. Lonke	54,556
Woolen piece goods, Beebe-Webber Co.	54,489
Wrenches, Whitman & Barnes Manufacturing Co.	54,259
Yarn, sewing and crochet cotton, cotton, Jonas Brook & Bros.	54,336
Yarns, woolen and worsted, E. Blankenburg & Co.	54,321

### LABELS.

"A No. 1," for coffee, A. & G. Meyer	12,947
"Cushion Corn Cure," for corn cure, C. Amann	12,959
"Harvesta," for prepared cooked wheat, Igleheart Bros.	12,949
"Hawaiian Pineapple (Diced)," for pineapple, Tropic Fruit Co.	12,950
"Iron-Clad and Medicated Gloves," for gloves, Mound City Dishwasher Co.	12,964
"Its Mighty Easy to Spot Hilton Clothes," for clothing, Hilton Co.	12,966
"Jeffries' No. 1 Cough Mixture," for medicine, T. T. Jeffries	12,954
"Jeffries' Reliable Headache Powders," for medicine, T. T. Jeffries	12,953
"Klondyke Blue Plaster Board," for plaster board, Bright, Barrett & Stilwell Co.	12,972
"Liquoseptol," for medicine, T. T. Jeffries	12,955
"Lowney's Milk Chocolate," for chocolate, Lowney Chocolate Co.	12,948
"Martha Darzie Dlabanon," for a skin preparation, M. J. Brannon	12,957
"Mault-Ayle," for a light beer, Marshall Bottling Co.	12,946
"McGee's Corn Cure," for corn cure, Star Chemical Co.	12,958
"Mosquitone," for a liquid solution, T. T. Jeffries	12,952
"Purity Seamless Nipples Non-Collapsible," for nipples, American Lithographic Co.	12,970
"Sublime," for linen thread, Societe Anon. Filature & Filteries Reunies	12,963
"Teaderfoot," for hosiery, Carson, Pirie, Scott and Co.	12,965
"The Aetna Self-Heating," for self-heating cans containing food, Aetna Self-Heating Food Co.	12,962
"The Medina County Creamery Co.," for butter, Medina County Creamery Co.	12,951
"Theform," for a medical preparation for the scalp and hair, A. Brown	12,961
"Tin Pan Coal," for receptacles for coal, St. Louis Rocky Mountain & Pacific Co.	12,971
"Tiz for Tender Feet," for foot bath tablets, W. L. Dodge	12,960
"Victor Auxetophone," for talking machines and parts thereof, Victor Talking Machine Co.	12,968
"Victor Junior Gramophone," for talking machines and parts thereof, Victor Talking Machine Co.	12,969
"Victor Victrola," for talking machines and parts thereof, Victor Talking Machine Co.	12,967
"Violet Talc Powder," for talc powder, Colgate & Co.	12,956

### PRINTS.

"Good Morning," for puffed rice, American Cereal Co.	1,709
"Men's Apparel," for men's apparel, L. Adler Brc. & Co.	1,711
"Noodles, Moonlight, Pocahontas, Colonial Gir., Knuckledown, and in Old Madrid backs, Congress Playing Cards," for playing cards, United States Playing Card Co.	1,714
"The Continental Garter," for garters, W. Heymann	1,710
"The Handicraft Doll Furniture," for doll furniture, A. M. Spinney	1,713
"The 'Kismet' Holder," for glass and bottle holders, A. Hering	1,712
"The Model Flour Mill," for flour, Washburn-Crosby Co.	1,708

A printed copy of the specification and drawing of any patent in the foregoing list, or any patent in print issued since 1863, will be furnished from this office for 10 cents, provided the name and number of the patent desired and the date be given. Address Munn & Co., 361 Broadway, New York.


Canadian patents may now be obtained by the inventors for any of the inventions named in the foregoing list. For terms and further particulars address Munn & Co., 361 Broadway, New York.

## ANATOMY OF THE UNDERFEED FURNACE

Get acquainted with the Peck-Williamson Underfeed Furnace. We want you to know this heating marvel. A moment's study of the illustration will enable you to understand what Scientific Furnace Construction really means, and why

### THE PECK-WILLIAMSON UNDERFEED FURNACE

Saves 1-2 to 2-3 on Coal Bills



You will see how it burns and extracts as much heat from a ton of the cheapest grade coal as you have ever been able to obtain from a ton of highest grade coal with an Overfeed furnace. You will appreciate how it soon pays for itself and then begins a handsome annual saving for you. The arrows in illustration point to leading features of Underfeed Furnace construction.

1. X-Ray view showing galvanized casing.
2. Cast iron radiator.
3. Fire burning on top of the coal—the Underfeed's exclusive way. Smoke and gases, which go up the chimney and are wasted in Overfeed furnaces, are released below the fire in the Underfeed and must pass through the fire and are thus converted into heat units.
4. Sectional view of the feed hopper, in which coal is placed.
5. Coal as it is forced up under the fire.
6. The revolving grate through which coal is forced.
7. Grate bar which causes the grate to revolve and drop ashes into the ash pit below.
8. Plunger operated by lever, which forces coal from the hopper into the fire chamber.
9. Wood lever operating the plunger.
10. Automatic valve which prevents coal from dropping back when the plunger is released.

The Underfeed is not an experiment. Every claim made for it has been fully established by hundreds of voluntary letters received from those who have subjected it to the severest tests.

New illustrated Underfeed booklet FREE. It gives full description of furnace and face-simile letters from happy users. Heating plans and services of our Engineering Department are yours—absolutely Free. Write to-day. Please give name of local dealer with whom you prefer to deal.

**THE PECK-WILLIAMSON CO., 351 W. 5th St., Cincinnati, O.**  
It will PAY Dealers to write for our very attractive proposition.

## Eureka Machine Co.

Manufacturers of



### CONCRETE MIXERS

and


### Block Machines

Write for Catalog A

420 N Jackson St., Jackson, Mich., U.S.A.

## THE "LEADER."

1 1/2 H. P. Gasolene Auto-Marine Engine



Built like a watch. Beautifully Finished. Accurately Constructed. Light, strong, Reliable, and Noiseless in operation. Suitable for launches from 15 to 19 feet in length. Price complete, \$75 net, no discount. Thoroughly guaranteed. Perfect Speed Control. Complete descriptive Catalog upon application. Manufactured by

**CLAUDE SINTZ,**  
292 S. Front St., Grand Rapids, Mich.

## The Genuine Armstrong's STOCKS and DIES



Acknowledged to be the best. Different sizes and capacities. Write for catalog.

**THE ARMSTRONG MFG. CO., Bridgeport, Conn.**  
New York Office, 139 Centre Street

### HOW TO MAKE AN ELECTRICAL FURNACE for Amateur's Use.

The utilization of 110 volt electric circuits for small furnace work. By N. Monroe Hopkins. This valuable article is accompanied by detailed working drawings on a large scale, and the furnace can be made by any amateur who is versed in the use of tools. This article is contained in **SCIENTIFIC AMERICAN SUPPLEMENT**, No. 1182. Price 10 cents. For sale by MUNS & CO., 361 Broadway, New York City, or by any bookseller or newsdealer.

## Stallman's Dresser Trunk

Easy to get at everything without disturbing anything. No fatigue in packing and unpacking. Light, strong, roomy drawers. Holds as much and costs no more than a good box trunk. Hand-riveted; strongest trunk made. In small room serves as chiffonier. C. O. D. with privilege of examination.

2c. stamp for Catalog.  
**F. A. STALLMAN, 61 W. Spring St., Columbus, O.**

## AUTOMOBILES BOUGHT, SOLD AND EXCHANGED

The largest dealers and brokers in New and Second-hand Automobiles in the world. Complete Bargain Sheet sent on request.

**TIMES SQUARE AUTOMOBILE CO.**  
217 West 43rd Street New York City



SETS OF CASTINGS OF MODEL ENGINES  
SEND 10¢ FOR 126 PAGE ILL. CATALOGUE.  
ALSO TOOLS  
GEAR WHEELS & PARTS OF MODELS  
**GOODNOW & WIGHTMAN**  
Removed to 132 Milk Street.

## LET US BE YOUR FACTORY

WRITE FOR ESTIMATE ON ANY ARTICLE YOU WANT MANUFACTURED

**STAMPINGS, MODELS, EXPER. WORK**  
WRITE FOR FREE BOOKLET  
**THE GLOBE MACHINE & STAMPING CO.**  
970 Hamilton St., Cleveland, O.

## ICE MACHINES

Corliss Engines, Brewers and Bottlers Machinery. THE VILTER MFG. CO., 899 Clinton St., Milwaukee, Wis.

## MODELS & EXPERIMENTAL WORK.

Inventions developed. Special Machinery  
**E. V. BAILLARD, 24 Frankfort Street, New York.**

## RUBBER

Expert Manufacturers  
Fine Jobbing Work  
**PARKER, STEARNS & CO., 228-229 South Street, New York**

## OLD GOLD, SILVER AND PLATINUM BOUGHT

Ship to us and we will remit cash immediately.  
**ASHER KLEINMAN, 250 8th Ave., N. Y. City., N. Y.**

## MODELS & INVENTIONS PERFECTED

UNION MODEL WORKS  
193 So. CLARK ST. CHICAGO.

## BE A WATCHMAKER

Send for our free book, How to be a Watchmaker. Stone School of Watchmaking, 904 Globe Bldg., St. Paul, Minn.

## MODELS & INVENTIONS PERFECTED

CHICAGO MODEL WORKS  
ESTABLISHED 1867  
179 E. MADISON ST. CHICAGO, ILL.

## STEEL TYPEWRITER TYPE

We make, or will furnish complete outfit for making, all styles. **NEW YORK STENCIL WORKS,** 100 Nassau Street, New York.

## MODEL AND EXPERIMENTAL WORK.

Electrical and Mechanical Instruments. Small Mach'y  
**EDWARD KLEINSCHMIDT, 82 W. Broadway, New York**

## SHOP ROOM TO LET

FULLY EQUIPPED MACHINE SHOP  
**S. A. NICHOLAS, 30 Greenwich Avenue**

## W. B. KNIGHT MACHINERY CO.

Mrs. of Special Machinery and Tools  
2019 to 2025 Lucas Ave., ST. LOUIS

## WE MAKE GOOD

models. We do experimental work, and do it good. We manufacture and sell electrical and mechanical apparatus at the correct prices. Agents wanted everywhere.  
**United Electrical Mfg. Co., 53 Vesey Street, New York.**

## Telegraphy

Circular free. Wonderful automatic teacher. 5 styles \$2 up. **OMNIGRAPH CO., Dept. 52, 89 Cortlandt St., New York.**

## ROSE POLYTECHNIC INSTITUTE

Terre Haute, Ind. A College of Engineering, Mechanical, Electrical and Civil Engineering, Chemistry and Architecture. Extensive shops. Laboratory equipment, modern. Expenses low. For Catalogue and Professional Register of Alumni, address  
**C. L. MEES, President.**

Men and boys wanted to learn plumbing, plastering, bricklaying. Special offer life scholarship fifty dollars, easy payments. Position guaranteed. Free catalogue. **Coyne Bros. Trade Schools, 239 Tenth Avenue, New York. Chicago. St. Louis.**

## STUDY ELECTRICITY

at home, with your own Laboratory. Write for our Electrical Manual of directions for 100 experiments. Let us tell you the low price of our Laboratory.  
**COLUMBIA SCHOOL SUPPLY CO. Indianapolis, Ind.**

## I KNOW


Where to locate you on the

### LEHIGH VALLEY RAILROAD

if you want to establish a new industry or re-locate one already established.

**P. H. BURNETT, Industrial Agent**  
143 Liberty St., N. Y.





**WE MANUFACTURE MOULDED AND SPECIAL RUBBER GOODS OF EVERY DESCRIPTION AND CAN FURNISH ANY SPECIAL RUBBER ARTICLE TO YOUR SATISFACTION.**


**NEW YORK BELTING & PACKING CO. LTD.**  
91-93 CHAMBERS STREET, NEW YORK.

**Civil Engineering and Surveyors' Instruments**  
DRAWING INSTRUMENTS, MATERIALS AND SUPPLIES

We are the largest house in the world. Try us on BLUE PRINT PAPER, TRACING CLOTH, DRAWING INKS, or SURVEYING and ENGINEERING INSTRUMENTS.

**A. S. ALOE CO., 507 Olive Street, - - - St. Louis, Mo.**  
Write for Catalog. "Sent Free." Correspondence Solicited.

**Orient Friction Drive Buckboard**  
\$400




**World's Champion Motor Car**

In the New York Efficiency Contest, May 5th, the two Orient Buckboards entered broke all existing records, one car going 94 miles, the other 101.6 miles, each on two gallons of gasoline. No stops made for repairs or adjustments. This unequalled performance places the Orient first in efficiency, economy and endurance. Peerless in construction, smartest in appearance—4 H. P. Air Cooled, numerous speeds, forward and reverse—absolutely dependable for all-round road work—level roads—hills, sand or mud. Catalogue free with full information. Agents wanted in unassigned territory.

**WALTHAM MFG. COMPANY**  
Waltham, Mass., U. S. A.

**I. H. C.**




**Gasoline Engines**

Just a little investigation and comparison with others will show their superiority. Strength, Simplicity, Efficiency and Economy are the distinguishing marks of every I. H. C. power. Adapted to use in shops of all kinds, pumping, industrial plants, experiment stations, etc. Horizontal, Vertical, Portable types. Sizes from 2 to 15 horse power. Write for catalogue.

**International Harvester Company of America**  
(Incorporated)  
7 C Monroe Street, Chicago, Ill.

1 1/2 h.p. engine only, \$33.15  
3 h.p. engine only, 44.00



**DETROIT AUTOMARINE Motor** New Model 1906  
The Smoothest Thing That Runs

Noise, Friction and Uncertainty reduced to a minimum. The result of a high standard of manufacturing—which means every piece of metal tested—not by rule of thumb, but by scientific methods, on a testing machine built for the purpose.

From foundry to user, the DETROIT AUTO-MARINE MOTOR passes in its various stages under one organization head. We are making 10,000 Auto-Marine Gasoline engines this year, not merely assembling parts made in various factories.

**WE MANUFACTURE THE MOTOR COMPLETE AND GUARANTEE EVERY MOTOR WE MAKE**

1 1/2 H. P., \$33.15. Engine only  
3 H. P. will develop 4 H. P., \$44.00. Engine only


For stationary power purposes, we equip these engines with the Auto Adjustable Governor, at an addition of \$5—making one of the most satisfactory gasoline engines for power purposes built.

Write for Catalog describing Auto-Marine Motors 1 to 20 H. P. and Auto Adjustable Governor.

**DETROIT AUTO-MARINE CO.**  
75 E. Congress St., Detroit, Mich.  
F. G. HALL, Mgr., 95 Liberty Street, New York  
The House, Philadelphia

The only builders of Auto-Marine Engines in the World

**GOLD GALVANIZING.**  
AMERICAN PROCESS. NO ROYALTIES.  
SAMPLES AND INFORMATION ON APPLICATION.



**NICKEL AND Electro-Plating**  
Apparatus and Material.  
THE HANSON & VAN WINKLE CO.,  
Newark, N. J.  
30 & 32 S. Canal St. Chicago.

**CHARTER**



Stationaries, Portables, Hoisters, Pumps, Saws and Boat Outfits, Combined with Dynamos.

**Gasoline, Gas, Kerosene.**  
Send for Catalogue.

**State Power Needs.**  
**CHARTER GAS ENGINE CO., Box 148, STERLING, ILL.**

**Wizard Repeating LIQUID PISTOL**



Will stop the most vicious dog (or man) without permanent injury. Perfectly safe to carry without danger of leakage. Fires and recharges by pulling the trigger. Loads from any liquid. No cartridges required. Over 6 shots in one loading. All dealers, or by mail, 50c. Rubber-covered holster, 5c. extra.

**Parker, Stearns & Co., 226 South St., Dept. G, New York**

**Scales**


All varieties at low est prices. Best Railroad Track and Wagon or Stock Scales made. Also 1000 useful articles, including Scales, Sewing Machines, Bicycles, Tools, etc. save Money. Lists Free. **CHICAGO SCALE CO., Chicago, Ill.**

**LEARN TO BE A WATCHMAKER**

**Bradley Polytechnic Institute**  
Horological Department  
Peoria, Illinois  
Formerly Parsons Horological Inst.  
Largest and Best Watch School in America

We teach Watch Work, Jewelry, Engraving, Clock Work, Optics. Tuition reasonable. Board and rooms near school at moderate rates. Send for Catalog of Information.


**IT PAYS BIG To amuse the Public With Motion Pictures**



**NO EXPERIENCE NECESSARY** as our instruction Book and "Business Guide" tells all. We furnish Complete Outfits with Big Advertising Posters, etc. Humorous dramas brimful of fun, travel, history, religion, temperance work and songs illustrated. One man can do it. Astonishing Opportunity in any locality for a man with a little money to show in churches, school houses, lodge halls, theatres, etc. Big profits each entertainment. Others do it, why not you? It's easy; write to us and we'll tell you how. Catalogue free.

**AMUSEMENT SUPPLY CO., 467 Chemical Bank Bldg., CHICAGO**

**Bausch & Lomb**  
Magnifying Glasses



For over half a century our work has been the making of lenses. Whenever you need a pocket glass be sure to get a B. & L. They are shown here. 3 lenses, hard rubber mounting, 50 cents. CATALOGUE FREE

**Bausch & Lomb Opt. Co., Rochester, N. Y.**  
NEW YORK BOSTON WASHINGTON  
CHICAGO SAN FRANCISCO

**Why Not Whistle by Power?**



Hand whistles are played out. They are useless for long distance signals on the water. Your Launch needs something better.

**The Watres Gas Engine Whistle** connects with your engine using spent gas. Whistle blows simultaneously three loud, strong notes of chromatic scale and can be heard 3 miles. Send for free booklet.

**Watres Mfg. Co., 1137 Broadway, N. Y. City**

**George White Company**  
Fine Experimental Machinery

**A Few Things That We Can Do**

**DESIGN AND BUILD**

- 1.—We investigate, refine and perfect Crude Ideas or Inventions, reducing them to "commercial value."
- 2.—Experimental Work, Mechanical Drawings, Working Models of Patented and other Inventions.
- 3.—Special Jigs, Tools, Dies, and Machinery.
- 4.—Steam Compressed Air, Turbine, and all Hydro-Carbon Motors.
- 5.—Perfect and Construct Automobiles, Air-Ships, and Flying Machines.

**Call and See A Few Things We Have Done**

Office and Works  
22 and 24 Morris St., JERSEY CITY, N. J.  
Phone 894 L

**HEIMET OIL LUBRICATES ANYTHING.**  
IF YOU HAVE A HOT BOX TRY IT. CH-BESLEY & CO. CHICAGO, ILL. U.S.A.  
15 to 21 South Clinton Street.

**STEAM USERS**

**Rainbow Packing**

The original and only genuine red sheet packing.

The only effective and most economical flange packing in existence.

Can't blow Rainbow out.

For steam, air, hot or cold water, acid and ammonia joints.

Beware of imitations.

Look for the trade mark—the word Rainbow in a diamond in black, three rows of which extend the full length of each roll.

Manufactured exclusively by  
**PEERLESS RUBBER MFG. CO.**  
16 Warren St., New York

**Roofed with "Taylor Old Style" Tin in 1871**



These buildings house the roofing firm of Wallace Brothers Company, of Lafayette, Indiana. The one in the foreground was built in 1871 and its roof of "Taylor Old Style" tin, laid at that time, is in good condition today. With the exception of a few coats of paint, it has required no attention whatever during its thirty-five years of service.

Our booklet "A Guide to Good Roofs" sent on request.

**N. & G. TAYLOR COMPANY**  
ESTABLISHED 1810  
Philadelphia

**WHAT IS IN A NAME?**

Well that depends; if it pertains to typewriters and the name is

**UNDERWOOD**

It means writing in sight, the best, the most up-to-date, the most complete typewriter ever constructed.

It means for those who use it a saving of 25 per cent. in time.

It means better work and more of it.

It means a typewriter and tabulator for one price.

It means the most perfect mechanical construction.

It means strength, a light touch, a quick response—in fact everything that goes to make a perfect typewriter.

**UNDERWOOD TYPEWRITER CO.**  
241 Broadway New York.

**TOOL KNOWLEDGE CHEAP**



In fact you can have it free! This cut represents our new Tool Catalogue No. 22. It is cloth-bound and contains 350 pages all about Tools. Full descriptions and thousands of illustrations. Sent post-paid on receipt of \$1.00 which is refunded on your first purchase from us of \$10.00 or over.

**MONTGOMERY & CO.**  
105 Fulton St., N. Y. City

**"How to Remember" Stop Forgetting**



Free to Readers of this Publication

You are no greater intellectually than your memory. My course simple, inexpensive. Increases business capacity, social standing, gives an alert, ready memory for names, faces and business details. Develops will, conversation, speaking, etc. My booklet, "How to Remember," sent free.

**DICKSON SCHOOL OF MEMORY, 700 K-mball Hall, Chicago**

**A Chain Drill**



that is built right—not only in spots, but all the way through. It has a three-jawed chuck for holding round shank drills 1/8 to 1/2 inch. The square shank style can't come within a mile of it for accuracy. \$5.00 each. This Automatic Drill is made in the shops of

**GOODELL-PRATT COMPANY, Greenfield, Mass.**  
Send for catalogue—free.

**BACKUS**  
GAS & GASOLINE ENGINE

Simple, Economical, Durable  
Suitable for all kinds of work

**BACKUS WATER MOTOR, cheapest power known**

Write for circular and prices

**BACKUS WATER MOTOR CO., Newark, N. J., U.S.A.**

**Whitewash Your Buildings At Lowest Cost**



With a Progress Spraying and Whitewashing Machine. One man can apply whitewash or cold water paint to 10,000 square feet of surface in one day and do better work than with a brush. It is also adapted for spreading disinfectants, destroying insect pests and diseases on trees, vegetables and other plants, extinguishing fires, washing windows, wagons, etc., and other purposes. The machine is really a little water works system on wheels because the easy movement of the pump develops a pressure exceeding 80 pounds, and will raise the liquid more than 80 feet above its own level. The Progress, 12 gallon size, costs only \$21.00; the 20 gallon size, \$30.00. It will last a lifetime and pays for itself the first year. Other types of machines sold as low as \$9 and \$10. Write for detailed description.

**Dayton Supply Co., Dept. R, Dayton, O.**

**DUSTLESS House Cleaning Machinery**

**Stationary Plant**

for private residences. Uses power from lighting current. \$350 and up. State size of house.

Private plants for office buildings, department stores, etc.

Portable plants for residential cleaning business. \$2,000 and up. We sell exclusive city rights. Over 85 companies now operating.

**General Compressed Air House Cleaning Co.**  
4467 Olive Street, St. Louis, Mo.

**THE BERKEFELD FILTER**



The Standard of the World. The only filter removing typhoid and cholera bacilli from the water. Tested and recommended by Bacteriologists all over the world. The greatest invention in the filter technic during the last ten years. The filter gives water in small and large quantities according to the sizes. Easily cleaned, filter cylinders sterilized by boiling in water. Send for circulars to

**BERKEFELD FILTER CO.**  
4 Cedar Street, New York

**MILLS FOR ALL MATERIALS.**

OUR BUSINESS IS TO MAKE MACHINERY FOR GRINDING GRAIN, CRUSHING ROCKS AND PULVERIZING ALL HARD SUBSTANCES. WE HANDLE ALL KINDS OF MATERIALS FROM COTTON-SEED TO ROOTS AND HERBS. BY AN UNEXCELLED PROCESS; IF YOU WANT ANY KIND OF A MILL OR GRINDING MACHINE, COME TO US AND YOU WILL GET THE BEST AND STILL SAVE MONEY. ESTIMATES FREELY FURNISHED.

**SPROUT, WALDRON & CO.**  
SEND FOR CATALOG NO. 4. MUNCY, PA.

**WHERE ANSWER? PROOF**

CAN YOU BUY THE LATEST AND BEST AUTOMOBILE PARTS, SUNDRIES AND SUPPLIES?

**NEUSTADT AUTOMOBILE AND SUPPLY CO.**  
726-730 S. 18th STREET, ST. LOUIS, MO.  
"OUR 1906 CATALOGUE AND DISCOUNT SHEET."